

## **STEVEN N. BLAIR**

921 Assembly Street  
Department of Exercise Science  
Department of Epidemiology and Biostatistics  
Arnold School of Public Health  
University of South Carolina  
Columbia, SC 29208

Telephone—803 777 0567  
Telefax—803 777 2504  
Email address—sblair@mailbox.sc.edu

### **EDUCATION**

- 1978-80 Post-doctoral scholar in preventive cardiology, Stanford University School of Medicine.
- 1963-68 M.S. (1965) and P.E.D. (1968), Physical education, Indiana University - Bloomington.
- 1957-62 B.A., Physical education, minor in biology, Kansas Wesleyan University, Salina, Kansas.

### **PROFESSIONAL EXPERIENCE**

- 2016-present Distinguished Professor Emeritus, Arnold School of Public Health, Departments of Exercise Science and Epidemiology/Biostatistics, University of South Carolina
- 2006 -2016 Professor, Arnold School of Public Health, Departments of Exercise Science and Epidemiology and Biostatistics, University of South Carolina
- 2006 -2008 Executive Lecturer, Department of Kinesiology, Health Promotion, and Recreation, University of North Texas
- 2002 -2006 President and CEO, The Cooper Institute  
The Fred and Barbara Meyer Chair in Preventive Medicine
- 1980-2002 Director of Epidemiology and Clinical Applications, and Director of Research, The Cooper Institute  
(part-time 1980 - May 1984, full-time after May 1984).  
Responsible for the Aerobics Center Longitudinal Study.
- 2007 Visiting Professor of the School of Public Health, University of North Texas, Fort Worth.

- 2001 Benjamin Meaker Fellow and Visiting Professor, University of Bristol, Bristol, U.K.
- 1998-2007 Adjunct Professor of the College of Education, University of Houston, Houston.
- 1966-1984 Instructor to Professor, University of South Carolina, Columbia. Last position was Professor, School of Public Health. Taught courses in planning and evaluation, epidemiologic foundations of health education, changing health behavior, and graduate research seminars; directed graduate student research. Earlier duties: founded, developed, and directed the Human Performance Laboratory, 1966-78.
- 1962-1963 Instructor of physical education and athletic coach, Kansas Wesleyan University.

**Certifications and Honors:**

Fellow, American Epidemiological Society

Fellow, American Heart Association

Fellow, American College of Sports Medicine

Fellow, European Society of Preventive Medicine

Fellow, National Academy of Kinesiology

Fellow, The Society of Behavioral Medicine

Fellow, The Obesity Society

Retired Fellow, Royal Society of Medicine, London, UK

Member, American College of Epidemiology

Member, The Advancement of Sound Science Coalition

Member, The Academy of Behavioral Medicine Research

First recipient of the South Carolina AAHPERD Scholar Award, 1981

Health Educator of the Year Award, South Carolina Association for Health Education, 1982

*Runner's World* All Star Team, 1985

Honor Award, Association for Research, Administration, Professional Councils, and Societies, AAHPERD, 1988

Kansas Wesleyan University Distinguished Alumni Award, 1989

Scholar Award, Southern District AAHPERD, 1989-1990

Person of the Year, International Racket Sports Association, 1990

Honor Award, AAHPERD, 1991

W.W. Patty Distinguished Alumni Award, Indiana University, School of Health, Physical Education, and Recreation, 1992

Scholar Award, AAHPERD, 1993-1994

Wellner Distinguished Scholar, Frostburg State University, 1994

Who's Who in America

Who's Who in Science and Engineering

Citation Award, ACSM, 1994

R. Tait McKenzie Recognition Award, AAHPERD, 1995

Distinguished Scholar, The University of Memphis, 1995

Healthy American Fitness Leader, 1995

IHRSA Person of the Year, 1996

IDEA Lifetime Achievement Award, 1996

ICSSPE Gold Medal, 1996

Surgeon General's Medallion, 1996

Honor Award, Texas Regional Chapter of the American College of Sports Medicine, 1997

Presidential Citation, AAHPERD 1997 Convention, St. Louis, MO, 1997

Award of Meritorious Achievement of the American Heart Association, Dallas, 1998

Landsdowne Scholar, University of Victoria, British Columbia, Canada, 1997

The William G. Anderson Commemorative Award, Garden City, NY, 1998

Charter Member, North American Society for Health, Physical Education, Recreation and Dance, 2000

Honorary Member of the Order of the Horse Collar Knights of Kuopio University, 2001

2001 Texas Health, Racquet & Sportsclub Association Outstanding Service Award

Benjamin Meaker Fellow, University of Bristol, UK, 2001

National Institutes of Health Method to Extend Research in Time (MERIT) Award, 2002

Honorary Advisor to the Sports Medicine and Sports Science Panel: October 2002 to September 2004.

2003 ACSM Honor Award

National Fitness Hall of Fame, 2006

Population Science Research Prize, American Heart Association, 2008

Folksam Epidemiology Prize, Karolinska Institute, Stockholm, 2010

Southeastern American College of Sports Medicine, 2010 Henry J. Montoye Scholar Award, 2011

Bloomberg Manulife Prize, McGill University, Montreal, CANADA, 2012

Phillip Noel Baker Award, International Council of Sport Science and Physical Education, Glasgow, SCOTLAND, 2012

INSPIRE AWARD, International Council on Active Aging, 2012

James E. Clyburn Public Health and Health Disparities Award, Arnold School of Public Health, 2013

University of South Carolina, Educational Foundation Award for Research in Health Sciences, 2013

Mickey Stunkard Lifetime Achievement Award, The Obesity Society, 2013

Population Science and Public Health Award, The World Obesity Federation, 2014

Alumni Achievement Award, Kansas Wesleyan University, 2014

Lifetime Achievement Award, President's Council on Fitness, Sports, and Nutrition, 2014

Listed as one of the World's Most Influential Scientific Minds, Thompson Reuters, 2014 and 2015

Scholar Award, Texas A & M University, 2015

2017 and 2018 Highly Cited Researcher—Web of Science

## **Honorary Degrees**

*Doctor Honoris Causa*, Free University of Brussels, 1994

Doctor of Health Science, Lander University, 1996

Doctor of Health Science *Honoris Causa*, University of Bristol, 2002

Doctorem Medicinae Honoris Causa, Southern Denmark University, 2017

## **PROFESSIONAL AFFILIATIONS**

### **Memberships:**

American College of Sports Medicine (Board of Trustees, 1981-84; Vice President, 1990-92; President-Elect 1995-96; President 1996-97)

Council on Epidemiology and Prevention, American Heart Association

Council on Nutrition, Physical Activity and Metabolism, American Heart Association (Chair, Physical Activity Subcommittee 2000-2003)

Lifetime Fellow, Royal Society of Medicine, UK

Society for Epidemiologic Research

American Public Health Association

National Academy of Kinesiology (President 1994-1995)

Society for Clinical Trials

American Alliance for Health, Physical Education, Recreation and Dance (AAHPERD)

Society for Behavioral Medicine

American College of Epidemiology

American Epidemiological Society

The Obesity Society

### **Named Lectures:**

D. Oberteuffer Lecture, Ohio State University, 1989

V. Hawthorne Lecture, University of Michigan, 1989

A. Ishmail Lecture, Purdue University, 1990

Fain Oration, The Miriam Hospital, Providence, RI, 1992

C.H. McCloy Research Lecture, AAHPERD, 1993

Darlith Flynyddol Iagach, Shape Annual Lecture, University of North Wales - Bangor, 1993

J. Warren Perry Lecture, State University of New York at Buffalo, Buffalo, NY, 1995

Alkek Lecture, The Institute for Sports Medicine and Human Performance, Southwest Texas State University, San Marcos, TX, 1996

D. B. Dill Lecture, Southwest Chapter of the American College of Sports Medicine, Las Vegas NV, 1996

Ardie Lubin Memorial Lecture, Naval Health Research Center, San Diego, CA, 1996

D.K. Stanley Lecture, University of Florida, Gainesville, FL, 1997

The Sixteenth Annual Lydia J. Roberts Memorial Lecture, The Chicago Nutrition Association and The University of Chicago, Chicago, 1997

John R. Sutton Memorial Lecture, The Canadian Society for Exercise Physiology, Toronto, Ontario, Canada, 1997

Mabel C. Robinson Memorial Lecture, Alabama State Association for Health, Physical Education, Recreation & Dance, Birmingham, AL, 1998

Dudley Allen Sargent Lecture Series – Inaugural Lecture, Sargent College, Boston University, Boston, MA, 1999

J. George Jones, Jr. and Velma Rife Jones Distinguished Visiting Lectureship, College of Health, The University of Utah, Salt Lake City, UT, 2000

R. Tait McKenzie Memorial Lecture, AAPHERD, Cincinnati, OH, 2001

First International Lecture on Preventive Cardiology, German Cardiac Society, Mannheim, Germany, 2002

Distinguished Visiting Professor Lecture, Department of Public Health Sciences, Wake Forest University School of Medicine, Winston-Salem, NC, 2003

Marian Godeke Miller Lecture, IU HPER, Indiana University, Indianapolis, IN, 2005

Mary and Butch Slaughter Lecture & Curry Centennial Speaker Series, University of Virginia, Charlottesville, VA, 2005.

The Wenner-Wingate Lecture, McDaniel College, Westminster, MD, 2006.

Robert S. Gordon, Jr. Lecture. National Institutes of Health, Bethesda, MD, 2006.

Joseph B. Wolfe Lecture. American College of Sports Medicine, Denver, CO, 2006.

Robert Levy Lecture. American Heart Association, Chicago, IL, 2006.

International 19<sup>th</sup> Puijo Symposium Honorary Lecture. Kuopio, FINLAND, 2007.

Ramsey Lecture, The University of Georgia, Athens, GA, 2008.

Burris F. Husman Lecture, University of Maryland, College Park, MD, 2008.

Vice-Chancellor's Lecture, University of Auckland, New Zealand, 2012

Exercise and Nutrition Science Centennial Banquet Speaker, San Diego State University, 2015

Distinguished Lecture Series, Texas A & M University, 2015

Blythe Lecture, UNC-Chapel Hill, 2016

Charles C. Cowell Lecture, Purdue University, 2016

Richard Parr Lecture, Central Michigan University, 2017

Distinguished Lecture Series, Kansas State University, 2017

Distinguished Visiting Scholars Lecture, University of Montana, 2017

## **OTHER ACTIVITIES**

- |           |  |
|-----------|--|
| 1986-1993 | Exercise Epidemiology Section Editor, <i>Research Quarterly for Exercise and Sport</i> |
| 1986-1999 | Associate Editor, <i>American Journal of Health Promotion</i>                          |
| 1987-1991 | Epidemiology and Disease Control Study Section, National Institutes of Health          |
| 1989-1990 | Editorial Board, <i>Clinical Journal of Sports Medicine</i>                            |
| 1987-1998 | Editorial Board, <i>Exercise and Sport Sciences Reviews</i>                            |
| 1988-1992 | Editorial Board, <i>Medicine and Science in Sports and Exercise</i>                    |
| 1989-1990 | Editorial Board, <i>Current Issues in Exercise Science</i>                             |
| 1991-1997 | Advisory Board, <i>Medicine, Exercise, Nutrition and Health</i>                        |

- 1991-1997 Associate Editor, *American Journal of Epidemiology*
- 1992-1995 Member-At-Large, Council on Epidemiology and Prevention, American Heart Association
- 1993-1995 Editorial Board, *MacMillan Health Encyclopedia*
- 1994-1996 Senior Scientific Editor, *Physical Activity and Health: A Report of the Surgeon General*
- 1995-1998 Editorial Board, *Biological and Pedagogical Problems of Physical Education and Sport*
- 1996-1997 Honorary Chairman, National Coalition for Promoting Physical Activity
- 1996-1997 Editorial Board, *British Journal of Sports Medicine*
- 1996-1997 Executive Volunteer Reviewer, *Sports Medicine Bulletin*
- 1996-1998 Editorial Board, *Frontiers in Bioscience*
- 1997-2002 Medical/Scientific Advisory Council, IHRS Institute on Exercise & Health
- 1998-1999 First President, The National Coalition for Promoting Physical Activity
- 1999-2000 Honorary Advisor, Sports Medicine and Research Centre of the Singapore Sports Council
- 2001-Present Editorial Board, *The American Journal of Medicine & Sports*
- 2002-Present Editorial Board, *Current Sports Medicine reports*
- 2002-2006 Co-Editor in Chief, *Journal of Physical Activity & Health*
- 2004-Present Editorial Advisory Board, *Health*
- 2005-2007 Editorial Board, *Active Living*
- 2007-2011 Physical Activity Section Editor, *Current Cardiovascular Risk Reports*
- 2008-present Senior Associate Editor, *British Journal of Sports Medicine*

### **External funding**

S Blair has had numerous grants and contracts from the National Institutes of Health (NIH) and other organizations to support research and professional activities. Highlights include:

Aerobics Center Longitudinal Study was funded for over 20 years by the National Institute on Aging (NIA)(AG06945)

NIH funding for 5 randomized clinical trials from the National Heart, Lung, and Blood Institute and NIA.



Total research funding from the NIH for the above and other projects over the past 25+ years has been in the range of \$25-30 million.

### **Recent funding**

Project HEALTH—U.S. Department of Defense, via a subcontract from the Research Triangle Institute, Principal Investigator, \$174,732

Lifestyle Independence for Elders—National Institute on Aging, via a subcontract from the University of Florida, Principal Investigator, \$100,149

Swimming and Health—National Swimming Pool Foundation, Principal Investigator, \$165,417

Project LEAN—BodyMedia, Principal Investigator, \$251,896

Physical Activity and Childhood Obesity—National Heart, Lung, and Blood Institute, via a subcontract from the University of Bristol (UK), Principal Investigator, \$42,706.00

HYPGENE—National Heart, Lung, and Blood Institute, via subcontract from the Pennington Biomedical Research Center, Principal Investigator, \$15,967

Energy Balance—Unrestricted research grant from The Coca-Cola Company, \$2.5 million

Global Energy Balance Network—Unrestricted grant from The Coca-Cola Company, \$507,463

## **PUBLICATIONS**

**S Blair is one of the most highly cited exercise scientists. His work has been cited a total of more than 65,000 times, and is currently being cited >5,000 times/year. His h-Index is 122. His most highly cited research article (*JAMA* 1989) has been cited over 2,000 times. He has 22 articles that have been cited >500 times and 14 articles that have been cited >1,000 times.**

### **Peer-reviewed publications**

1. **Blair SN.** Purposive physical education pays. *J Health Phys Educ Rec*, 1966; 23:47-49.
2. **Blair SN, Gatch W.** Reliability of the '12 minute test'. *SC J Health Phys Educ Rec*, 1969; Mar 1:11.
3. **Blair SN, McDonough J, Buskirk ER, Shephard R, Taylor HL, Neff P.** Report on exercise evaluation. *J SC Med Assn*, 1969; Dec 65:71-74(Suppl #1).
4. **Parmley LF, Blair SN, Gazes PC, Giese WK, Summerall III, CP, Saunders DE (eds).** Proceedings of the National Workshop on Exercise in the Prevention, Evaluation, and Treatment of Heart Disease. *J SC Med Assn*, 1969; Dec 65(Suppl #1).
5. **Blair SN.** Some comments on "Why Exercise". *SC J Health Phys Educ Rec*, 1971; Mar 3:19-21.
6. **Blair SN, Ellisor DB:** Practical application of research findings. *SC J Health Phys Educ Rec*, 1971; Nov 4:12.
7. **Blair SN, Vincent ML.** Variability of heart rate and blood pressure on consecutive days. *Res Q Exercise Sport*, 1971; 42:7-13.

8. **Blair SN, Hohn RC, Williams T.** Practical application of research findings. *SC J Health Phys Educ Rec* 1972; Mar 4:15-17.
9. **Blair SN.** What does scientific research indicate in regard to overweight? *SC J Health Phys Educ Rec*, 1972; Dec 5:9-11.
10. **Blair SN.** Primary prevention of cardiovascular disease. *SC J Health Phys Educ Rec*, 1973; 5:10-11.
11. **Kiger RG, Blair SN.** A physical fitness and cardiovascular risk factor screening program for state legislators. *J SC Med Assn*, 1974; 70:39-45.
12. **Keith JA, Spurgeon JH, Blair SN, Carter LW.** Motivational differentials among physically active and inactive mature males as measured by the motivational analysis test. *Res Q Exercise Sport*, 1974; 45:217-223.
13. **Chandler JV, Langley TD, Blair SN.** Movement times for jab and cross-over steps by high school football players. *Res Q Exercise Sport*, 1975; 46:147-152.
14. **Blair SN, Foley JW, Rosenberg M, Giese WK, Martin JF.** Coronary heart disease risk factors in the Columbia, S.C. area. *J SC Med Assn*, 1978; 74:445-449.
15. **Spurgeon JH, Blair, SN, Keith JA.** Characteristics of successful and probationary football officials. *Sports Med*, 1978; 6:106-112.
16. **Blair SN, Howe HG, Blair A, Pate RR, Rosenberg M, Parker GM.** Life stress and health. *J SC Med Assn*, 1979; 75:331-334.
17. **Blair SN, Blair A, Spurgeon J, Keith J.** Physiological and psychological changes associated with camping and hiking activity. *SC J Health Phys Educ Rec*, 1979; 12:20-23.
18. **Horowitz MJ, Hulley S, Alvarez W, Reynolds A, Benfari R, Blair S, Borhani N, Simon N.** Life events, risk factors and coronary disease. *Psychosomatics*, 1979; 20:586-592.
19. **Blair SN, Pate RR, Blair A, Howe HG, Rosenberg M, Parker GM.** Leisure time physical activity as an intervening variable in research. *Health Educ*, 1980; 11:8-11.
20. **Haskell WL, Blair SN.** The physical activity component of health promotion programs in occupational settings. *Pub Health Reports*, 1980; 95:109-118.
21. **Blair SN, Blair A, Howe HG, Pate R, Rosenberg M, Parker GM.** Leisure time physical activity and job performance. *Res Q Exercise Sport*, 1980; 51:718-723.
22. **Chandler JV, Blair SN.** The effect of amphetamines on selected physiological components related to athletic success. *Med Sci Sports*, 1980; 12:65-69.
23. **Blair SN, Sargent R, Davidson D, Krejci R.** Blood lipids and ECG responses to carbohydrate loading in male and female marathon runners. *Sports Med*, 1980; 8:68-75.
24. **Blair A, Blair SN, Howe HG, Pate RR, Rosenberg M, Parker GM, Pickle LW.** Physical, psychological, and sociodemographic differences between smokers, ex-smokers, and non-smokers in a working population. *Prev Med*, 1980; 9:747-759.
25. **Horowitz M, Hulley S, Alvarez W, Billings J, Benfari R, Blair SN, Borhani N, Simon N.** News of risk for early heart disease as a stressful event. *Psychomat Med*, 1980; 42:37-46.
26. **Blair SN, Chandler JV, Ellisor DB, Langley T.** Improving physical fitness by exercise training programs. *South Med J*, 1980; 73:1594-1596.
27. **Pollock ML, Blair SN.** Exercise Prescription. *J Phys Educ Rec*, 1981; 53:30-35.

28. **Sargent RG, Blair SN, Magun JC, Krejci RC, Sacoco C, Langley TD, Taylor RL.** Physical fitness and intraocular pressure. *Am J Optom Physiol Optics*, 1981;58:460-6.
29. **Blair SN, Blair A, Pate RR, et al.** Interactions among dietary patterns, physical activity, and skinfold thickness. *Res Q Exercise Sport*, 1981; 52:505-11.
30. **Blair SN, Ellsworth NM, Haskell WH et al.** Comparison of nutrient intake in middle-aged men and women runners and controls. *Med Sci Sports Exercise*, 1981; 13:310-315.
31. **Blair SN, Carter LW, Keith JA, Spurgeon JH.** An attempt to forecast successful and unsuccessful male physical education majors. *SC J Health Phys Educ Rec Dance*, 1981; 14:9-11.
32. **Clearie AF, Blair SN, Ward WB.** The role of the physician in health promotion: findings from a community telephone survey. *J SC Med Assn*, 1982; 78:503-505.
33. **Blair SN.** Effects of lifestyle on mortality. *SC J Health Phys Educ Rec Dance*, 1982; 15(1):2-6.
34. **Blair SN.** Exercise and coronary heart disease. *Beh Med Update*, 1982; 4:12-15.
35. **Wood PD, Haskell WL, Blair SN, Williams PT, Krauss RM, Lindgren FT, Albers JJ, Ho PH, Farquhar JW.** Increased exercise level and plasma lipoprotein concentration. *Metabolism*, 1983; 32:31-39.
36. **Blair SN, Falls HB, Pate RR.** A new physical fitness test. *Sports Med*, 1983; 11:87-95.
37. **Gibbons LW, Blair SN, Cooper KH, Smith M.** Association between coronary heart disease risk factors and physical fitness in healthy adult women. *Circulation*, 1983; 67:977-983.
38. **Blair SN, Cooper KH, Gibbons LW, Gettman LR, Lewis S, Goodyear N.** Changes in coronary heart disease risk factors associated with increased treadmill time in 753 men. *Am J Epidemiol*, 1983; 118:352-359.
39. **Dorociak JJ, Pate RR, Blair SN.** Professional attitudes and health habits of the SCAHPERD membership. *SC J Health, Phys Educ, Rec, Dance*, 1983; 15(2):2-4.
40. **Blair SN.** Revision of the American College of Sports Medicine Guidelines for Graded Exercise Testing and Exercise Prescription. *J Cardiac Rehab*, 1983; 3:517.
41. **Pate RR, Blair SN.** Physical fitness programming at the worksite. *Prev Med*, 1983; 12:632-643.
42. **Collingwood TR, Hubbard D, Bernstein I, Blair SN.** Canonical correlations between clinical and psychological variables. *J Cardiac Rehab*, 1983; 3:706-711.
43. **Williams PT, Wood PD, Krauss RM, Haskell WL, Vranizan KM, Blair SN, Terry R, Farquhar JW.** Does weight loss cause the exercise-induced increase in plasma high density lipoproteins? *Atherosclerosis*, 1983; 47:173-185.
44. **Germain NW, Blair SN.** Variability of shoulder flexion with age, activity, and sex. *Am Corr Ther J*, 1983; 37:156-160.
45. **Blair SN, Collingwood TR, Reynolds R, Smith M, Hagan RD, Sterling CL.** Health promotion for educators: impact on health behaviors, satisfaction, and general well-being. *Am J Pub Health*, 1984; 74:147-149.

46. **Blair SN, Lavey RS, Goodyear N, Gibbons LW, Cooper KH.** Physiologic responses to maximal graded exercise testing in apparently healthy white women aged 18-75 years. *J Cardiac Rehab*, 1984; 4:459-68.
47. **Davis KE, Jackson KL, Kronenfeld JJ, Blair SN.** Intent to participate in worksite health promotion activities: a model of risk factors and psychological variables. *Health Educ Q*, 1984; 11:361-377.
48. **Blair SN, Collingwood TR, Smith M, Upton J, Sterling CL.** Review of a health promotion program for school employees. *Spec Serv Schools*, 1985; 1:89-97.
49. **Blair SN, Goodyear NN, Gibbons LW, Cooper KH.** Physical fitness and the incidence of hypertension in healthy, normotensive men and women. *JAMA*, 1984; 252:487-490. (Also selected for publication and translated for the French and German editions of JAMA.)
50. **Blair SN, Goodyear NN, Wynne KL, Saunders RP.** Comparisons of dietary and smoking habit changes in physical fitness improvers and nonimprovers. *Prev Med*, 1984; 13:411-420.
51. **Blair SN, Jacobs DR, Jr., Powell KE.** Relationships between exercise or physical activity and other health behaviors. *Pub Health Rep*, 1985; 100:172-180.
52. **Sallis JF, Haskell WL, Wood PD, Fortman SP, Rogers T, Blair SN, Paffenbarger RS.** Physical activity assessment methodology in the Five City Project. *Am J Epidemiol*, 1985; 121:91-106.
53. **Kannel WB, Wilson P, Blair SN.** Epidemiologic assessment of the role of physical activity and fitness in the development of cardiovascular disease. *Am Heart J*, 1985; 109:876-885.
54. **Blair SN, Haskell WL, Ho P, Paffenbarger RS, Vranizan KM, Farquhar JW, Wood PD.** Assessment of habitual physical activity by a seven-day recall in a community survey and controlled experiments. *Am J Epidemiol*, 1985; 122:794-804.
55. **Blair SN.** Physical activity leads to fitness and pays off. *Sports Med*, 1985; 13(3):153-157.
56. **Williams PT, Haskell WL, Vranizan KM, Blair SN, Krauss RM, Superko HR, Albers JJ, Frey-Hewitt B, Wood PD.** Associations of resting heart rate with concentrations of lipoprotein subfractions in sedentary men. *Circulation*, 1985; 71:441-449.
57. **Duncan JJ, Farr JE, Upton SJ, Hagan RD, Oglesby ME, Blair SN.** The effects of aerobic exercise on plasma catecholamines and blood pressure in patients with mild essential hypertension. *JAMA*, 1985; 254:2609-2613.
58. **Blair SN, Smith M, Collingwood TR, Reynolds R, Prentice MC, Sterling CL.** Health promotion for educators: impact on absenteeism. *Prev Med*, 1986; 15:166-175.
59. **Blair SN, Piserchia PV, Wilbur CS, Crowder JH.** A public health intervention model for worksite health promotion: impact on exercise and physical fitness in the Live for Life Program after 24 months. *JAMA*, 1986; 255:921-926.
60. **Powell KE, Kohl HW, Caspersen CJ, Blair SN.** An epidemiological perspective on the causes of running injuries. *Sports Med*, 1986; 14:100-114.
61. **Rogers T, Blair SN.** Exercise programs at the worksite. *Focal Points*, 1986; 2:12-13.
62. **Blair SN, Oberman A.** Epidemiologic analysis of coronary heart disease and exercise. *Cardiol Clin*, 1987; 5:271-283.

63. **Davis KE, Jackson KL, Kronenfeld JJ, Blair SN.** Determinants of participation in worksite health promotion activities. *Health Educ Q*, 1987; 14:195-205.
64. **Kronenfeld JJ, Jackson K, Blair SN, Davis K, Gimarc JD, Salisbury Z, Maysey D, McGee JG.** Evaluating health promotion: a longitudinal quasi-experimental design. *Health Educ Q*, 1987; 14:123-129.
65. **Blair SN, Mulder RT, Kohl HW.** Reaction to "Secular trends in adult physical activity: exercise boom or bust?" *Res Q Exercise Sport*, 1987; 58:106-110.
66. **Collingwood TR, Bernstein IH, Blair SN.** The interrelation of coronary heart disease risk factors: a factor analysis of 23 variables. *J Cardiopulmonary Rehabil*, 1987; 7:234-238.
67. **Kronenfeld JJ, Maysey D, McGee JG, Gimarc JD, Jackson KL, Blair SN, Salisbury Z.** A public sector health promotion program. *Int Q Comm Health Educ*, 1987; 2:167-172.
68. **Blair SN, Kohl HW, Goodyear NN.** Rates and risks for running and exercise injuries: studies in three populations. *Res Q Exercise Sport*, 1987; 58:221-228.
69. **Blair SN, Tretsch L, Kutsch S.** Worksite health promotion for school faculty and staff. *J School Health*, 1987; 57:469-473.
70. **Blair SN, Ludwig DA, Goodyear NN.** A canonical analysis of central and peripheral subcutaneous fat distribution and coronary heart disease risk factors in men and women aged 18-65 years. *Human Biol*, 1988; 60:111-122.
71. **Kronenfeld JJ, Jackson KL, Davis KE, Blair SN.** Changing health practices: the experience from a worksite health promotion project. *Soc Sci Med*, 1988; 26:515-523.
72. **Kohl HW, Blair SN, Paffenbarger RS Jr, Macera CA, Kronenfeld JJ.** A mail survey of physical activity habits as related to measured physical fitness. *Am J Epidemiol*, 1988; 127:1228-1239.
73. **Clark DG, Blair SN, Culan MR.** Are HPE teachers good role models? *J Phys Educ Recreation*, 1988; 59(7):76-80.
74. **Gordon NF, Blair SN.** Cardiovascular and muscular benefits of exercise training. *Practitioner's Consult*, 1988; 2(2):1-10.
75. **Kronenfeld JJ, Goodyear N, Pate R, Blair N, Howe H, Parker G, Blair SN.** The interrelationship among preventive health habits. *Health Educ Res*, 1988; 3:317-323.
76. **Kohl HW, LaPorte RE, Blair SN.** Physical activity and cancer: an epidemiological perspective. *Sports Med*, 1988; 6:222-237.
77. **Blair SN, Kannel WB, Kohl HW, Goodyear NN, Wilson PWF.** Surrogate measures of physical activity and physical fitness: evidence for sedentary traits of resting tachycardia, obesity, and low vital capacity. *Am J Epidemiol*, 1989; 129:1145-1156.
78. **Cooper KH, Blair SN, Gordon NF.** Oxygen and Athletes. *JAMA*, 1989; 262:264.
79. **Stephens T, Jackson K, Garrison C, Blair S, Kronenfeld J.** Smoking behaviors and attitudes in the workplace. *Health Education Research*, 1989; 4:245-249.
80. **Brill PA, Burkhalter HE, Kohl HW, Blair SN, Goodyear NN.** The impact of previous athleticism on exercise habits, physical fitness, and coronary heart disease risk factors in middle-aged men. *Res Q Exercise Sport*, 1989; 60:209-215.

81. **Macera CA, Jackson KL, Hagenmaier GW, Kronenfeld JJ, Kohl HW, Blair SN.** Age, physical activity, physical fitness, body composition, and incidence of orthopedic problems. *Res Q Exercise Sport*, 1989; 60:225-233.
82. **Gibbons L, Blair SN, Kohl HW, Cooper K.** The safety of maximal exercise testing. *Circulation*, 1989; 80:846-852.
83. **Blair SN, Kohl HW III, Paffenbarger RS Jr, Clark DG, Cooper KH, Gibbons LW.** Physical fitness and all-cause mortality: a prospective study of healthy men and women. *JAMA*, 1989; 262:2395-2401.
84. **Kriska AM, Knowler WC, LaPorte RE, Drash AL, Wing RR, Blair SN, Bennett PH, Kuller LH.** Development of questionnaire to examine relationship of physical activity and diabetes in Pima Indians. *Diabetes Care*, 1990; 13(4):401-411.
85. **Kohl HW, Gibbons LW, Gordon NF, Blair SN.** An empirical evaluation of the ACSM Guidelines for Exercise Testing. *Med Sci Sports Exercise*, 1990; 22(4):533-539.
86. **Barlow CE, Brill PA, Blair SN, Kohl HW.** Practical advice on fitness and mortality: A new approach to exercise prescription. *Am J Health Promotion*, 1990; 4(5):391-393.
87. **Hartung GH, Kohl HW, Blair SN, Lawrence SJ, Harrist RB.** Exercise tolerance and alcohol intake: blood pressure relation. *Hypertension*, 1990; 16:501-507.
88. **Blair SN.** Exercise and health. *Sports Science Exchange*, 1990; 3(29).
89. **Macera CA, Jackson KL, Davis DR, Kronenfeld JJ, Blair SN.** Patterns of non-response to a mail survey. *J Clin Epidemiol*, 1990; 43(12):1427-1430.
90. **Jackson AS, Blair SN, Mahar MT, Wier LT, Ross RM, Stuteville JE.** Prediction of functional aerobic capacity without exercise testing. *Med Sci Sports Exercise*, 1990; 22:863-870.
91. **Gordon NF, Scott CB, Wilkinson WJ, Duncan JJ, Blair SN.** Exercise and mild essential hypertension: Recommendations for adults. *Sports Med*, 1990; 10(6):390-404.
92. **Blair SN, Dowda M, Pate RR, Kronenfeld J, Howe Jr. HG, Parker G, Blair A, Fridinger F.** Reliability of long-term recall of participation in physical activity by middle-aged men and women. *Am J Epidemiol*, 1991; 133:266-75.
93. **Blair SN.** Weight-loss through physical activity. *The Weight Control Digest*, 1991; Jan/Feb 1(2).
94. **Brill PA, Kohl HW, Rogers T, Collingwood TR, Sterling CL, Blair SN.** The relationship between sociodemographic characteristics and recruitment, retention, and health improvements in a worksite health promotion program. *Am J Health Promotion*, 1991; 5(3):215-221.
95. **Szymanski L, Pate RR, Dowda M, Blair SN, Howe Jr. HH, Parker G, Blair A.** A comparison of questionnaire and physiological data in predicting future chronic disease risk factor status in an employee population. *Am J Health Promotion*, 1991; 5(4):298-304.
96. **Blair SN, Kohl HW, Barlow CE, Gibbons LW.** Physical fitness and all-cause mortality in hypertensive men. *Ann Med*, 1991; 23:307-312.
97. **Kohl HW, Blair SN.** Of ligaments, joints, and epidemics: the challenge of sports medicine and epidemiology. *Clin J Sport Med*, 1991; 1:223-224.
98. **Blair SN.** Energy balance: the energy expenditure side. *The Weight Control Digest*, 1991; Nov/Dec: 114-16.

99. **Kohl HW, III, Powell KE, Gordon NF, Blair SN, Paffenbarger RS Jr.** Physical activity, physical fitness, and sudden cardiac death. *Epidemiol Rev*, 1992; 14:37-58.
100. **Kohl HW, Villegas JA, Gordon NF, Blair SN.** Cardiorespiratory fitness, glycemic status, and mortality risk in men. *Diabetes Care*, 1992; 15(2):184-192.
101. **Blair SN, Kohl HW, Gordon NF.** Physical activity and health: A lifestyle approach. *Med Exerc Nutr Health*, 1992; 1:54-57.
102. **Gordon NF, Kohl HW, Scott CB, Gibbons LW, Blair SN.** Reassessment of the guidelines for exercise testing: What alterations to current recommendations are required? *Sports Med*, 1992; 13(5):293-302.
103. **Brill PA, Kohl HW, Blair SN.** Anxiety, depression, physical fitness, and all-cause mortality in men. *J Psychosom Res*, 1992; 36(3):267-273.
104. **Blair SN, Kohl HW, Gordon NF, Paffenbarger RS.** How much physical activity is good for health? *Ann Rev Public Health*, 1992; 13:99-126.
105. **King AC, Blair SN, Bild DE, Dishman RK, Dubbert PM, Marcus BH, Oldridge NB, Paffenbarger RS, Powell KE, Yeager KK.** Determinants of physical activity and interventions in adults. *Med Sci Sports Exerc*, 1992; 24(6):S221-S236.
106. **Blair SN.** Are American children and youth fit? The need for better data. *Res Q Exerc Sport*, 1992; 63(2):120-123.
107. **Rippe JM, Blair SN, Freedson P, Micheli LJ, Morrow JR Jr., Pate R, Plowman S, Rowland T.** Childhood health and fitness in the United States: Current status and future challenges. Part I, of a roundtable discussion at the American College of Sports Medicine, Orlando, Florida, May 30, 1992. *Med Exerc Nutr Health*, 1992; 1(2):97-104. Part II of a roundtable discussion at the American College of Sports Medicine, Orlando, Florida, May 30, 1991. *Med Exerc Nutr Health*, 1992; 1(3):171-180.
108. **Blair SN (member).** Task Force 3: Implications with respect to intervention and prevention. *Health Psychology*, 1992; 11(Suppl):17-25.
109. **Blair SN.** Assessment of physical activity in clinical and epidemiological research. *Health Psychology*, 1992; 11(Suppl):48.
110. **Kohl HW, Gordon NF, Scott CB, Vaandrager H, Blair SN.** Musculoskeletal strength and serum lipid levels in men and women. *Med Sci Sports Exerc*, 1992; 24:1080-1087.
111. **Fletcher GF, Blair SN, Blumenthal J, Caspersen C, Chaitman B, Epstein S, Falls H, Sivarajan-Froelicher ES, Froelicher VF, Pina IL.** AHA Statement on Exercise: Benefits and recommendations for physical activity programs for all Americans. *Circulation*, 1992; 86:340-344.
112. **Paffenbarger RS Jr, Blair SN, Lee I-M, Hyde RT.** Measurement of physical activity to assess health effects in free-living populations. *Med Sci Sports Exerc*, 1993; 25(1):60-70.
113. **Gordon NF, Kohl HW III, Blair SN.** Life style exercise: A new strategy to promote physical activity for adults. *J Cardiopulmonary Rehabil*, 1993; 13:161-63.
114. **Blair SN.** Evidence for success of exercise in weight loss and control. *Ann Int Med*, 1993; 119:702-706.
115. **Blair SN, Shaten J, Brownell K, Collins G, Lissner L.** Body-weight change, all-cause and cause-specific mortality in the Multiple Risk Factor Intervention Trial. *Annals of Int Med*, 1993; 119:749-757.
116. **Blair SN, Powell KE, Bazzarre TL, Early JL, Epstein LH, Green LW, Harris SS, Haskell WL, King AC, Koplan J, Marcus B, Paffenbarger RS,**

- Yeager KK.** AHA Prevention Conference III, Behavior Change and Compliance: Keys to Improving Cardiovascular Health. Physical inactivity: Workshop V. *Circulation*, 1993; 88:1402-1405.
117. **Blair SN, Kohl HW, Barlow CE.** Physical activity, physical fitness, and all-cause mortality in women: Do women need to be active? *J Am Coll Nutr*, 1993; 12:368-371.
118. **Hagberg JM, Blair SN, Ehasani AA, Gordon NF, Kaplan N, Tipton CM, Zambraski EJ.** Position Stand: Physical activity, physical fitness, and hypertension. *Med Sci Sports Exerc*, 1993; 25: i-x.
119. **Blair SN.** 1993 C.H. McCloy Research Lecture: Physical activity, physical fitness, and health. *Res Q Exer Sport*, 1993; 64:365-376.
120. **Blair SN.** Sport Medicine Journal Club Commentary: Physical activity in middle age and subsequent knee osteoarthritis. *Clin J Sports Med*, 1993; 3:274.
121. **Franklin BA, Blair SN, Haskell WL, Thompson PD, Van Camp SP.** Exercise and cardiac complications: Do the benefits outweigh the risks? Roundtable at American College of Sports Medicine, Seattle, June 1993. *Phys Sports Med*, 1994; 22(2):56-68.
122. **Powell KE, Blair SN.** The public health burdens of sedentary living habits: Theoretical but realistic estimates. *Med Sci Sports Exerc*, 1994; 26:851-856.
123. **Bokovoy JL, Blair SN.** Aging and exercise: A health perspective. *J Aging and Phys Activity*, 1994; 2:243-260.
124. **Wei M, Macera CA, Davis DR, Hornung CA, Nankin HR, Blair SN.** Total cholesterol and high density lipoprotein cholesterol as important predictors of erectile dysfunction. *Am J Epidemiol*, 1994; 140:930-937.
125. **Blair SN, Wood PD, Sallis, JF.** Physical activity and health. *Preventive Medicine*, 1994; 23: 558-559.
126. **Jackson AS, Beard EF, Wier LT, Ross RM, Stuteville JE, Blair SN.** Changes in aerobic power of men, ages 25-70 yr. *Med Sci Sports Exer*, 1995; 27:113-120.
127. **Pate RR, Pratt M, Blair SN, Haskell WL, Macera CA, Bouchard C, Buchner D, Ettinger W, Heath GW, King AC, Kriska A, Leon AS, Marcus BH, Morris J, Paffenbarger RS, Jr., Patrick K, Pollock ML, Rippe JM, Sallis J, Wilmore JH.** Physical activity and public health: A recommendation from the CDC and ACSM. *JAMA*, 1995; 273:402-407.
128. **Blair SN, Kohl HW, Barlow CE, Paffenbarger RS Jr, Gibbons LW, Macera CA.** Changes in physical fitness and all-cause mortality: A prospective study of healthy and unhealthy men. *JAMA*, 1995; 273:1093-1098.
129. **Smith SC, Jr, Blair SN, Criqui MH, Fletcher GF, Fuster V, Gersh BJ, Gotto AM, Gould KL, Greenland P, Grundy SM, Hill MN, Hlatky MA, Houston-Miller N, Krauss RM, LaRosa J, Ockene IS, Oparil S, Pearson TA, Rapaport E, Starke RD.** The Secondary Prevention Panel. Preventing heart attack and death in patients with coronary disease. *Circulation*, 1995; 92:2-4.
130. **Smith SC, Jr, Blair SN, Criqui MH, Fletcher GF, Fuster V, Gersh BJ, Gotto AM, Gould KL, Greenland P, Grundy SM.** AHA consensus panel statement. Preventing heart attack and death in patients with coronary disease. The Secondary Prevention Panel. *J Am Coll Cardiol*, 1995; 26:292-294.
131. **Stern JS, Hirsch J, Blair SN, Foreyt JP, Frank A, Kumanyika SK, Madans JH, Marlatt GA, St Jeor ST, Stunkard AJ.** Weighing the options: Criteria for evaluating weight-management programs. The Committee to



- Develop Criteria for Evaluating the Outcomes of Approaches to Prevent and Treat Obesity. *Obes Res*, 1995; 3:591-604.
132. **Dunn AL, Carpenter RA, Blair SN.** A lifestyle approach to becoming physically active. *The Weight Control Digest*, 1995; 5:425, 428-428.
  133. **Blair SN.** Exercise prescription for health. *Quest*, 1995; 47:338-353.
  134. **Blair SN, Bouchard C, Gyarfás I, Hollmann W, Iwane H, Knuttgen HG, Luschen G, Mester J, Morris JN, Paffenbarger RS, Renstrom P, Sonnenschein W, Vuori I.** Exercise for health. *Bull World Health Organ*, 1995; 73:135-136.
  135. **Blair SN, Kohl HW, III.** Invited commentary on "Physical activity as an index of heart attack risk in college alumni." *Am J Epidemiol*, 1995; 142:1-2.
  136. **Wei M, Macera CA, Hornung CA, Blair SN.** The impact of changes in coffee consumption on serum cholesterol. *J Clin Epidemiol*, 1995; 48:1189-1196.
  137. **Whaley MH, Blair SN.** Epidemiology of physical activity, physical fitness and coronary heart disease. *J Cardiovasc Risk*, 1995; 2:289-295.
  138. **Barlow CE, Kohl HW, III, Gibbons LW, Blair SN.** Physical fitness, mortality and obesity. *Int J Obes (Lond)*, 1995; 19 Suppl. 4:S41-S44.
  139. **Gordon NF, Kohl HW III, Pollock ML, Vaandrager H, Gibbons LW, Blair SN.** Cardiovascular safety of maximal strength testing in healthy adults. *Am J Cardiol*, 1995; 76:850-853.
  140. **Blair SN, Hardman A.** Physical activity, health, and well-being: An international scientific consensus conference, Quebec City, May 19-21, 1995. *Res Q Exerc Sport*, 1995; 66:ii.
  141. **Blair SN.** Physical inactivity and cardiovascular disease risk in women. *Med Sci Sports Exerc*, 1996; 28:9-10.
  142. **Oliveria SA, Kohl HW III, Trichopoulos D, Blair SN.** The association between cardiorespiratory fitness and prostate cancer. *Med Sci Sports Exerc*, 1996; 28:97-104.
  143. **Blair SN, Horton E, Leon AS, Lee I, Drinkwater BL, Dishman RK, Mackey M, Kienholz ML.** Physical activity, nutrition, and chronic disease. *Med Sci Sports Exerc*, 1996; 28:335-349.
  144. **Blair SN, Booth M, Gyarfás I, Iwane H, Marti B, Matsudo V, Morrow MS, Noakes T, Shephard R.** Development of public policy and physical activity initiatives internationally. *Sports Med*, 1996; 21:157-163.
  145. **Blair SN.** The future of sports medicine. *Br J Sports Med*, 1996; 30:2-3.
  146. **Kohl HW III, Nichaman MZ, Frankowski RF, Blair SN.** Maximal exercise hemodynamics and risk of mortality in apparently healthy men and women. *Med Sci Sports Exerc*, 1996; 28:601-609.
  147. **Blair SN, Garcia ME.** Get up and move: A call to action for older men and women. *J Am Geriatr Soc*, 1996; 44:599-600.
  148. **Blair SN, Connelly JC.** How much physical activity should we do? The case for moderate amounts and intensities of physical activity. *Res Q Exerc Sport*, 1996; 67:193-205.
  149. **Jackson AS, Wier LT, Ayers GW, Beard EF, Stuteville JE, Blair SN.** Changes in aerobic power of women, ages 20-64 yr. *Med Sci Sports Exerc*, 1996; 28:884-891.
  150. **Blair SN, Kampert JB, Kohl HW III, Barlow CE, Macera CA, Paffenbarger RS Jr, Gibbons LW.** Influences of cardiorespiratory fitness and other precursors on cardiovascular disease and all-cause mortality in men and women. *JAMA*, 1996; 276:205-210.

151. **Fletcher GF, Balady G, Blair SN, Blumenthal J, Caspersen C, Chaitman B, Epstein S, Froelicher ESS, Froelicher VF, Pina IL, Pollock ML.** Statement on exercise: Benefits and recommendations for physical activity programs for all Americans A statement for health professionals by the Committee on exercise and cardiac rehabilitation of the Council on Clinical Cardiology, American Heart Association. *Circulation*, 1996; 94:857-862.
152. **Kampert JB, Blair SN, Barlow CE, Kohl HW III.** Physical activity, physical fitness, and all-cause and cancer mortality: A prospective study of men and women. *Ann Epidemiol*, 1996; 6:452-7.
153. **Smith SC Jr, Blair SN, Criqui MH, Fletcher GF, Fuster V, Gersh BJ, Gotto AM, Gould KL, Greenland P, Grundy SM, Hill MN, Hlatky MA, Houston-Miller N, Krauss RM, LaRosa J, Ockene IS, Oparil S, Pearson TA, Rapaport E, Starke RD.** Preventing heart attack and death in patients with coronary disease. Endorsed by the board of trustees of the American College of Cardiology. *Cardiovasc Nurs*, 1996; 32:26-28.
154. **Blair SN, Cooper KH.** Dose of exercise and health benefits. *Ann Intern Med*, 1997; 157:153-154.
155. **Blair SN, Morrow MS.** Surgeon General's Report on physical fitness: The inside story. *ACSM's Health and Fitness Journal*, 1997; 1:14-18.
156. **Andersen RE, Blair SN, Cheskin LJ, Bartlett SJ.** Encouraging patients to become more physically active: The physician's role. *Ann Intern Med*, 1997; 127:395-400.
157. **Dunn AL, Marcus BH, Kampert JB, Garcia ME, Kohl HW 3rd, Blair SN.** Reduction in cardiovascular disease risk factors: 6-month results from Project Active. *Prev Med*, 1997; Nov-Dec 26(6):883-92.
158. **Wei M, Macera CA, Hornung CA, Blair SN.** Changes in lipids associated with change in regular exercise in free-living men. *J Clin Epidemiol*, 1997; 50:1137-1142.
159. **Matthews CE, Pate RR, Jackson KL, Ward DS, Macera CA, Kohl HW, Blair SN.** Exaggerated blood pressure response to dynamic exercise and risk of future hypertension. *J Clin Epidemiol*, 1998; 51:29-35.
160. **Kohl HW, III, Dunn AL, Marcus BH, Blair SN.** A randomized trial of physical activity interventions: Design and baseline data from Project Active. *Med Sci Sports Exerc*, 1998; 30:275-283.
161. **DiPietro L, Kohl HW, III, Barlow CE, Blair SN.** Improvements in cardiorespiratory fitness attenuate age-related weight gain in healthy men and women: The Aerobics Center Longitudinal Study. *Int J Obesity*, 1998; 22:55-62.
162. **Farrell SW, Kampert JB, Kohl HW, Barlow CE, Macera CA, Paffenbarger RSJ, Gibbons LW, Blair SN.** Influences of cardiorespiratory fitness levels and other predictors on cardiovascular disease mortality in men. *Med Sci Sports Exerc*, 1998; 30:899-905.
163. **Haddock BL, Hopp HP, Mason JJ, Blix G, Blair SN.** Cardiorespiratory fitness and cardiovascular disease risk factors in postmenopausal women. *Med Sci Sports Exerc*, 1998; 30:893-898.
164. **Lloyd PJ, Hoover MW, Wheeler RJ, Blair SN.** Managing the bottom line via managing employee stress. *Psychologist-Manager J*, 1998; 2:83-92.
165. **Blair SN, Applegate WB, Dunn AL, Ettinger WH, Haskell WL, King AC, Morgan TM, Shih JH, Simons-Morton DG.** Activity Counseling Trial (ACT): Rationale, design, and methods. *Med Sci Sports Exerc*, 1998; 30:1097-1106.

166. **Dunn AL, Garcia ME, Marcus BH, Kampert JB, Kohl HW, III, Blair SN.** Six-month physical activity and fitness changes in Project *Active*, a randomized trial. *Med Sci Sports Exerc*, 1998; 30:1076-1083.
167. **Blair SN, Wei M, Lee CD.** Cardiorespiratory fitness determined by exercise heart rate as a predictor of mortality in the Aerobics Center Longitudinal Study. *J Sports Sci*, 1998; 16:S47-S55.
168. **Huang Y, Macera CA, Blair SN, Brill PA, Kohl HW III, Kronenfeld JJ.** Physical fitness, physical activity, and functional limitation in adults aged 40 and older. *Med Sci Sports Exerc*, 1998; 30:1430-1435.
169. **King AC, Sallis JF, Dunn AL, Simons-Morton DG, Albright CA, Cohen S, Rejeski WJ, Marcus BH, Coday MC.** Overview of the Activity Counseling Trial (ACT) intervention for promoting physical activity in primary health care settings. *Med Sci Sports Exerc*, 1998; 30:1086-1096.
170. **Lee CD, Jackson AS, Blair SN.** US weight guidelines: Is it also important to consider cardiorespiratory fitness? *Int J Obesity*, 1998; 22:S2-S7.
171. **Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN.** Undiagnosed diabetes and impaired fasting glucose as predictors of cardiovascular disease and all-cause mortality. *CVD Prevention*, 1998; 1:123-128.
172. **Blair SN, Morrow JR Jr.** Cooper Institute / The American College of Sports Medicine: 1997 Physical Activity Interventions Conference. *Am J Prev Med*, 1998; 15:255-256.
173. **Jackson AW, Morrow JR Jr, Brill PA, Kohl HW 3rd, Gordon NF, Blair SN.** Relations of sit-up and sit-and-reach tests to low back pain in adults. *J Orthop Sports Phys Ther*, 1998; Jan 27(1):22-6.
174. **Stofan JR, DiPietro L, Davis D, Kohl HW III, Blair S.N.** Physical activity patterns associated with cardiorespiratory fitness and reduced mortality: The Aerobics Center Longitudinal Study. *Am J Public Health*, 1998; 88:1807-1803.
175. **Brodney S, Blair SN, Grilo CM.** Fit and fat--Is it possible? *The Weight Control Digest*, 1999; 9:795,798-801.
176. **Dunn AL, Marcus BH, Kampert JB, Garcia ME, Kohl HW III, Blair SN.** Comparison of lifestyle and structured interventions to increase physical activity and cardiorespiratory fitness: A randomized trial. *JAMA*, 1999; 281:327-334.
177. **Lee CD, Blair SN, Jackson AS.** Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. *Am J Clin Nutr*, 1999; 69:373-380.
178. **Morrow JR Jr, Blair SN.** Telling our story to national audiences: Promoting the Surgeon General's Report on Physical Activity and Health: Activities of the NCPPA *Quest*. 1999; 51:178-183.
179. **Taylor WC, Blair SN, Cummings SS, Wun CC.** Childhood and adolescent physical activity patterns and adult physical activity. *Med Sci Sports Exerc*, 1999; 31:118-123.
180. **Wei M, Gibbons LW, Mitchell TL, Kampert JB, Lee CD, Blair SN.** The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men. *Ann Intern Med*, 1999; 130:89-96.
181. **Whaley MH, Kampert JB, Kohl HW III, Blair SN.** Physical fitness and clustering of risk factors associated with the metabolic syndrome. *Med Sci Sports Exerc*, 1999; 31:287-293.
182. **Morrow JR Jr, Jackson AW, Bazzarre TL, Milne D, Blair SN.** A one-year follow-up to physical activity and health: A Report of the Surgeon General. *Am J Prev Med*, 1999; 17:24-30.

183. **Mâsse LC, Fulton JE, Watson KL, Heesch KC, Kohl HW III, Blair SN, Tortolero SR.** Detecting bouts of physical activity in a field setting. *Res Q Exerc Sport*, 1999; 70:212-219.
184. **Dunn AL, Blair SN, Kampert JB, Marcus BH, Garcia ME, Kohl HW III.** In reply. *JAMA*, 1999; 282:1516
185. **Wei M, Kampert JB, Barlow CE, Nichaman MZ, Gibbons LW, Paffenbarger RS Jr, Blair SN.** Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight, and obese men. *JAMA*, 1999; 282:1547-1553.
186. **Blair SN, Brodney, S.** Effects of physical inactivity and obesity on morbidity and mortality: Current evidence and research issues. *Med Sci Sports Exerc*, 1999; 31:S646-S662.
187. **Blair SN, Bouchard, C.** Roundtable preface: Physical activity in the prevention and treatment of obesity and its comorbidities. *Med Sci Sports Exerc*, 1999; 31:S497.
188. **Bouchard, C, Blair, SN.** Roundtable introduction: Introductory comments for the consensus on physical activity and obesity. *Med Sci Sports Exerc*, 1999; 31:S498-S501.
189. **Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN.** Alcohol intake and incidence of type 2 diabetes in men. *Diabetes Care*, 2000; 23:18-22.
190. **Brill PA, Macera CA, Davis DR, Blair SN, Gordon N.** Muscular strength and physical function. *Med Sci Sports Exerc*, 2000; 32:412-416.
191. **Marcus BH, Dubbert PM, Forsyth LH, McKenzie TL, Stone EJ, Dunn AL, Blair SN.** Physical activity behavior change: Issues in adoption and maintenance. *Health Psych*, 2000; 19:32-41.
192. **Leermakers EA, Dunn AL, Blair SN.** Exercise management of obesity. *Med Clin North Am*, 2000; 84:419-440.
193. **Wei M, Gibbons LW, Kampert JB, Nichaman MZ, Blair SN.** Low cardiorespiratory fitness and physical inactivity as predictors of mortality in men with type 2 diabetes. *Ann Intern Med*, 2000; 132:605-611.
194. **Cheng Y, Macera CA, Davis DR, Blair SN.** Does physical activity reduce the risk of developing peptic ulcers? *Br J Sports Med*, 2000; 34:116-121.
195. **Cheng Y, Macera CA, Davis DR, Ainsworth BE, Troped PJ, Blair SN.** Physical activity and self-reported, physician-diagnosed osteoarthritis: Is physical activity a risk factor? *J Clin Epidemiol*, 2000; 53:315-322.
196. **Wei M, Gibbons LW, Mitchell TL, Kampert JB, Stern MP, Blair SN.** Low fasting plasma glucose level as a predictor of cardiovascular disease and all-cause mortality. *Circulation*, 2000; 101:2047-2052.
197. **Blair SN, Capuzzi DM, Gottlieb SO, Nguyen T, Morgan JM, Cater NB.** Incremental reduction of serum total cholesterol and low-density lipoprotein cholesterol with the addition of plant stanol ester-containing spread to statin therapy. *Am J Cardiol*, 2000; 86:46-52.
198. **Gibbons LW, Mitchell TL, Wei M, Blair SN, Cooper KH.** Maximal exercise test as a predictor of risk for mortality from coronary heart disease in asymptomatic men. *Am J Cardiol*, 2000; 86:53-58.
199. **Wei M, Schwertner HA, Blair SN.** The association between physical activity, physical fitness, and type 2 diabetes mellitus. *Compr Ther*, 2000; 26:176-182.
200. **Sevick MA, Dunn AL, Morrow MS, Marcus BH, Chen GJ, Blair SN.** Cost-effectiveness of lifestyle and structured exercise interventions in sedentary adults: Results of Project ACTIVE. *Am J Prev Med*, 2000; 19:1-8.

201. **Welten DC, Carpenter RA, McPherson RS, Brodney S, Douglass D, Kampert JB, Blair SN.** Comparison of a dietary record using reported portion size versus standard portion size for assessing nutrient intake. *Public Health Nutr*, 2000; 3:151-158.
202. **Welk GJ, Blair SN, Wood K, Jones S, Thompson RW.** A comparative evaluation of three accelerometry-based physical activity monitors. *Med Sci Sports Exerc*, 2000; 32:S489-S497.
203. **Welk GJ, Differding JA, Thompson RW, Blair SN, Dziura J, Hart P.** The utility of the Digi-walker step counter to assess daily physical activity patterns. *Med Sci Sports Exerc*, 2000; 32:S481-S488.
204. **Smolander J, Blair SN, Kohl HW, III.** Work ability, physical activity, and cardiorespiratory fitness: 2-year results from Project Active. *J Occup Environ Med*, 2000; 42:906-910.
205. **Blair SN, Wei M.** Sedentary habits, health, and function in older women and men. *Am J Health Prom*, 2000; 15:1-8.
206. **Felson DT, Lawrence RC, Hochberg MC, McAlindon T, Dieppe PA, Minor MA, Blair SN, Berman BM, Fries JF, Weinberger M, Lorig KR, Jacobs JJ, Goldberg V.** Osteoarthritis: New Insights. Part 2: Treatment Approaches. *Ann Intern Med*, 2000; 133:726-737.
207. **Welk GJ, Blair SN.** Physical activity protects against the health risks of obesity. *The President's Council on Physical Fitness and Sports Research Digest*, 2000; 3(12):1-6.
208. **Almeida MJ, Blair SN.** Cardiovascular disease prevention by sports: myth or reality? *Kardiovaskulare Medizin*, 2000; 3:503-9.
209. **Dishman RK, Nakamura Y, Garcia ME, Thompson RW, Dunn AL, Blair SN.** Heart rate variability, trait anxiety, and perceived stress among physically fit men and women. *Int J Psychophysiol*, 2000; Aug 37(2):121-33.
210. **Fulton JE, Masse LC, Tortolero SR, Watson KB, Heesch KC, Kohl HW, III, Blair SN, Caspersen CJ.** Field evaluation of energy expenditure from continuous and intermittent walking in women. *Med Sci Sports Exerc*, 2001; 33:163-170.
211. **Brodney S, McPherson RS, Carpenter RA, Welten D, Blair SN.** Nutrient intake of physically fit and unfit men and men. *Med Sci Sports Exerc*, 2001; 33:459-467.
212. **Klibanski A, Adams-Campbell L, Bassford T, Blair SN, Boden SD, Dickersin K, Gifford DR, Glasse L, Goldring SR, Hruska K, Johnson SR, McCauley LK, Russell WE.** Osteoporosis prevention, diagnosis, and therapy. *JAMA*, 2001; 285:785-95.
213. **Lee I-M, Blair SN, Allison, DB, Folsom AR, Harris TB, Manson JE, Wing RR.** Epidemiologic data on the relationships of caloric intake, energy balance, and weight gain over the life span with longevity and morbidity. *J Gerontol A Biol Sci Med Sci*, 2001; 56A(Special Issue):7-19.
214. **Blair SN, Jackson AS.** Guest Editorial to accompany Physical fitness and activity as separate heart disease risk factors: a meta-analysis by PT Williams. *Med Sci Sports Exerc*, 2001; 33:762-764.
215. **Blair SN, Cheng Y, Holder JS.** Is physical activity or physical fitness more important in defining health benefits? *Med Sci Sports Exerc*, 2001; 33:S379-S399.
216. **O'Neal HA, Blair SN.** Enhancing adherence in clinical exercise trials. *Quest*, 2001; 53:310-317.

217. **Hootman, JM, Macera CA, Ainsworth BE, Martin M, Addy CL, Blair SN.** Association among physical activity level, cardiorespiratory fitness, and risk of musculoskeletal injury. *Am J Epidemiology*, 2001; 154(3):251-8.
218. **The Writing Group for the Activity Counseling Trial Research Group.** (Simons-Morton DG, Blair SN, King AC, Morgan TM, Applegate WG, O'Toole M, Haskell WL, Albright CL, Cohen SJ, Ribisl PM, Shih JH). Effects of physical activity counseling in primary care: the Activity Counseling Trial: A randomized controlled trial. *JAMA*, 2001; 286(6):677-687.
219. **Church TS, Kampert JB, Gibbons LW, Barlow CE, Blair SN.** Usefulness of cardiorespiratory fitness as a predictor of all-cause and cardiovascular disease mortality in men with systemic hypertension. *Am J Cardiol*, 2001; 88:651-656.
220. **Church TS, Kampert JB, Wilkinson WJ, Dunn AL, Blair SN.** Evaluating the reproducibility and validity of the Aerobic Adaptation Test. *Med Sci Sports Exerc*, 2001; 33:1770-1773.
221. **Smith SCJ, Blair SN, Bonow RO, Brass LM, Cerqueira MD, Dracup K, Fuster V, Gotto A, Grundy SM, Miller NH, Jacobs A, Jones D, Krauss RM, Mosca L, Ockene I, Pasternak RC, Pearson T, Pfeffer MA, Starke RD, Taubert KA.** AHA/ACC Scientific Statement: AHA/ACC guidelines for preventing heart attack and death in patients with atherosclerotic cardiovascular disease: 2001 update: A statement for healthcare professionals from the American Heart Association and the American College of Cardiology. *Circulation*, 2001; 104:1577-1579.
222. **Paffenbarger RS Jr, Blair SN, Lee I-M.** A history of physical activity, cardiovascular health and longevity: the scientific contributions of Jeremy N Morris, DSc, DPH, FRCP. *Int J Epidemiol*, 2001; 30:1184-1192.
223. **Blair SN, Nichaman MZ.** The public health problem of increasing prevalence rates of obesity and what should be done about it. *Mayo Clin Proc*, 2002; 77:109-113.
224. **Lee CD, Blair SN.** Cardiorespiratory fitness and stroke mortality in men. *Med Sci Sports Exerc*, 2002; 34:592-595.
225. **Hootman JM, Macera CA, Ainsworth BE, Martin M, Addy CL, Blair SN.** Predictors of lower extremity injury among recreationally active adults. *Clin J Sport Med*, 2002; 12:99-106.
226. **Redberg RF, Greenland P, Fuster V, Pyorala K, Blair SN, Folsom AR, Newman AB, O'Leary DH, Orchard TJ, Psaty B, Schwartz JS, Starke R, Wilson PW.** Prevention Conference VI: Diabetes and Cardiovascular Disease: Writing Group III: risk assessment in persons with diabetes. *Circulation*, 2002; 105:e144-e152.
227. **Hootman JM, Macera CA, Ainsworth BE, Addy CL, Martin M, Blair SN.** Epidemiology of musculoskeletal injuries among sedentary and physically active adults. *Med Sci Sports Exerc*. 2002; 34:838-844.
228. **Lee CD, Blair SN.** Cardiorespiratory fitness and smoking-related and total cancer mortality in men. *Med Sci Sports Exerc*, 2002; 34:735-739.
229. **Farrell SW, Braun L, Barlow CE, Cheng YJ, Blair SN.** The relation of body mass index, cardiorespiratory fitness, and all-cause mortality in women. *Obes Res*, 2002; 10:417-423.
230. **Church TS, Finley CE, Earnest CP, Kampert JB, Gibbons LW, Blair SN.** Relative associations of fitness and fatness to fibrinogen, white blood cell count, uric acid and metabolic syndrome. *Int J Obes Relat Metab Disord*, 2002; 26:805-813.

231. **Dunn AL, Blair SN.** Translating evidenced-based physical activity interventions into practice: The 2010 Challenge (Commentary). *Am J Prev Med*, 2002; 22(4S):8-9.
232. **Pearson,TA, Blair SN, Daniels SR, Eckel RH, Fair JM, Fortmann SP, Franklin BA, Goldstein LB, Greenland P, Grundy SM, Hong Y, Miller NH, Lauer RM, Ockene IS, Sacco RL, Sallis JF Jr, Smith SC Jr, Stone NJ, Taubert KA.** AHA Guidelines for Primary Prevention of Cardiovascular Disease and Stroke: 2002 Update: Consensus Panel Guide to Comprehensive Risk Reduction for Adult Patients Without Coronary or Other Atherosclerotic Vascular Diseases. American Heart Association Science Advisory and Coordinating Committee. *Circulation*, 2002; 106:388-391.
233. **Rogers LQ, Macera CA, Hootman JM, Ainsworth BE, Blair SN.** The association between joint stress from physical activity and self reported osteoarthritis: an analysis of the Cooper Clinic data. *Osteoarthritis and Cartilage*, 2002; 10:617-622.
234. **Church TS, Barlow CE, Earnest CP, Kampert JB, Priest EL, Blair SN.** Associations between cardiorespiratory fitness and C-reactive protein in men. *Arterioscler Thromb Vasc Biol*, 2002; 22:1869-1876.
235. **Cheng YJ, Macera CA, Church TS, Blair SN.** Heart rate reserve as a predictor of cardiovascular and all-cause mortality in men. *Med Sci Sports Exerc*, 2002; 34:1873-1878.
236. **The Scientific Program Committee.** Physical activity across the cancer continuum: report of a workshop: review of existing knowledge; innovative design for future research. *Cancer*, 2002; 95:1134-1143.
237. **Nguyen-Duy TB, Nichaman MZ, Church TS, Blair SN, Ross R.** Visceral fat and liver fat are independent predictors of metabolic risk factors in men. *Am J Physiol Endocrinol Metab*, 2003; Jun 284(6):E1065-71.
238. **Saris WH, Blair SN, van Baak MA, Eaton SB, Davies PS, Di Pietro L, Fogelholm M, Rissanen A, Schoeller D, Swinburn B, Tremblay A, Westerterp KR, Wyatt H.** How much physical activity is enough to prevent unhealthy weight gain? Outcome of the IASO 1st Stock Conference and consensus statement. *Obes Rev*, 2003; May 4(2):101-14.
239. **Donnelly JE, Hill JO, Jacobsen DJ, Pottenger J, Sullivan DK, Johnson SL, Heelan K, Hise M, Fennessey PV, Sonko B, Sharp T, Jakicic JM, Blair SN, Tran ZV, Mayo M, Gibson C, Washburn RA.** Effects of a 16-month randomized controlled exercise trial on body weight and composition in young, overweight men and women: the Midwest Exercise Trial. *Arch Intern Med*, 2003; 163:1343-1350.
240. **Look Ahead Trial Research Group (Includes Blair SN).** Look AHEAD (Action for Health in Diabetes): design and methods for a clinical trial of weight loss for the prevention of cardiovascular disease in type 2 diabetes. *Cont Clin Trials*, 2003; 24:610-28.
241. **Cheng YJ, Lauer MS, Earnest CP, Church TS, Kampert JB, Gibbons LW, Blair SN.** Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. *Diabetes Care*, 2003; Jul 26(7):2052-7.
242. **Thompson PD, Buchner D, Pina IL, Balady GJ, Williams MA, Marcus BH, Berra K, Blair SN, Costa F, Franklin B, Fletcher GF, Gordon NF, Pate RR, Rodriguez BL, Yancey AK, Wenger NK.** Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease: a statement from the council on clinical cardiology (subcommittee on

- exercise, rehabilitation, and prevention) and the council on nutrition, physical activity, and metabolism (subcommittee on physical activity). *Circulation*, 2003; 107:3109-3116.
243. **Cheng YJ, Church TS, Kimball TE, Nichaman NZ, Levine BD, McGuire DK, Blair SN.** Comparison of coronary artery calcium detected by electron beam tomography in patients with to those without symptomatic coronary heart disease. *Am J Cardiol*, 2003; 92:498-503.
244. **Schwartz MB, Chambliss HO, Brownell KD, Blair SN, Billington C.** Weight bias among health professionals specializing in obesity. *Obesity Research*, 2003; 11(9):1033-9.
245. **Sawada SS, Muto T, Tanaka H, Lee IM, Paffenbarger RS Jr, Shindo M, Blair SN.** Cardiorespiratory fitness and cancer mortality in Japanese men: a prospective study. *Med Sci Sports Exerc*, 2003; Sep 35(9):1546-50.
246. **Blair SN.** Physical activity, epidemiology, public health, and the American College of Sports Medicine. *Med Sci Sports Exerc*, 2003; Sep 35(9):1463.
247. **Blair SN.** Special issue on obesity, lifestyle, and weight management. *Obes Res*, 2003; Oct 11 Suppl 1:1S-2S.
248. **Sawada SS, Lee IM, Muto T, Matuszaki K, Blair SN.** Cardiorespiratory fitness and the incidence of type 2 diabetes: prospective study of Japanese men. *Diabetes Care*, 2003; Oct 26(10):2918-22.
249. **Cheng YJ, Macera CA, Addy CL, Sy FS, Wieland D, Blair SN.** Effects of physical activity on exercise tests and respiratory function. *Br J Sports Med*, 2003; Dec 37(6):521-528.
250. **Lee CD, Folsom AR, Blair SN.** Physical activity and stroke risk: a meta-analysis. *Stroke*, 2003; Oct 34(10):2475-81.
251. **Blair SN, Franklin BA, Jakicic JM, Kibler WB.** New vision for health promotion within sports medicine. *Am J Health Promot*, 2003; Nov-Dec 18(2):182-5. Review.
252. **Blair SN.** Revisiting Fitness and Fatness as Predictors of Mortality. Commentary on Stevens J, Cai J, Evenson KR, Thomas R: Fitness and fatness as predictors of mortality from all causes and from cardiovascular disease in men and women in the Lipid Research Clinics Study. *Am J Epidemiol*, 2002; 156:832-841 and *Clin J Sport Medicine*, 2003; 13(5)1-2.
253. **Church TS, Cheng YJ, Earnest CP, Barlow CE, Gibbons LW, Priest EL, Blair SN.** Exercise capacity and body composition as predictors of mortality among men with diabetes. *Diabetes Care*, 2004; Jan 27(1):83-8.
254. **FitzGerald SJ, Barlow CE, Kampert JB, Morrow JR, Jackson AW, Blair SN.** Muscular fitness and all-cause mortality: Prospective observations. *J Physical Act Health*, 2004; 1:7-18.
255. **Blair SN, Church TS.** The importance of physical activity and cardiorespiratory fitness for patients with type 2 diabetes. *Diabetes Spectrum*, 2003; 16(4):236-240.
256. **Morss GM, Jordan AN, Skinner JS, Dunn AL, Church TS, Earnest CP, Kampert JB, Jurca R, Blair SN.** Dose Response to Exercise in Women aged 45-75 yr (DREW): design and rationale. *Med Sci Sports Exerc*, 2004; 36(2):336-44.
257. **Wong SL, Katzmarzyk P, Nichaman MZ, Church TS, Blair SN, Ross R.** Cardiorespiratory fitness is associated with lower abdominal fat independent of body mass index. *Med Sci Sports Exerc*, 2004; 36(2):286-91.
258. **Chambliss HO, Finley CE, Blair SN.** Attitudes toward obese individuals among exercise science students. *Med Sci Sports Exerc*, 2004; 36(3):468-474.



259. **Blair SN, LaMonte MJ, Nichaman MZ.** The evolution of physical activity recommendations: how much is enough? *Am J Clin Nutr*, 2004; 79(5):913S-920S.
260. **Farrell SW, Cheng YJ, Blair SN.** Prevalence of the Metabolic Syndrome across Cardiorespiratory Fitness Levels in Women. *Obes Res*, 2004; 12(5):824-830.
261. **Blair SN.** Reflections on a visit to Australia – increasing physical activity as a health promotion priority. *Health Promotion J of Australia*, 2004; 15(1):9-10.
262. **Katzmarzyk PT, Church TS, Blair SN.** Cardiorespiratory fitness attenuates the effects of the metabolic syndrome on all-cause and cardiovascular disease mortality in men. *Arch Intern Med*, 2004; May 24, 164(10):1092-7.
263. **Bowles HR, FitzGerald SJ, Morrow JR Jr, Jackson AW, Blair SN.** Construct Validity of Self-reported Historical Physical Activity. *Am J Epidemiol*, 2004; Aug 1, 160(3):279-86.
264. **Jackson AS, Kampert JB, Barlow CE, Morrow JR Jr, Church TS, Blair SN.** Longitudinal changes in cardiorespiratory fitness: measurement error or true change? *Med Sci Sports Exerc*, 2004; Jul 36(7):1175-80.
265. **Jurca R, LaMonte MJ, Church TS, Earnest CP, FitzGerald SJ, Barlow CE, Jordan AN, Kampert JB, Blair SN.** Associations of muscle strength and aerobic fitness with metabolic syndrome in men. *Med Sci Sports Exerc*, 2004; 36(8):1301-1307.
266. **Kuk JL, Nichaman MZ, Church TS, Blair SN, Ross R.** Liver fat is not a marker of metabolic risk in lean premenopausal women. *Metabolism*, 2004; 53(8):1066-1071.
267. **Blair SN, Church TS.** The fitness, obesity, and health equation: is physical activity the common denominator? *JAMA*, 2004; 292(10):1232-1234.
268. **Blair SN, LaMonte MJ, Nichaman MZ.** Modifiable behavioral factors as causes of death. *JAMA*, 2004; 291(24):2942-2943.
269. **Eisenmann JC, Welk GJ, Wickel EE, Blair SN.** Stability of variables associated with the metabolic syndrome from adolescence to adulthood: The Aerobics Center Longitudinal Study. *Am J Hum Biol*, 2004; 16(6):690-6.
270. **Di Pietro L, Dziura J, Blair SN.** Estimated change in physical activity level (PAL) and prediction of 5-year weight change in men: the Aerobics Center Longitudinal Study. *Int J Obes Relat Metab Disord*, 2004; 28(12):1541-7.
271. **Klein S, Burke LE, Bray GA, Blair S, Allison DB, Pi-Sunyer X, Hong Y, Eckel RH; American Heart Association Council on Nutrition, Physical Activity, and Metabolism; American College of Cardiology Foundation.** Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. *Circulation*, 2004; 110(18):2952-67.
272. **Eckel RH, York DA, Rossner S, Hubbard V, Caterson I, St Jeor ST, Hayman LL, Mullis RM, Blair SN; American Heart Association.** Prevention Conference VII: Obesity, a worldwide epidemic related to heart disease and stroke: executive summary. *Circulation*, 2004; 110(18):2968-75.
273. **Hootman JM, FitzGerald S, Macera CA, Blair SN.** Lower extremity muscle strength and risk of self-reported hip or knee osteoarthritis. *J Phys Act Health*, 2004; 1:321-330.
274. **Eisenmann JC, Wickel EE, Welk GJ, Blair SN.** Relationship between adolescent fitness and fatness and cardiovascular disease risk factors in

- adulthood: The Aerobics Center Longitudinal Study (ACLS). *Am Heart J*, 2005; 149:46-53.
275. **Katzmarzyk PT, Church TS, Janssen I, Ross R, Blair SN.** Metabolic syndrome, obesity, and mortality: Impact of cardiorespiratory fitness. *Diabetes Care*, 2005; 28:391-397.
276. **Rejeski JW, Fielding RA, Blair SN, Guralnik JM, Gill TM, Hadley EC, King AC, Kritchevsky SB, Miller ME, Newman AB, Pahor M.** The lifestyle interventions and independence for elders (LIFE) pilot study: Design and methods. *Contemporary Clinical Trials*, 2005; 26:141-154.
277. **Lee S, Kuk JL, Katzmarzyk PT, Blair SN, Church TS, Ross R.** Cardiorespiratory fitness attenuates metabolic risk independent of abdominal subcutaneous and visceral fat in men. *Diabetes Care*, 2005; 28:895-901.
278. **LaMonte MJ, FitzGerald SJ, Church TS, Barlow CE; Radford NB, Levine BD, Pippin JJ, Gibbons LW, Blair SN, Nichaman MZ.** Coronary artery calcium score and coronary heart disease events in a large cohort of asymptomatic men and women. *Am J Epidemiol*, 2005; 162:421-29.
279. **LaMonte MJ, Barlow CE, Jurca R, Kampert JB, Church TS, Blair SN.** Cardiorespiratory fitness is inversely associated with the incidence of metabolic syndrome: a prospective study of men and women. *Circulation*, 2005; 112:505-512.
280. **LaMonte MJ, Blair SN, Church TS.** Physical activity and diabetes prevention. *J Appl Physiol*, 2005; 99:1205-1213.
281. **Ardern CI, Katzmarzyk PT, Janssen I, Church TS, Blair SN.** Revised Adult Treatment Panel III Guidelines and Cardiovascular Disease Mortality in Men Attending a Preventive Medical Clinic. *Circulation*, 2005; 112:1481-1488.
282. **Janssen I, Katzmarzyk PT, Church TS, Blair SN.** The Cooper Clinic Mortality Risk Index Clinical Score Sheet for Men. *Am J Prev Med*, 2005; 29:194-203.
283. **Jurca R, Jackson AS, LaMonte MJ, Morrow Jr JR, Blair SN, Wareham NJ, Haskell WL, van Mechelen W, Church TS, Jakicic JM, Lauukkanen R.** Assessing cardiorespiratory fitness without performing exercise testing. *Am J Prev Med*, 2005; 29:185-193.
284. **Chambliss H.O., Blair SN.** Fitness at large: physical activity programs for obese older adults. *The Journal on Active Aging*, 2005; 4:22-23.
285. **Jordan AN, Jurca GM, Locke CT, Church TS, Blair SN.** Pedometer indices for weekly physical activity recommendations in postmenopausal women. *Med Sci Sports Exerc*, 2005; 37:1627-1632.
286. **Church TS, LaMonte MJ, Barlow CE, Blair SN.** Cardiorespiratory fitness and body mass index as predictors of cardiovascular disease mortality among men with diabetes. *Arch Intern Med*, 2005; 165:2114-2120.
287. **Jurca R, LaMonte MJ, Barlow CE, Kampert JB, Church TS, Blair SN.** Association of muscular strength with incidence of metabolic syndrome in men. *Med Sci Sports Exerc*, 2005; 37:1849-1855.
288. **Blair SN, LaMonte MJ.** How much and what type of physical activity is enough?: what physicians should tell their patients. *Arch Intern Med*, 2005; 165:2324-2325.
289. **Mason C, Katzmarzyk PT, Blair SN.** Eligibility for Obesity Treatment and Risk of Mortality in Men. *Obes Res*, 2005; 13:1803-1809.
290. **SN Blair.** The evolution of physical activity recommendations: What should I tell my patients? (Guest Editorial). *Obesity Management*, 2005; 6:231-233.

291. **Barlow CE, LaMonte MJ, FitzGerald SJ, Kampert JB, Perrin JL, Blair SN.** Cardiorespiratory Fitness Is an Independent Predictor of Hypertension Incidence among Initially Normotensive Healthy Women. *Am J Epidemiol*, 2006; 163:142-150.
292. **Katzmarzyk PT, Janssen I, Ross R, Church TS, Blair SN.** The Importance of Waist Circumference in the Definition of Metabolic Syndrome: Prospective analyses of mortality in men. *Diabetes Care*, 2006; 29:404-409.
293. **Kuk JL, Church TS, Blair SN, Ross R.** Does measurement site for visceral and abdominal subcutaneous adipose tissue alter associations with the metabolic syndrome? *Diabetes Care*, 2006; 29:679-684.
294. **Kuk JL, Katzmarzyk PT, Nichaman MZ, Church TS, Blair SN, Ross R.** Visceral Fat Is an Independent Predictor of All-cause Mortality in Men. *Obes Res*, 2006; 14:336-341.
295. **Blair SN, LaMonte MJ.** Commentary: current perspectives on obesity and health: black and white, or shades of grey? *Int J Epidemiol*, 2006; 35:69-72.
296. **Finley CE, LaMonte MJ, Waslien CI, Barlow CE, Blair SN, Nichaman MZ.** Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: the aerobics center longitudinal study. *J Am Diet Assoc*, 2006; 106:673-679.
297. **Smith SC, Allen J, Blair SN, Bonow RO, Brass LM, Fonarow GC, Grundy SM, Hiratzka L, Jones D, Drumhols HM, Mosca L, Pasternak RC, Pearson T, Pfeffer MA, Taubert KA.** AHA/ACC Guidelines for secondary prevention for patients with coronary and other atherosclerotic vascular disease: 2006 update. *J Am Coll Cardiol*, 2006; 47:2130-2139 published jointly in *Circulation*, 2006; 113:2363-2372.
298. **Church TS, Kuk JL, Ross R, Priest EL, Biltoff E, Blair SN.** Association of cardiorespiratory fitness, body mass index, and waist circumference to nonalcoholic Fatty liver disease. *Gastroenterology*, 2006; 130:2023-2030.
299. **Davidson LE, Kuk JL, Church TS, Blair SN, and Ross R.** Protocol for Measurement of Liver Fat by Computed Tomography. *J Appl Physiol*, 2006; 100:864-8.
300. **Blair SN, Haskell WL.** Objectively measured physical activity and mortality in older adults. *J Am Med Assn*, 2006; 296:216-18.
301. **LaMonte MJ, FitzGerald SJ, Levine BD, Church TS, Kampert JB, Nichaman MZ, Gibbons LW, and Blair SN.** Coronary artery calcium, exercise tolerance, and CHD events in asymptomatic men. *Atherosclerosis*, 2006; 189:157-62.
302. **LaMonte MJ, Blair SN.** Physical activity, cardiorespiratory fitness, and adiposity: contributions to disease risk. *Curr Opin Clin Nutr Metab Care*, 2006; 9:540-6.
303. **The LIFE Study Investigators (Writing Group--Marco Pahor, MD, Steven N. Blair, PED, Mark Espeland, PhD, Roger Fielding, PhD, Thomas M. Gill, MD, Jack M. Guralnik, MD, PhD, Evan C. Hadley, MD, Abby C. King, PhD, Stephen B. Kritchevsky, PhD, Cinzia Maraldi, MD, Michael E. Miller, PhD, Anne B. Newman, MD, Walter J. Rejeski, PhD, Sergei Romashkan, MD, PhD, Stephanie Studenski, MD, MPH).** Effects of a Physical Activity Intervention on Measures of Physical Performance: Results of the Lifestyle Interventions and Independence for Elders Pilot (LIFE-P) Study. *J Gerontology: Med Sci*, 2006; 61A:1157-65.
304. **Blair SN, Church TS.** Offering Lifestyle Advice is Good Clinical Practice. *DOC News*, 2006; September pp 6.

305. **Finley CE, Barlow CE, Greenway FL, Rock CL, Rolls BJ, and Blair SN.** Retention rates and weight loss in a commercial weight loss program. *Int J Obes*, 2007; 31:292-8.
306. **Church TS, Levine BD, McGuire DK, LaMonte MJ, FitzGerald SJ, Cheng YJ, Kimball TE, Blair SN, Gibbons LW, and Nichaman MZ.** Coronary artery calcium score, risk factors, and incident coronary heart disease events. *Atherosclerosis*, 2007; 190:224-31.
307. **Ness AR, Leary SD, Mattocks C, Blair SN, Reilly JJ, Wells J, Ingle S, Tilling K, Davey Smith G, Riddoch C.** Objectively measured physical activity and fat mass in a large cohort of children. *PLOS Med*, 2007; 4(3):e97.
308. **Van Wye G, Dubin JA, Blair SN, and Di Pietro L.** A History of Weight Cycling and 6-Year Weight Change in Healthy Adults: The Aerobics Center Longitudinal Study. *Obesity*, 2007; 15:731-9.
309. **Blair SN.** Physical Activity, Clinical Medicine, and Public Health. *Current Sports Med Rep*, 2007; 6:71-2.
310. **Jackson AW, Morrow JR Jr, Bowles HR, FitzGerald SJ, Blair SN.** Construct Validity Evidence for Single-Response Items to Estimate Physical Activity Levels in Large Sample Studies. *Res Q Exerc Sports*, 2007; 78:24-31.
311. **Thompson PD Co-Chair; Franklin BA, Co-Chair; Balady GJ; Blair SN; Corrado D; Estes NAM III; Fulton JE; Gordon NF; Haskell WL; Link MS; Maron BJ; Mittleman MA; Pelliccia A; Wenger NK; Willich SN; Costa F.** Exercise and Acute Cardiovascular Events Placing the Risks Into Perspective: A Scientific Statement From the American Heart Association Council on Nutrition, Physical Activity, and Metabolism and the Council on Clinical Cardiology. *Circulation*, 2007; 115:2358-68.
312. **Mattocks C, Leary S, Ness A, Deere K, Saunders J, Kirkby J, Blair SN, Tilling K, Metcalfe C, and Riddoch C.** Intraindividual Variation of Objectively Measured Physical Activity in Children. *Med Sci Sports Exerc*, 2007; 39:622-9.
313. **Church TS, Earnest CP, Skinner JS, Blair SN.** Effects of different doses of physical activity on cardiorespiratory fitness among sedentary, overweight or obese postmenopausal women with elevated blood pressure. *J Am Med Assn*, 2007; 297:2081-91.
314. **McMillan KP, Kuk JL, Church TS, Blair SN, Ross R.** Independent associations between liver fat, visceral adipose tissue, and metabolic risk factors in men. *Appl Physiol Nutr Metab*, 2007; 32:265-72.
315. **Dwyer T, Hosmer D, Hosmer T, Venn AJ, Blizzard CL, Granger RH, Cochrane JA, Blair SN, Shaw JE, Zimmet PZ, Dunstan D.** The inverse relationship between number of steps per day and obesity in a population-based sample-the AusDiab study. *Int J Obes*, 2007; 31:797-804.
316. **Blair SN.** Physical inactivity: a major public health problem. *Br J Nutr*, 2007; 32:113-7.
317. **Sui X, LaMonte MJ, Blair SN.** Cardiorespiratory fitness as a predictor of nonfatal cardiovascular events in asymptomatic women and men. *Am J Epidemiol*, 2007; 165:1414-23.
318. **Sui X, LaMonte MJ, Blair SN.** Cardiorespiratory fitness and risk of nonfatal cardiovascular disease in women and men with hypertension. *Am J Hypertension*, 2007; 20:608-15.
319. **Van Wye G, Dubin JA, Blair SN, DiPietro L.** Adult obesity does not predict 6-year weight gain in men: The Aerobics Center Longitudinal Study. *Obesity*, 2007; 15:1571-7.

320. **Nelson ME, Rejeski WJ, Blair SN, Duncan PW, Judge JO, King AC, Macera CA, Castaneda-Sceppa C.** Physical Activity and Public Health in Older Adults: Recommendation from the American College of Sports Medicine and the American Heart Association. *Circulation*, 2007; 116:1094-1105 and *Med Sci Sports Exerc*, 2007; 39:1435-45.
321. **Haskell WL, Lee IM, Pate RR, Powell KE, Blair SN, Franklin BA, Macera CA, Heath GW, Thompson PD, Bauman A.** Physical Activity and Public Health: Updated Recommendation for Adults from the American College of Sports Medicine and the American Heart Association. *Circulation*, 2007; 116:1081-93 and *Med Sci Sports Exerc*, 2007; 39:1423-34.
322. **Lyerly GW, Blair SN.** Clinical Trials Report. *Curr Cardiovascular Risk Rep*, 2007; 1:219-20.
323. **Eisenmann JC, Welk GJ, Wickel EE, Blair SN.** Combined influence of cardiorespiratory fitness and body mass index on cardiovascular disease risk factors among 8-18 year old youth: The Aerobics Center Longitudinal Study. *Int J Pediatr Obes*, 2007; 2:66-72.
324. **Rankinen T, Church TS, Treva Rice, Claude Bouchard, Blair SN.** Cardiorespiratory fitness, BMI, and risk of hypertension: the HYPGENE Study. *Med Sci Sports Exerc*, 2007; 39:1687-92.
325. **Rankinen T, Church TS, Rice T, Markward N, Leon AS, Rao DC, Skinner JS, Blair SN, Bouchard C.** Effect of Endothelin 1 Genotype on Blood Pressure Is Dependent on Physical Activity or Fitness Levels. *Hypertension*, 2007; 50:1120-5.
326. **Sui X, LaMonte MJ, Laditka JN, Hardin JW, Chase N, Hooker SP, Blair SN.** Cardiorespiratory fitness and adiposity as mortality predictors in older adults. *JAMA*, 2007; 298:2507-16.
327. **Wing RR, Jakicic J, Neiberg R, Lang W, Blair SN, Cooper L, Hill JO, Johnson KC, Lewis CE, and THE LOOK AHEAD RESEARCH GROUP.** Fitness, fatness, and cardiovascular risk factors in Type 2 Diabetes: Look AHEAD Study. *Med Sci Sports Exerc*, 2007; 39:2107-16.
328. **Sui X, Laditka JN, Hardin JW, Blair SN.** Estimated Functional Capacity Predicts Mortality in Older Adults. *J Am Geriatrics Soc*, 2007; 55:1940-7.
329. **Riddoch CJ, Mattocks C, Deere K, Saunders J, Kirkby J, Tilling K, Leary SD, Blair SN, and Ness AR.** Objective measurement of levels and patterns of physical activity. *Arch Dis Child*, 2007; 92:963-9.
330. **Mattocks C, Ness A, Leary S, Tilling K, Blair SN, Hamilton-Shield J, Deere K, Saunders J, Kirkby J, Davey Smith G, Wells J, Wareham N, Reilly J, and Riddoch C.** Use of Accelerometers in a Large Field-Based Study of Children: Protocols, Design Issues, and Effects on Precision. *J Phys Act Health*, 2008; 5:S94-S107.
331. **Farrell SW, Cortese GM, LaMonte MJ, and Blair SN.** Cardiorespiratory Fitness, Different Measures of Adiposity, and Cancer Mortality in Men. *Obesity*, 2007; 15:3140-9.
332. **Mattocks C, Leary SD, Ness AR, Deere K, Saunders J, Tilling K, Kirkby J, Blair SN, Riddoch C.** Calibration of an accelerometer during free-living activities in children. *Int J Ped Obes*, 2007; 2:218-26.
333. **Leary SD, Ness AR, Davey Smith G, Mattocks C, Deere K, Blair SN, Riddoch C.** Physical Activity and Blood Pressure in Childhood: Findings From a Population-Based Study. *Hypertension*, 2008; 51:92-98.
334. **Mattocks C, Deere K, Leary S, Ness AR, Tilling K, Blair SN, Riddoch C.** Early life determinants of physical activity in 11 to 12 year olds: cohort study. *Br Med J*, 2008; 336:26-9. Also published in *Br J Sports Med*, 2008; 42:721-4.

335. **Sui X, Hooker SP, Lee IM, Church TS, Colabianchi N, Lee CD, Blair SN.** A Prospective Study of Cardiorespiratory Fitness and Type 2 Diabetes in Women. *Diabetes Care*, 2008; 31:550-5.
336. **Katzmarzyk PT, Baur LA, Blair SN, Lambert EV, Oppert JM, Riddoch C, For the International Association for the Study of Obesity Physical Activity Task Force the Conference Speaker Panel.** International Conference on Physical Activity and Obesity in Children: Summary Statement and Recommendations. Published simultaneously *Int J Ped Obes*, 2007; 1-19 and *Appl Physiol Nutr Metabolism*, 2008; 33:371-88.
337. **Thompson AM, Church TS, Janssen I, Katzmarzyk PT, Earnest CP, Blair SN.** Cardiorespiratory Fitness as a Predictor of Cancer Mortality Among Men With Pre-Diabetes and Diabetes. *Diabetes Care*, 2008; 31:764-9.
338. **Thompson AM, Mikus CR, Rodarte RQ, Distefano B, Priest EL, Sinclair E, Earnest CP, Blair SN, Church TS.** Inflammation and exercise (INFLAME): Study rationale, design, and methods. *Cont Clinical Trials*, 2008; 29:418-27.
339. **Chase NL, Sui X, and Blair SN.** Comparison of the Health Aspects of Swimming With Other Types of Physical Activity and Sedentary Lifestyle Habits. *Int J of Aquatic Res and Educ*, 2008; 2:151-61.
340. **Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, Blair SN.** Maximal Exercise Electrocardiography Responses and Coronary Heart Disease Mortality Among Men With Diabetes Mellitus. *Circulation*, 2008; 117:2734-42.
341. **Sui X, Church TS, Meriwether RA, Lobelo F, Blair SN.** Uric Acid and the Development of Metabolic Syndrome in Women and Men. *Metabolism*, 2008; 57:845-52.
342. **Shuger SL, Sui X, Church TS, Meriwether RA, Blair SN.** Body Mass Index as Predictor of Hypertension Incidence Among initially Healthy Normotensive Women. *Amer J of Hypertension*, 2008; 21(6):613-19.
343. **Earnest CP, Lavie CJ, Blair SN, Church TS.** Heart Rate Variability Characteristics in Sedentary Postmenopausal Women Following Six Months of Exercise Training: The DREW Study. *PLoS One*, 2008; 3(6): e2288.
344. **Payn T, Pfeiffer KA, Hutto B, Vena JE, LaMonte MJ, Blair SN, Hooker SP.** Daily Steps in Midlife and Older Adults: Relationship with Demographic, Self-Rated Health, and Self-reported Physical Activity. *Res Q Exerc Sports*, 2008; 79:128-132.
345. **Lyerly GW, Church T, Blair SN.** Clinical Trials Report. *Curr Cardiovascular Risk Rep*, 2008; 2:289-291.
346. **Rankinen T, Church T, Rice T, Markward N, Blair SN, Bouchard C.** A major haplotype block at the rho-associated kinase 2 locus is associated with a lower risk of hypertension in a recessive manner: the HYPGENE study. *Hypertens Res*, 2008; Aug 31(8):1651-7.
347. **Ruiz JR, Sui X, Lobelo F, Morrow JR, Jackson AW, Sjöström M, Blair SN.** Association between muscular strength and mortality in men: prospective cohort study. *Br Med J*, 2008; 337:92-95.
348. **Chase NL, Sui X, Blair SN.** Swimming and All-Cause Mortality Risk Compared With Running, Walking, and Sedentary Habits in Men. *Int J of Aquatic Res and Educ*, 2008; 2:213-23.
349. **Kuk JL, Church TS, Blair SN, Ross R.** Associations between changes in abdominal and thigh muscle quantity and quality. *Med Sci Sports Exerc*, 2008; 40:1277-81.

350. **Church TS, Gill TM, Newman AB, Blair SN, Earnest C and Pahor M.** Maximal Fitness Testing in Sedentary Elderly at Substantial Risk of Disability: LIFE-P Study Experience. *J Aging and Physical Activity*, 2008; 16(4):408-415.
351. **Hooker SP, Sui X, Colabianchi N, Vena J, Laditka J, LaMonte MJ, Blair SN.** Cardiorespiratory Fitness as a Predictor of Fatal and Nonfatal Stroke in Asymptomatic Women and Men. *Stroke*, 2008; 39:2950-2957.
352. **Murphy MH, Blair SN, Murtagh EM.** Accumulated versus Continuous Exercise for Health Benefit. *Sports Med*, 2009; 39:29-43.
353. **Blair SN.** Physical inactivity: the biggest public health problem of the 21st century. *Br J Sports Med*, 2009; 43:1-2.
354. **Lee DC, Sui X, and Blair SN.** Does physical activity ameliorate the health hazards of obesity? *Br J Sports Med*, 2009; 43:49-51.
355. **Ross R, Blair SN, Godwin M, Hotz S, Katzmarzyk PT, Lam M, Lévesque L, and MacDonald S.** Prevention and Reduction of Obesity through Active Living (PROACTIVE): rationale, design and methods. *Br J Sports Med*, 2009; 43:57-63.
356. **Martin CK, Church TS, Thompson AM, Earnest CP, and Blair SN.** Exercise dose and quality of life. *Arch Int Med*, 2009; 169:269-278.
357. **Church TS, Blair SN.** When will we treat physical activity as a legitimate medical therapy...even though it does not come in a pill? *Br J Sports Med*, 2009; 43:80-1.
358. **Sui X, Laditka JN, Church TS, Hardin JW, Chase N, Davis K, Blair SN.** Prospective study of cardiorespiratory fitness and depressive symptoms in women and men. *J Psychiatric Res*, 2009; 43:546-52.
359. **Sisson SB, Katzmarzyk PT, Earnest CP, Bouchard C, Blair SN, and Church TS.** Volume of Exercise and Fitness Nonresponse in Sedentary, Postmenopausal Women. *Med Sci Sports Exerc*, 2009; 41:539-545.
360. **Church TS, Martin CK, Thompson AM, Earnest CP, Mikus CR, Blair SN.** Changes in Weight, Waist Circumference and Compensatory Responses with Different Doses of Exercise among Sedentary, Overweight Postmenopausal Women. *PLOS One*, 2009; 4:4515.
361. **Lee IM, Matthews CE, Blair SN.** The legacy of Dr. Ralph Seal Paffenbarger, Jr—Past, present, and future contributions to physical activity research. *PCPFS Res Digest*, 2009; 10:1-8.
362. **Peel JB, Sui X, Adams SA, Hébert JR, Hardin JW, Blair SN.** A prospective study of cardiorespiratory fitness and breast cancer mortality. *Med Sci Sports Exerc*, 2009; 41:742-8.
363. **Chase NL, Sui X, Lee DC, Blair SN.** The association of cardiorespiratory fitness and physical activity with incidence of hypertension in men. *Am J Hypertens*, 2009; 22:417-24.
364. **Dwyer T, Magnussen CG, Schmidt MD, Ukoumunne OC, Ponsonby AL, Raitakari OT, Zimmet PZ, Blair SN, Thomson R, Cleland VJ, Venn A.** Decline in physical fitness from childhood to adulthood associated with increased obesity and insulin resistance in adults. *Diabetes Care*, 2009; 32:683-7.
365. **Donnelly JE, Blair SN, Jakicic JM, Manore MM, Rankin JW, Smith BK .** American College of Sports Medicine Position Stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Med Sci Sports Exerc*, 2009; 41:459-71.

366. **Lee DC, Sui X, Church TS, Lee IM, Blair SN.** Associations of cardiorespiratory fitness and obesity with risks of impaired fasting glucose and diabetes in men. *Diabetes Care*, 2009; 32:252-67.
367. **Peel JB, Sui X, Matthews CE, Adams SA, Hébert JR, Hardin JW, Church TS, Blair SN.** Cardiorespiratory fitness and digestive cancer mortality: findings from the Aerobics Center Longitudinal Study. *Can Epidemiol Biomarkers Prev*, 2009; 18:1111-7.
368. **Blair SN, Morris JN.** Healthy Hearts—and the universal benefits of being physically active: physical activity and health. *Ann Epidemiol*, 2009; 19:253-6.
369. **Anaya AS, Church TS, Blair SN, Myers JN, Earnest CP.** Exercise Dose—Response of the VE/VCO<sub>2</sub> Slope in Postmenopausal Women in the DREW Study. *Med Sci Sports Exerc*, 2009; 41:971-6.
370. **Ballard-Barbash R, Hunsberger S, Alciati MH, Blair SN, Goodwin PJ, McTiernan A, Wing R, Schatzkin A.** Physical activity, weight control, and breast cancer risk and survival: Clinical trial rationale and design considerations. *J Natl Cancer Inst*, 2009; 101:630-43.
371. **Ruiz JR, Sui X, Lobelo F, Lee DC, Morrow JR, Jackson AW, Hébert JR, Matthews CE, Sjöström M, Blair SN.** Muscular strength and adiposity as predictors of adulthood cancer mortality in men. *Cancer Epidemiol Biomarkers Prev*, 2009; 18:1468-76.
372. **Jaggers JR, Sui X, Hooker SP, LaMonte MJ, Matthews CE, Hand GA, and Blair SN.** Metabolic syndrome and risk of cancer mortality in men. *European Journal of Cancer*, 2009; 45:1831-38.
373. **Kuk JL, Ardern CI, Church TS, Hébert JR, Sui X, and Blair SN.** Ideal Weight and Weight Satisfaction: Association with Health Practices. *Am J Epidemiol*, 2009; 170:456-63.
374. **Lyerly GW, Sui X, Lavie CJ, Church TS, Hand GA, and Blair SN.** The Association between Cardiorespiratory Fitness and Risk of All-Cause Mortality among Women With Impaired Fasting Glucose or Undiagnosed Diabetes Mellitus. *Mayo Clin Proc*, 2009; 84:780-6.
375. **Sloan RA, Sawada SS, Martin CK, Church T, and Blair SN.** Associations between cardiorespiratory fitness and health-related quality of life. *Health Qual Life Outcomes*, 2009; 7:47.
376. **Barry VW, Church T, Blair SN.** Effects of Exercise Modality on Insulin Resistance and Functional Limitation in Older Adults. *Curr CV Risk Rep*, 2009; 3:235-6.
377. **Mikus CR, Earnest CP, Blair SN, Church TS.** Heart rate and exercise intensity during training: observations from the DREW Study. *Br J Sports Med*, 2009; 43:750-5.
378. **Haskell WL, Blair SN, Hill JO.** Physical activity: Health outcomes and importance for public health policy. *Prev Med*, 2009; 49:280-5.
379. **Jackson AS, Sui X, Hébert JR, Church TS, Blair SN.** Role of lifestyle and aging on the longitudinal change in cardiorespiratory fitness. *Arch Int Med*, 2009; 169:1781-7.
380. **Mitchell J, Mattocks C, Ness AR, Pate RR, Dowda M, Blair SN, Riddoch CJ.** Sedentary behavior and obesity in a large cohort of children. *Int J Obes*, 2009; 17:1596-1602.
381. **Deere K, Williams C, Leary S, Mattocks C, Ness AR, Blair SN, Riddoch CJ.** Myopia and physical activity in 12 year old children. *Br J Sports Med*, 2009; 43:542-44.
382. **Riddoch CJ, Ness AR, Blair SN, Deere K, Mattocks C, Griffiths A, Davey-Smith G, Tilling K.** Prospective associations between objective measures of



- physical activity and fat mass in 12-14 year old children: the Avon Longitudinal Study of Parents and Children (ALSPAC). *Br Med J*, 2009; 339:b544.
383. **Lee CD, Sui X, Blair SN.** Combined Effects of Cardiorespiratory Fitness, Not Smoking, and Normal Waist Girth on Morbidity and Mortality in Men. *Arch Int Med*, 2009; 169: 2096-2101.
384. **Arsenault BJ, Earnest CP, Despres JP, Blair SN, Church TS.** Obesity, coffee consumption and CRF levels in postmenopausal overweight/obese women: importance of hormone replacement therapy use. *Eur J Clin Nutr*, 2009; 63:1419-24.
385. **McAuley PA, Sui XM, Church TS, Hardin JW, Myers JN, Blair SN.** The Joint Effects of Cardiorespiratory Fitness and Adiposity on Mortality Risk in Men with Hypertension. *Am J Hypertension*, 2009; 22:1062-1069.
386. **Church TS, Thompson AM, Katzmarzyk PT, Sui XM, Johannsen N, Earnest CP, Blair.** Metabolic Syndrome and Diabetes, Alone and in Combination, as Predictors of Cardiovascular Disease Mortality among Men. *Diabetes Care*, 2009; 32:1289-94.
387. **Le TD, Bae S, Hsu CE, Singh KP, Blair SN, Shang N.** Effects of Cardiorespiratory Fitness on Serum Ferritin Concentration and Incidence of Type 2 Diabetes: Evidence from the Aerobics Center Longitudinal Study (ACLS). *Rev Diab Studies*, 2009; 5:245-52.
388. **Arsenault BJ, Côté M, Cartier A, Lemieux I, Després JP, Ross R, Earnest CP, Blair SN, Church TS.** Effect of exercise training on cardiometabolic risk markers among sedentary, but metabolically health overweight or obese postmenopausal women with elevated blood pressure. *Atherosclerosis*, 2009; 207:530-3.
389. **Groessl EJ, Kaplan RM, Blair SN, Rejeski WJ, Katula JA, King AC, Fielding RA, Glynn NW, and Pahor M.** A Cost Analysis of a Physical Activity Intervention for Older Adults. *J Phys Act Health*, 2009; 6:767-74.
390. **Manini TM, Newman AB, Fielding R, Blair SN, Perri MG, Anton SD, Goodpaster BC, Katula JA, Rejeski WJ, Kritchvesky SB, Hsu FC, Pahor M.** Effects of exercise on mobility in obese and nonobese older adults. *Obesity*, 2010; 18:1168-1175.
391. **Kohl HW, III, Blair SN.** Lessons from a Life Well-Lived. *J Phys Act Health*, 2010; 7:1-2.
392. **Ortega FB, Lee DC, Sui X, Ruiz JR, Cheng YJ, Church TJ, Miller CC, Blair SN.** Cardiorespiratory fitness, adiposity, and incident asthma in adults. *J Allergy Clin Immunol*, 2010; 125(1):271-273 e271-275.
393. **Wang CY, Haskell WL, Farrell SW, LaMonte MJ, Blair SN, Curtin LR, Hughes JP, and Burt VL.** Cardiorespiratory Fitness Levels among US Adults 20-49 Years of Age: Findings from the 1999-2004 National Health and Nutrition Examination Survey. *Am J Epidemiol*, 2010; 171:426-35.
394. **Héroux M, Janssen I, Lam M, Lee DC, Hebert JR, Sui X, Blair SN.** Dietary patterns and the risk of mortality: impact of cardiorespiratory fitness. *Int J Epidemiol*, 2010; 39:197-209.
395. **Maslow AL, Sui X, Colabianchi N, Hussey J, Blair SN.** Muscular strength and incident hypertension in normotensive and prehypertensive men. *Med Sci Sports Exerc*, 2010; 42:288-95.
396. **Earnest CP, Poirier P, Carnethon MR, Blair SN, Church TS.** Autonomic function and change in insulin for exercising postmenopausal women. *Maturitas*, 2010; 65:284-291.

397. **Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, and Blair SN.** Maximal Exercise Electrocardiographic Responses and Coronary Heart Disease Mortality among Men with Metabolic Syndrome. *Mayo Clin Proc*, 2010; 85:239-46.
398. **Sieverdes JC, Sui X, Lee D, Church TS, McClain A, Hand GA, Blair SN.** Physical activity, cardiorespiratory fitness and the incidence of type 2 diabetes in a prospective study of men. *Br J Sports Med*, 2010; 44:238-44.
399. **Stewart LK, Earnest CP, Blair SN, and Church TS.** Effects of Different Doses of Physical Activity on C-Reactive Protein among Women. *Med Sci Sports Exerc*, 2010; 42(4):701-7.
400. **Church TS, Earnest CP, Thompson AM, Priest EL, Rodarte RQ, Saunders T, Ross R, and Blair SN.** Exercise without Weight Loss Does Not Reduce C-Reactive Protein: The INFLAME Study. *Med Sci Sports Exerc*, 2010; 42(4):708-16.
401. **Sui X, Lee D, Matthews CE, Adams SA, Hebert JR, Church TS, Lee C, and Blair SN.** Influence of Cardiorespiratory Fitness on Lung Cancer Mortality. *Med Sci Sports Exerc*, 2010; 42(5):872-78.
402. **Warren TY, Barry V, Hooker SP, Sui X, Church TS, and Blair SN.** Sedentary Behaviors Increase Risk of Cardiovascular Disease Mortality in Men. *Med Sci Sports Exerc*, 2010; 42(5):879-885.
403. **Kesaniemi A, Riddoch CJ, Reeder B, Blair SN, Sorensen TIA.** Advancing the future of physical activity guidelines in Canada: an independent expert panel interpretation of the evidence. *Int J Behav Nutri and Phy Act*, 2010; 7(41).
404. **Baruth M, Wilcox S, Dunn AL, King AC, Marcus BH, Rejeski WJ, Sallis JF, Blair SN.** Psychosocial Mediators of Physical Activity and Fitness Changes in the Activity Counseling Trial. *Ann Behav Med*, 2010; April 30.
405. **Sawada SS, Muto T, Lee IM, Higaki Y, Naito H, Tanaka H, Noguchi J, Blair SN, Tsukamoto K.** Long-Term Trends in Cardiorespiratory Fitness and the Incidence of Type 2 Diabetes. *Diabetes Care*, 2010; 33(6):1353-7.
406. **Mertz KJ, Lee DC, Sui X, Powell KE, Blair SN.** Falls among Adults: The Association of Cardiorespiratory Fitness and Physical Activity with Walking-Related Falls. *Am J Prev Med*, 2010; 39(1):15-24.
407. **Mitchell JA, Church TS, Rankinen T, Earnest CP, Sui X, Blair SN.** FTO Genotype and the Weight Loss Benefits of Moderate Intensity Exercise. *Obesity*, 2010; 18:641-43.
408. **Weiler R, Stamatakis E, Blair SN.** Should health policy focus on physical activity rather than obesity? Yes. *BMJ* 2010; 340:c2603.
409. **Kuk JK, Church TS, Blair SN, Ross R.** Measurement Site and the Association Between Visceral and Abdominal Subcutaneous Adipose Tissue with Metabolic Risk in Women. *Obesity*, 2010; 18(7):1336-1340.
410. **Mattocks C, Hines M, Ness A, Leary S, Griffiths A, Tilling K, Blair SN, Riddoch C.** Associations between sex-typed behaviour at age 3½ and levels and patterns of physical activity at age 12: the Avon Longitudinal Study of Parents and Children. *Arch Dis Child*, 2010; 95:509-512.
411. **Mitchell JA, Bornstein DB, Sui X, Hooker SP, Church TS, Lee DC, Lee D, Blair SN.** The impact of combined health factors on cardiovascular disease mortality. *Am Heart J*, 2010; 160(1):102-108.
412. **Blair SN, Smith GD, Lee IM, Fox K, Hillsdon M, McKeown RE, Haskell WL, Marmot M.** A Tribute to Professor Jeremiah Morris: The Man Who Invented the Field of Physical Activity Epidemiology. *Ann Epidemiol*, 2010; Sep 20(9):651-660.

413. **Johannsen NM, Priest EL, Dixit VD, Earnest CP, Blair SN, Church TS.** Association of white blood cell subfraction concentration with fitness and fatness. *Br J Sports Med*, 2010; 44(8):588-593.
414. **Banda JA, Clouston K, Sui X, Hooker SP, Lee DC, Blair SN.** Protective Health Factors and Incident Hypertension in Men. *Am J Hypertens*, 2010; 23(6):599-605.
415. **Barry VW, Church TS, Blair SN.** Using Molecular Classification to Predict Gains in Maximal Aerobic Capacity Following Endurance Exercise Training in Humans. *Curr Cardio Risk Rep*, 2010; 4:319-320.
416. **Byun W, Sieverdes JC, Sui X, Hooker SP, Lee DC, Church TS, Blair SN.** Effect of Positive Health Factors and All-Cause Mortality in Men. *Med Sci Sports Exerc*, 2010; Sep 42(9):1632-1638.
417. **Sawada SS, Lee IM, Naito H, Tsukamoto K, Muto T, Blair SN.** Muscular and Performance Fitness and the Incidence of Type 2 Diabetes: Prospective Study of Japanese Men. *J Phys Act Health*, 2010; 7:627-632.
418. **Jackson AW, Lee DC, Sui X, Morrow JR Jr, Church TS, Maslow AL, Blair SN.** Muscular Strength is Inversely Related to Prevalence and Incidence of Obesity in Adult Men. *Obesity*, 2010; 18:1988-1995.
419. **Lee DC, Artero EG, Sui X, Blair SN.** Mortality trends in the general population: the importance of cardiorespiratory fitness. *J Psychopharmacol*, November 2010; 24(4):27-35.
420. **Ortega FB, Lee DC, Sui X, Kubzansky LD, Ruiz JR, Baruth M, Castillo MJ, Blair SN.** Psychological Well-Being, Cardiorespiratory Fitness, and Long-Term Survival. *Am J Prev Med*, 2010; 39(5):440-448.
421. **Earnest CP, Blair SN, Church TS.** Age attenuated response to aerobic conditioning in postmenopausal women. *Eur J Appl Physiol*, 2010; 110:75-82.
422. **Hsu F-C, Rejeski WJ, Ip EH, Katula JA, Fielding R, Jette AM, Studenski SA, Blair SN, Miller ME.** Evaluation of the late life disability instrument in the lifestyle interventions and independence for elders pilot (LIFE-P) study. *Health Qual Life Outcomes*, Oct 2010; 8:115.
423. **Banda JA, Hutto B, Feeney A, Pfeiffer KA, McIver K, Lamonte MJ, Blair SN, Vena J, Hooker SP.** Comparing Physical Activity Measures in a Diverse Group of Midlife and Older Adults. *Med Sci Sports Exerc*, Dec 2010; 42(12):2251-2257.
424. **Church TS, Blair SN, Cocreham S, et al.** Effects of Aerobic and Resistance Training on Hemoglobin A 1c Levels in Patients with Type 2 Diabetes: A Randomized Controlled Trial. *JAMA*, 2010; 304(20):2253-2262.
425. **Ortega FB, Brown WJ, Lee DC, Baruth M, Sui X, Blair SN.** In Fitness and Health? A Prospective Study of Changes in Marital Status and Fitness in Men and Women. *Am J Epidemiol*, 2011; 173 (3):337-44.
426. **Matthews CE, Sui X, LaMonte MJ, Adams SA, Hebert JR, Blair SN.** Metabolic syndrome and risk of death from cancers of the digestive system. *Metabolism*, 2010 Aug; 59(8):1231-9.
427. **Baruth, M., Wilcox, S., Blair, S., Hooker, S. & Hussey, J.** Psychosocial mediators of a faith-based physical activity intervention: implications and lessons learned from null findings. *Health Education Research*, 2010; 25(4), 645-655.
428. **Chale-Rush A, Guralnik JM, Walkup MP, et al.** Relationship Between Physical Functioning and Physical Activity in the Lifestyle Interventions and Independence for Elders Pilot. *J Am Geriatr Soc*, Oct 2010; 58(10):1918-1924.

429. **Vuori I, Blair SN, Bull FC, et al.** More Collaboration-More Power in Combating Ill Health. *J Phys Act Health*, Nov 2010; 7(Suppl. 3): S359-S361.
430. **Beets MW, Paluch AE, Archer EC, Blair SN.** Physical Activity: The Future of Learning? *Childhood Obesity*, Dec 2010; 6(6):345-6.
431. **Ortega FB, Artero EG, Ruiz JR, Blair SN, et al.** Physical fitness levels among European adolescents: the HELENA study. *Br J Sports Med*, 2011; 45:20-29.
432. **Maslow AL, Price AE, Sui X, Lee DC, Vuori I, Blair SN.** Fitness and Adiposity as Predictors of Functional Limitation in Adults. *J Phys Act Health*, 2011; 8(1):18-26.
433. **Baruth M, Wilcox S, Sallis JF, King AC, Marcus BH, Blair SN.** Changes in CVD risk factors in the activity counseling trial. *Int J Gen Med*, 2011(4):53-62.
434. **Barry VW, McClain AC, Shuger S, Sui X, Hardin JW, Hand GA, Wilcox S, Blair SN.** Using a technology-based intervention to promote weight loss in sedentary overweight or obese adults: a randomized controlled trial study design. *Diabetes Metab Syndr Obes*, 2011 Feb; 2011(4):67 – 77.
435. **Jung SH, Kim J, Davis JM, Blair SN, Cho H.** Association among basal serum BDNF, cardiorespiratory fitness and cardiovascular disease risk factors in untrained healthy Korean men. *Eur J Appl Physiol*, 2011; 111:303-311.
436. **Hooker SP, Feeney A, Hutto B, Pfeiffer KA, McIver K, Heil DP, Vena JE, LaMonte MJ, Blair SN.** Validation of the Actical Activity Monitor in Middle-Aged and Older Adults. . *J Phys Act Health*, 2011; 8:372-381.
437. **Paluch AE, Church TS, Blair SN.** Effect of an intensive exercise intervention strategy on modifiable cardiovascular risk factors in subjects with type 2 diabetes mellitus. *Curr Cardiovasc Risk Rep*, 2011; 5:481-3.
438. **Allen J, Anderson DR, Baun B, Best A, Blair SN, Chapman LS, Eriksen M, Fielding J, Franklin BA, Goetzel RZ, Green LW, Omenn G, Ornish D, Pelletier KR.** Reflections on Developments in Health Promotion in the Past Quarter Century From Founding Members of the *American Journal of Health Promotion* Editorial Board. *Am J Health Promotion*, 2011 Mar/Apr; 25(4): ei-eviii.
439. **McAuley PA, Blair SN.** Obesity paradoxes. *J Sports Sci*, 2011; 29:773-82.
440. **Baruth M, Lee DC, Sui X, Church TS, Marcus BH, Wilcox S, Blair SN.** Emotional Outlook on Life Predicts Increases in Physical Activity Among Initially Inactive Men. *Health Educ Behav*, 2011 Apr; 38(2):150-8.
441. **Byun W, Sui X, Hébert JR, Church TS, Lee I, Matthews CE, Blair SN.** Cardiorespiratory fitness and risk of prostate cancer: Findings from the Aerobics Center Longitudinal Study. *Cancer Epidemiol*, 2011 Feb; 35(1):59-65.
442. **Lee DC, Sui X, Ortega FB, Kim Y, Church TS, Winett RA, Ekelund U, Katzmarzyk PT, Blair SN.** Comparisons of leisure-time physical activity and cardiorespiratory fitness as predictors of all-cause mortality in men and women. *Br J Sports Med*, 2011 May; 45(6):504-10.
443. **Esenfeld K, Halle M, Blair SN.** Impaired fitness or obesity. *Diabetologie*, 2011; 7:9-14.
444. **Xie M, Li H, Wang W, Wang J, Sui X, and Blair SN.** Cardiorespiratory Fitness: A Core Component of Health-related Physical Fitness. *J of Beijing Sport Univ*, 2011; 34(2):1-7.
445. **Liu J, Blair SN, Teng Y, Ness A, Lawlor D, Riddoch C.** Physical activity during pregnancy in a prospective cohort of British women: Results from Avon

- Longitudinal Study of Parents and Children (ALSPAC). *European Journal of Epidemiology*, 2011; 26(3):237-247.
446. **Artero EG, Lee DC, Ruiz JR, Sui X, Ortega FB, Church TS, Lavie CJ, Castillo MJ, Blair SN.** A prospective study of muscular strength and all-cause mortality in men with hypertension. *J Am Coll Cardiol*, 2011; 57(18):1831-1837.
447. **Sieverdes JC, Sui X, Hand GA, Barry VW, Wilcox S, Meriwether RA, Hardin JW, McClain AC, Blair SN.** Cardiometabolic Results from an armband-based weight loss trial. *Diabetes Metab Syndr Obes*, 2011; 4:187-194.
448. **Church TS, Thomas DM, Tudor-Locke C, Katzmarzyk PT, Earnest CP, Rodarte RQ, Martin CK, Blair SN, Bouchard C.** Trends Over 5 Decades in U.S. Occupation- Related Physical Activity and their Associations with Obesity. *Plos One*, 2011; 6(5):1-7.
449. **Archer E, Blair SN.** Physical Activity and the Prevention of Cardiovascular Disease; From Evolution to Epidemiology. *Progress in Cardiovascular Diseases*, 2011; 53:387-396
450. **Sieverdes JC, Sui X, Lee DC, Lee IM, Hooker SP, Blair SN.** Independent and joint associations of physical activity and fitness on stroke in men. *Phys Sportsmed*, 2011 May; 39(2):119-26.
451. **Shuger SL, Barry VW, Sui X, McClain A, Hand GA, Wilcox S, Meriwether RA, Hardin JW, Blair SN.** Electronic feedback in a diet- and physical activity-based lifestyle intervention for weight loss: a randomized controlled trial. *Intl J of Behav Nutr and Phys Act*, 2011; 41(8):1-8.
452. **Trivedi MH, Greer TL, Church TS, Carmody TJ, Grannemann BD, Sunderajan P, Dunn AL, Earnest CP, Henley SS, Blair SN.** Exercise as an augmentation treatment for nonremitted major depressive disorder: A randomized, parallel dose comparison. *J Clin Psychiatry*, 2011; 72(5):677-684
453. **Matthews MM, Hsu FC, Walkup MP, Barry LC, Kushang VP, Blair SN.** Depressive symptoms and physical performance in the lifestyle interventions and independence for elders pilot study. *JAGS*. 2011; 59(3); 495-500.
454. **Shook RP, Blair SN.** You asked for it: Question authority. *ACSM Health & Fitness*, 2011; 15(4):5-7.
455. **Ponsonby AL, Sun C, Ukoumunne OC, Pezic A, Venn A, Shaw JE, Dunstan DW, Barr EL, Blair SN, Cochrane J, Zimmet PZ, Dwyer T.** Objectively Measured Physical Activity and the Subsequent Risk of Incident Dysglycemia: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *Diabetes Care*, 2011; 34(7):1497-502.
456. **Howie EK, Sui X, Lee DC, Hooker SP, Hebert JR, Blair SN.** Alcohol consumption and risk of all-cause and cardiovascular disease mortality in men. *J Aging Res*, 2011; 1-10.
457. **Archer E, Blair SN.** Dr. Roy J. Shephard: A Pioneer in Physical Activity and Preventive Medicine. *Health & Fitness J of Canada*, 2011; 4(1):27-29.
458. **Kuk JL, Ardern CI, Church TS, Sharma AM, Radwal R, Sui X, Blair SN.** Edmonton obesity staging system: association with weight history and mortality risk. *Appl Physiol Nutr Meta*, 2011; (36):570-576.
459. **Fielding RA, Rejeski WJ, Blair SN, Church TS, Espeland MA, Gill TM, Guralnik JM, Hsu FC, Katula J, King AC, Kritchevsky SB, McDermott MM, Miller ME, Nayfield S, Newman AB, Williamson JD, Bonds D, Romashkan S, Hadley E, Pahor M.** The lifestyle interventions and independence for elders study: design and methods. *J Gerontol A Biol Sci Med Sci*, 2011; 1-12.

460. **McAuley PA, Blair SN.** Cardiorespiratory Fitness and the Metabolic Syndrome (chapter 10). *The Metabolic Syndrome*, 2<sup>nd</sup> edition. Edited by Christopher D. Byrne and Sarah H. Wild. Blackwell Publishing Ltd. (2011).
461. **Houston DK, Tooze JA, Hausman DB, Johnson MA, Nicklas BJ, Miller ME, Neiberg RH, Marsh AP, Newman AB, Blair SN, Kritchevsky SB.** Change in 25-hydroxyvitamin D and physical performance in older adults. *J Gerontol A Biol Med Sci*, 2011; 66(4): 430-6.
462. **Tudor-Locke C, Craig CL, Beets MW, Belton S, Cardon GM, Duncan S, Hatano Y, Lubans DR, Olds TS, Raustorp A, Rowe DA, Spence JC, Tanaka S, Blair SN.** How many steps/days are enough? For children and adolescents. *Intl. J of Behav Nutr and Phys Act*, 2011; 8(78): 1-14.
463. **Tudor-Locke C, Craig CL, Brown WJ, Clemes SA, DeCocker K, Giles-Corti B, Hatano Y, Inoue S, Matsudo SM, Mutrie N, Oppert JM, Rowe DA, Schmidt MD, Schofield GM, Spence JC, Teixeira PJ, Tully MA, Blair SN.** How Many steps/day are enough? For adults. *Intl J of Behav Nutr and Phys Act*, 2011; 8(79): 1-17.
464. **Lee CD, Sui X, Hooker SP, Blair SN, Hébert JR.** Combined impact of lifestyle factors on cancer mortality in men. *Ann Epidemiol*, 2011; 21: 749-754.
465. **Trivedi MH, Greer TL, Grannemann BD, Church TS, Somoza E, Blair SN, Szapocznik J, Stoutenberg M, Rethorst C, Warden D, Ring KM, Walker R, Morris DW, Kosinski AS, Kyle T, Marcus B, Crowell B, Oden N, Nunes E.** Stimulant reduction intervention using Dosed Exercise (STRIDE) – CTN 0037: Study protocol for a randomized controlled trial. *Trials*, 2011; 12: 206.
466. **Tudor-Locke C, Craig CL, Aoyagi Y, Bell RC, Croteau KA, Bourdeaudhuij ID, Ewald B, Gardner AW, Hatano Y, Lutes LD, Matsudo SM, Ramirez-Marrero FA, Rogers LQ, Rowe DA, Schmidt MD, Tully MA, Blair SN.** How many steps are enough? For older adults and special populations. *Intl J of Behav Nutr and Phys Act*, 2011; 8(80): 1-19.
467. **Koorts H, Mattocks C, Ness AR, Deere K, Blair SN, Pate RR, Riddoch C.** The association between the type, context, and levels of physical activity amongst adolescents. *J of Phys Act & Health*, 2011; 8: 1057-1065.
468. **Sui X, Lavie CJ, Hooker SP, Lee DC, Colabianchi N, Blair SN.** A prospective study of fasting plasma glucose and risk of stroke in asymptomatic men. *Mayo Clin Proc*, 2011; 86(11): 1042-1049.
469. **Héroux M, Janssen I, Lee DC, Sui X, Hébert JR, Blair SN.** Clustering of unhealthy behaviors in the Aerobic Center Longitudinal Study. *Prev Sci*, 2012; 13(2):183-95.
470. **Blair SN, Weiler R, Stamatakis E.** Physical inactivity is associated with earlier mortality- the evidence is incontrovertible. *Brit J of Gen Prac*, 2011; 719-720.
471. **Kline CE, Crowley EP, Ewing GB, Burch JB, Blair SN, Durstine JL, Davis JM, Youngstedt SD.** The effect of exercise training on obstructive sleep apnea and sleep quality: A randomized controlled trial. *Sleep*, 2011; 43(12): 1631-1640.
472. **Hoehner CM, Handy SL, Yan Y, Blair SN, Berrigan D.** Association between neighborhood walkability, cardiorespiratory fitness and body-mass index. *Social Sci & Med*, 2011; 73: 1707-1716.
473. **Lee DC, Sui X, Artero EG, Lee IM, Church TS, McAuley PA, Stanford FC, Kohl HW, Blair SN.** Long-term effects of changes in cardiorespiratory fitness and body mass index on all-cause and cardiovascular disease mortality

- in men: The Aerobic Center Longitudinal Study. *Circulation*, 2011; 124(23):2483-90.
474. **Sieverdes JC, Sui X, Blair SN.** Associations between physical activity and submaximal cardiorespiratory and pulmonary responses in men. *J Sport Med Doping Stud*, 2011;1(1).
475. **Sieverdes JC, Ray BM, Sui X, Lee DC, Hand GA, Baruth M, Blair SN.** Association between leisure time physical activity and depressive symptoms in men. *Med Sci Sports Exerc.* 2012; 44(2):260-5.
476. **Gander J, Lee DC, Sui X, Hebert JR, Hooker SP, Blair SN.** Self-rated health status and cardiorespiratory fitness as predictors of mortality in men. *Br J Sports Med.* 2011;25(14):1095-100.
477. **Lee DC, Sui X, Church TS, Lavie CJ, Jackson AS, Blair SN.** Changes in fitness and fatness on the development of cardiovascular disease risk factors. *J Am Coll Cardiol.* 2012; 59(7):665-72.
478. **Liu R, Sui X, Laditka JN, Church TS, Colabianchi N, Hussey J, Blair SN.** Cardiorespiratory fitness as a predictor of dementia mortality in men and women. *Med Sci Sports Exerc.* 2012; 44(2):253-9.
479. **Kahn KM, Weiler R, Blair SN.** Prescribing exercise in primary care: Ten practical steps on how to do it. *Br Med J.* 2011; 343:806-7.
480. **Ajja R, Lee DC, Sui X, Church TS, Blair SN.** Usefulness of serum bilirubin and cardiorespiratory fitness as predictors of mortality in men. *Am J Cardiol.* 2011;108(10):1438-42.
481. **Hersey JC, Khavjou O, Strange LB, Atkinson RL, Blair SN, Campbell S, Hobbs CL, Kelly B, Fitzgerald TM, Kish-Doo J, Koch MA, Munoz B, Peele E, Stockdale J, Augustine C, Mitchell G, Arday D, Kugler J, Dorn P, EllzyJ, Julian R, Grissom J, Britt M.** The efficacy and cost-effectiveness of a community weight management intervention: A randomized controlled trial of the health weight management demonstration. *Prev Med.* 2012; 54(1):42-9.
482. **Masse LC, Fulton JE, Watson KB, Tortolero S, Kohl HW, Meyers MC, Blair SN, Wong WW.** Comparing the validity of 2 physical activity questionnaire formats in African-American and Hispanic women. *J of Phys Act & Heal.* 2012;9(2):237-48.
483. **Johannsen NM, Swift DL, Johnson WD, Dixit VD, Earnest CP, Blair SN, Church TS.** Effect of different doses of aerobic exercise on total white blood cell (WBC) and WBC subfraction number in postmenopausal women: Results from DREW. *PLoS ONE.* 2012;7(2): e31319. Epub 2012 Feb 17.
484. **Earnest CP, Blair SN, Church TS.** Heart rate variability and exercise in aging women. *J of Women's Heal.* 2012; 21(3):334-9.
485. **Ross R, Lam M, Blair SN, Church TS, Godwin M, Hotz SB, Johnson A, Katzmarzyk PT, Levesque L, MacDonald S.** Trial of prevention and reduction of obesity through active living in clinical settings. *Arch Intern Med.* 2012;172(5):414-24.
486. **Jackson AS, Janssen I, Sui X, Church TS, Blair SN.** Longitudinal changes in body composition associated with healthy ageing: men, aged 20 – 96 years. *Brit J of Nutr.* 2012; 107:1085-91.
487. **Bowling CB, Fonarow GC, Patel K, Zhang Y, Feller MA, Sui X, Blair SN, Alagiakrishnan K, Aban IB, Love TE, Allman RM, Ahmed A.** Impairment of activities of daily living and incident heart failure in community-dwelling older adults. *Eur J of Heart Fail.* 2012; 14(6):581-7. Epub 2012 Apr 4.
488. **Hebert JR, Blair SN.** Repudiation of the 'magic bullet' approach to health improvement: a call to empower people to get moving and take charge. *Br J Sports Med.* 2012; 46(5):303-306.

489. **Stanford FC, Durkin MW, Blair SN, Powell CK, Poston MB, Stallworth JR.** Determining levels of physical activity in attending physicians, resident and fellow physicians and medical students in the USA. *Br J Sports Med.* 2012; 46(5):360-4.
490. **McAuley PA, Artero EG, Sui X, Lee DC, Church TS, Lavie CJ, Myers JN, Espana-Romero V, Blair SN.** The obesity paradox, cardiorespiratory fitness, and coronary heart disease. *Mayo Clin Proc.* 2012; 87(5):443-51.
491. **Archer E, Blair SN.** Physical activity, exercise and non-communicable diseases. *Res Exerc Epidemiol.* 2012; 14(1):1-18.
492. **Swift DL, Johannsen NM, Earnest CP, Blair SN, Church TS.** Effect of exercise training modality on c-reactive protein in type 2 diabetes. *Med & Sci in Spor & Exerc.* 2012; 44(6):1028-34.
493. **Mitchell JA, Pate RR, Dowda M, Mattocks C, Riddoch C, Ness AR, Blair SN.** A prospective study of sedentary behavior in a large cohort of youth. *Med & Sci in Spor & Exerc.* 2012; 44(6):1081-7.
494. **Bouchard C, Blair SN, Church TS, Earnest CP, Hagberg JM, Häkkinen K; Jenkins NT, Karavirta L, Kraus WE, Leon AS, Rao DC, Sarzynski MA, Skinner JS, Slentz CA, Rankinen T.** Adverse metabolic response to regular exercise: is it a rare or common occurrence? *PLoS ONE.* 2012; 7(5):1-8.
495. **Shook RP, Lee DC, Sui X, Prasad V, Hooker SP, Church TS, Blair SN.** Cardiorespiratory fitness reduces the risk of incident hypertension associated with a parental history of hypertension. *Hypertension.* 2012; 59(6):1220-1224.
496. **Lee DC, Park I, Jun TW, Nam BH, Cho SI, Blair SN, Kim YS.** Physical activity and body mass index and their associations with the development of type 2 diabetes in Korean men. *Am J Epidemiol.* 2012; 176(1):43-51. Epub 2012 Apr 29.
497. **Khan KM, Thompson AM, Blair SN, Sallis JF, Powell KE, Bull FC, Bauman AE.** Sport and exercise as contributors to the health of nations. *Lancet.* 2012;380(9836):59-64.
498. **Goodrich KM, Crowley SK, Lee DC, Sui XS, Hooker SP, Blair SN.** Associations of cardiorespiratory fitness and parental history of diabetes with risk of type 2 diabetes. *Diabetes Res Clin Pract.* 2012; 95(3):425-31.
499. **Blair SN, Sallis RE, Hutber A, Archer E.** Exercise therapy- the public health message. *Scand J Med Sci Sports.* 2012; 22(4) e24-8.
500. **Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzyk PT.** Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet.* 2012; 380(9838):219-29.
501. **Swift DL, Johannsen NM, Earnest CP, Blair SN, Church TS.** Effect of different doses of aerobic exercise training on total bilirubin levels. *Med Sci Sports Exerc.* 2012; 44(4):569-74.
502. **Swift DL, Johannsen NM, Myers VH, Earnest CP, Smits JA, Blair SN, Church TS.** The effect of exercise training modality on serum brain derived neurotrophic factor levels in individuals with type 2 diabetes. *PLoS One.* 2012; 7(8): e42785. Epub 2012 Aug 6.
503. **Sui X, Jackson AS, Church TS, Lee DC, O'Connor DP, Liu J, Blair SN.** Effects of cardiorespiratory fitness on aging: glucose trajectory in a cohort of healthy men. *Ann Epidemiol.* 2012; 22(9):617-22. Epub 2012 July 3.
504. **Mitchell JA, Pate RR, Blair SN.** Screen-based sedentary behavior and cardiorespiratory fitness from age 11 to 13. *Med Sci Sports Exerc.* 2012; 44(7):1302-9.



505. **Swift DL, Earnest CP, Blair SN, Church TS.** The effect of different doses of aerobic exercise training on endothelial function in postmenopausal women with elevated blood pressure: results from the DREW study. *Br J Sports Med.* 2012; 46(10):753-8.
506. **Brown W, Blair SN.** Good news, good news: occupational and household activities are important for energy expenditure, but sport and recreation remain the best buy for public health. *Br J Sports Med.* 2012; 46(10):702-3.
507. **Swift DL, Earnest CP, Katzmarzyk PT, Rankinen T, Blair SN, Church TS.** The effect of different doses of aerobic exercise training of exercise blood pressure in overweight and obese postmenopausal women. *Menopause.* 2012; 19(5):503-9.
508. **Archer E, Groessl EJ, Sui X, McClain AC, Wilcox S, Hand GA, Meriwether RA, Blair SN.** An economic analysis of traditional and technology-based approaches to weight loss. *Am J Prev Med.* 2012; 43(2):176-82.
509. **Dishman RK, Sui X, Church TS, Hand GA, Trivedi MH, Blair SN.** Decline in cardiorespiratory fitness and odds of incident depression. *Am J Prev Med.* 2012; 43(4):361-8.
510. **Artero EG, España-Romero V, Lee DC, Sui X, Church TS, Lavie CJ, Blair SN.** Ideal cardiovascular health and mortality: Aerobics Center Longitudinal Study. *Mayo Clin Proc.* 2012; 87(10):944-52.
511. **Matheson GO, Klugl M, Dvorak J, Engebretsen L, Meeuwisse WH, Schweltnus M, Blair SN, van Mechelen W, Derman W, Börjesson M, Bendiksen F, Weiler R.** Responsibility of sport and exercise medicine in preventing and managing chronic disease: applying our knowledge and skill is overdue. *Br J Sports Med.* 2012; 45(16):1272-82.
512. **Stoutenberg M, Rethorst CD, Fiuzat M, Greer TL, Blair SN, Church TS, Marcus B, Trivedi MH.** Stimulant reduction intervention using dosed exercise (STRIDE): Description of the exercise intervention and behavior program to ensure adherence. *Ment Health Phys Act,* 2012; 5:175-82.
513. **Jackson AS, Sui X, O'Connor DP, Church TS, Lee DC, Artero EG, Blair SN.** Longitudinal cardiorespiratory fitness algorithms for clinical settings. *Am J Prev Med.* 2012; 43(5):512-9.
514. **Swift DL, Johannsen NM, Tudor-Locke C, Earnest CP, Johnson WD, Blair SN, Senechal M, Church TS.** Exercise training and habitual physical activity: a randomized controlled trial. *Am J Prev Med.* 2012; 43(6):629-35.
515. **Janssen I, Carson V, Lee IM, Katzmarzyk PT, Blair SN.** Years of life gained due to leisure-time physical activity in the U.S. *Am J Prev Med.* 2013; 44(1):23-9.
516. **Bauman AE, Blair SN.** Everyone could enjoy the “survival advantage” of elite athletes just by meeting physical activity guidelines. *Br Med J.* 2012;345:e 8338
517. **Sui X, Zhang J, Lee DC, Church TS, Lu W, Liu J, Blair SN.** Physical activity/fitness peaks during perimenopause and BMI change patterns are not associated with baseline activity/fitness in women: a longitudinal study with a median 7-year follow up. *Br J Sports Med.* 2013; 47(2):77-82. Epub 2012 Jul 7.
518. **Joy E, Blair SN, McBride P, Sallis R.** Physical activity counseling in sports medicine: a call to action. *Br J Sports Med.* 2013; 47:49-53.
519. **Kline CE, Ewing GB, Burch JB, Blair SN, Durstine JL, Davis JM, Youngstedt SD.** Exercise training improves selected aspects of daytime

- functioning in adults with obstructive sleep apnea. *J Clin Sleep Med*. 2012; 8(4):358-65.
520. **Kline CE, Sui X, Hall MH, Youngstedt SD, Blair SN, Earnest CP, Church TS.** Dose-response effects of exercise training on the subjective sleep quality of postmenopausal women: Exploratory analyses of a randomized controlled trial. *BMJ Open*, 2012; 2(4):e001044. Print 2012.
521. **Swift DL, Staiano A, Johannsen NM, Lavie CJ, Earnest CP, Katzmarzyk PT, Blair SN, Newton RL, Church TS.** Low cardiorespiratory fitness in African Americans: a health disparity risk factor? *Sports Med*. 2013 Dec; 43(12):1301-13.
522. **Swift DL, Lavie CJ, Johannsen NM, Arena R, Earnest CP, O’Keefe JH, Milani RV, Blair SN, Church TS.** Physical activity, cardiorespiratory fitness, and exercise training in primary and secondary coronary prevention. *Circ J*. 2013; 77:281-92.
523. **España-Romero V, Artero, EG, Duck-chul L, Xeimei S, Baruth M, Ruiz J, Pate RR, Blair SN.** A prospective study of ideal cardiovascular health and depressive symptoms. *Psychosomatics*. 2013 Nov/Dec: 54;525-535.
524. **Byun W, Blair SN, Pate RR.** Objectively measured sedentary behavior in preschool children: comparison between Montessori and traditional preschools. *Int J Behav Nutr Phys Act*. 2013;10:2.
525. **Artero EG, Lee DC, Lavie CJ, España-Romero V, Sui X, Church TS, Blair SN.** Effects of muscular strength on cardiovascular risk factors and prognosis. *J Cardiopulm Rehabil Prev*, 2012; 32(6):351-8.
526. **Heffernan KS, Manini TM, Hsu FC, Blair SN, Nicklas BJ, Kritchevsky SB, Newman AB, Sutton-Tyrrell K, Church TS, Haskell WL, Fielding RA.** Relation of pulse pressure to long-distance gait speed in community-dwelling older adults: Findings from the LIFE-P study. *PLoS One*, 2013;7(11): E49544. Epub 2012 Nov 21.
527. **Trilk JL, Ortaglia A, Blair SN, Bottai M, Church TS, Pate RR.** Cardiorespiratory fitness, waist circumference, and alanine aminotransferase in youth. *Med Sci Sports Exerc*. 2012 Nov 27. [Epub ahead of print]
528. **Kim Y, Beets MW, Pate RR, Blair SN.** The effect of reintegrating Actigraph accelerometer counts in preschool children: Comparison using different epoch lengths. *J Sci Med Sport*. 2012 Jun 30. [Epub ahead of print]
529. **Ortega FB, Lee DC, Katzmarzyk PT, Ruiz JR, Sui X, Church TS, Blair SN.** The intriguing metabolically healthy but obese phenotype: cardiovascular prognosis and the role of fitness. *Eur Heart J*. 2012 Sep 4. [Epub ahead of print]
530. **Greer TL, Ring KM, Warden D, Grannemann BD, Church TS, Somoza E, Blair SN, Szapocznik J, Stoutenberg M, Rethorst C, Walker R, Morris DW, Kosinski AS, Kyle T, Marcus B, Crowell B, Oden N, Nunes E, Trivedi MH.** Rationale for using exercise in the treatment of stimulant use disorders. *Journal of Global Drug Policy and Practice*. 2012;6(1).
531. **Sieverdes JC, Wickel EE, Hand GA, Bergamin M, Moran RR, Blair SN.** Reliability and validity of the Mywellness Key physical activity monitor. *Clin Epidemiol*. 2013;5:13-20.
532. **Stoutenberg M, Lee D, Sui X, Hooker S, Horigian V, Perrino T, Blair SN.** Prospective study of alcohol consumption and the incidence of the metabolic syndrome in US men. *Br J Nutr*. 2013;110:901-10.
533. **Archer E, Shook RP, Thomas DM, Church TS, Katzmarzyk PT, Hebert JR, McIver KL, Hand GA, Lavie CJ, Blair SN.** 45-year trends in women’s

- use of time and household management energy expenditure. *PLOS One*. 2013; 8(2):e56620.
534. **Senechal M, Swift DL, Johannsen NM, Blair SN, Earnest CP, Lavie CJ, Church TS.** Changes in body fat distribution and fitness are associated with changes in hemoglobin A1c after 9 months of exercise training. *Diabetes Care*. 2013;36:2843-49.
535. **Earnest CP, Artero EG, Sui X, Lee DC, Church TS, Blair SN.** Maximal estimated cardiorespiratory fitness, cardiometabolic risk factors, and metabolic syndrome in the Aerobics Center Longitudinal Study. *Mayo Clin Proc*. 2013; 88(3):259-70.
536. **Lee IM, Bauman AE, Blair SN, Heath GW, Kohl HW, Pratt M, Hallal PC.** Annual deaths attributable to physical inactivity: whither the missing 2 million? *The Lancet*. 2013;381:992-3.
537. **Hebert JR, Allison DB, Archer E, Lavie CJ, Blair SN.** Scientific decision making, policy decisions, and the obesity pandemic. *Mayo Clin Proc*. 2013; 88(6):593-604.
538. **Jaggers JR, Dudgeon WD, Blair SN, Sui X, Burgess S, Wilcox S, Hand GA.** A home-based exercise intervention to increase physical activity among people living with HIV: study design of a randomized clinical trial. *BMC Public Health* 2013, 13:502 doi: 10.1186/1471-2458-13-502.
539. **Sui X, Hongjuan L, Zhang J, Li C, Ling Z, Blair SN.** Percentage of deaths attributable to poor cardiovascular health lifestyle factors: findings from the Aerobics Centers Longitudinal Study. *Epidemiol Res Int* 2013, Article ID 437465.
540. **Schoeller DA, Thomas D, Archer E, Heymsfield SB, Blair SN, Goran MI, Hill JO, Atkinson RL, Corkey BE, Foreyt J, Dhurandhar NV, Kral JG, Hall KD, Hansen BC, Heitmann BL, Ravussin E, Allison DB.** Self-report-based estimates of energy intake offer an inadequate basis for scientific conclusions. *Am J Clin Nutr* 2013;97:1413-5.
541. **Earnest CP, Johannsen NM, Swift DL, Lavie CJ, Blair SN, Church TS.** Dose effect of cardiorespiratory exercise on metabolic syndrome in postmenopausal women. *Am J Cardiol* 2013;111(12):1805-11.
542. **Swift DL, Johannsen NM, Lavie CJ, Earnest CP, Johnson WD, Blair SN, Church TS, Newton RJ Jr.** Racial difference in the response of cardiorespiratory fitness to aerobic exercise training in Caucasian and African American postmenopausal women. *J Appl Physiol* 2013;114:1375-82.
543. **Ashmore J, Russo R, Peoples J, Sloan J, Jackson BE, Bae S, Singh KP, Blair SN, Coultas D.** Chronic obstructive pulmonary disease self-management activation research trial (COPD-SMART): Design and methods. *Contemp Clin Trials* 2013;35:77-86.
544. **Kline CE, Crowley EP, Ewing GB, Bruch JB, Blair SN, Durstine JL, Davis JM, Youngstedt SD.** Blunted heart rate recovery is improved following exercise training in overweight adults with obstructive sleep apnea. *Int J Cardiol* 2013;167(4):1610-5.
545. **Lavie CJ, Johannsen N, Swift D, Earnest C, Church T, Hutber A, Sallis R, Blair SN.** Exercise is medicine: The importance of physical activity, exercise training, cardiorespiratory fitness, and obesity in the prevention and treatment of type 2 diabetes. *US Endocrinology* 2013;9(2). Epub ahead of print.
546. **Hebert JR, Wirth M, Davis L, Davis B, Harmon BE, Hurley TG, Drayton R, Murphy AE, Shivappa N, Wilcox S, Adams SA, Brandt HM, Blake CE, Armstead CA, Steck SE, Blair SN.** C-reactive protein levels in African

- Americans: a diet and lifestyle randomized community trial. *Am J Prev Med*, 2013;45(4):430-40.
547. **Matheson GO, Klugl M, Engebretsen L, Bendiksen F, Blair SN, Borjesson M, Budgett R, Derman W, Erdener U, Ioannidis JPA, Khan KM, Martinez R, van Mechelen W, Mountjoy M, Sallis B, Schwellnus M, Schultz R, Soligard T, Steffen K, Sundberg CJ, Wilder R, Ljungqvist A.** Prevention and management of non-communicable disease: the IOC consensus statement, Lausanne 2013. *Br J Sports Med*, 2013;47:1003-11.
548. **Liu J, Sui X, Lavie CJ, Hebert JR, Earnest CP, Zhang J, Blair SN.** Association of coffee consumption with all-cause and cardiovascular disease mortality. *Mayo Clin Proc*, 2013;88(10):1066-74.
549. **Archer E, Hand GA, Blair SN.** Validity of U.S. nutritional surveillance: National Health and Nutrition Examination Survey caloric energy intake data, 1971-2010. *PLOS One*, 2013;8(10):e76632.
550. **Sloan RA, Sawada SS, Girdano D, Liu YT, Biddle SJ, Blair SN.** Associations of sedentary behavior and physical activity with psychological distress: a cross-sectional study from Singapore. *BMC Public Health*, 2013; 13(1):855. Epub ahead of print.
551. **Bottai M, Frongillo EA, Sui X, O'Neill J, McKeown RE, Burns TL, Liese AD, Blair SN, Pate RR.** Use of quantile regression to investigate the longitudinal association between physical activity and body mass index. *Obesity*, 2013. Epub ahead of print.
552. **Patel K, Sui X, Zhang Y, Fonarow GC, Aban IB, Brown CJ, Bittner V, Kitzman DW, Allman RM, Banach M, Aronow WS, Anker SD, Blair SN, Ahmed A.** Prevention of heart failure in older adults may require higher levels of physical activity than needed for other cardiovascular events. *Int J Cardiol*, 2013;168(3):1905-9.
553. **Hutto B, Howard VJ, Blair SN, Colabianchi N, Vena JE, Rhodes D, Hooker SP.** Identifying accelerometer nonwear and wear time in older adults. *Int J Behav Nutr Phys Act*, 2013;10(1)120.
554. **Hand GA, Shook RP, Paluch AE, Baruth M, Crowley EP, Jagers JR, Prasad VK, Hurley TG, Hebert JR, O'Connor DP, Archer E, Burgess S, Blair SN.** The Energy Balance Study: The design and baseline results for a longitudinal study of energy balance. *Res Q Exercise and Sport*, 2013; 84(3):275-86.
555. **Archer E, Lavie CJ, McDonald S, Thomas DM, Hebert JR, Ross SE, McIver KL, Malina RM, Blair SN.** Maternal inactivity: 45-year trends in mothers' use of time. *Mayo Clin Proc*, 2013;88(12):1368-77.
556. **Archer E, Hand GA, Hebert JR, Lau EY, Shook RP, Fayad R, Lavie CJ, Blair SN.** Validation of a novel protocol for calculating estimated energy requirements and average daily physical activity ratio for the US population. *Mayo Clin Proc*, 2013;88(1):1398-1407.
557. **Saxena A, Minton D, Lee DC, Sui X, Fayad R, Lavie CJ, Blair SN.** Protective role of resting heart rate on all-cause and cardiovascular disease mortality. *Mayo Clin Proc*, 2013;88(12):1420-6.
558. **Vuori IM, Lavie CJ, Blair SN.** Physical activity promotion in the health care system. *Mayo Clin Proc*, 2013;88(12):1446-61.
559. **Stanford FC, Durkin MW, Stallworth JR, Blair SN.** Comparison of physical activity levels in physicians and medical students with the general adult population of the United States. *Phys Sports Med*, 2013;41(4):86-92.

560. **Baruth M, Wilcox S, Saunders RP, Hooker SP, Hussey JR, Blair SN.** Perceived environmental church support and physical activity among black church members. *Health Educ Behav*, 2013;40:712-20.
561. **Urdiales DM, Artero EG, Lee DC, Espana-Romeo V, Sui X, Blair SN.** Body adiposity index and all-cause and cardiovascular disease mortality in men. *Obesity*, 2013;21(9):1870-6.
562. **Senechal M, Swift DL, Johannsen NM, Blair SN, Earnest CP, Lavie CJ, Church TS.** Changes in body fat distribution and fitness are associated with changes in hemoglobin A (1c) after 9 months of exercise training: Results from the HART-D study. *Diabetes Care*, 2013;36(9):2843-9.
563. **Johannsen NM, Swift DL, Lavie CJ, Earnest CP, Blair SN, Church TS.** Categorical analysis of the impact of aerobic and resistance exercise training, alone, and in combination, on cardiorespiratory fitness levels in patients with type 2 diabetes: Results from the HART-D study. *Diabetes Care*, 2013; 36(10):3305-12.
564. **Archer E, Paluch AE, Shook RP, Blair SN.** Physical activity and the science of successful aging. *Kinesiology Review*, 2013;2:29-38.
565. **Blair SN, Archer E, Hand GA.** Luke and Cooper are wrong: physical activity has a crucial role in weight management and determinants of obesity. *Int J Epidemiol*, 2013;43:1836-8.
566. **Lavie CJ, Johannsen N, Swift D, Senechal M, Earnest C, Church T, Hutber A, Sallis R, Blair SN.** Exercise is medicine: The importance of physical activity, exercise training, cardiorespiratory fitness, and obesity in the prevention and treatment of Type 2 diabetes. *US Endocrinology*, 2013; 9(2):95–100.
567. **Mavros Y, Kay S, Anderberg KA, Wang Y, Zhao R, Meiklejohn J, Climstein M, O’Sullivan A, Vos N, Baune BT, Blair SN, Simar D, Rooney K, Singh N, Singh MA.** Changes in insulin resistance and HbA1c are related to exercise-mediated changes in body composition in older adults with type 2 diabetes. Interim outcomes from the GREAT2DO trials. *Diabetes Care*. 2013; 36:2372-79.
568. **Barry VW, Baruth M, Beets MW, Durstine JL, Liu J, Blair SN.** Fitness vs. fatness on all-cause mortality: a meta-analysis. *Prog Cardiovasc Dis*, 2014; 56:382-90.
569. **Trost SJ, Blair SN, Khan KM.** Physical inactivity remains the greatest public health problem of the 21<sup>st</sup> century: Evidence, improved methods and solutions using the ‘7 that work’ as a framework. *Br J Sports Med*, 2014;48(3):169-70.
570. **McAuley PA, Artero EG, Sui X, Lavie CJ, Almeida MJ, Blair SN.** Fitness, fatness, and survival in adults with prediabetes. *Diabetes Care*, 2014; 37(2):529-36.
571. **Shook RP, Hand GA, Blair SN.** Top 10 research questions related to energy balance. *Research Quarterly for Exercise and Sport*, 2014;85(1):49-58
572. **Blake CE, Hebert JR, Lee DC, Adams SA, Steck SE, Sui X, Kuk JL, Baruth M, Blair SN.** Adults with greater weight satisfaction report more positive health behaviors and have better health status regardless of BMI. *J Obes*, 2013;2013:291371. Epub in June 2013.
573. **Wirth MD, Blake CE, Hebert JR, Sui X, Blair SN.** Chronic weight dissatisfaction predicts type 2 diabetes risk: aerobic center longitudinal study. *Health Psychol*, 2014;33(8):912-19.
574. **Lavie CJ, McAuley PA, Church TS, Milani RV, Blair SN.** Obesity and cardiovascular diseases: Implications regarding fitness, fatness and severity in the obesity paradox. *J Am Coll Cardiol*, 2014 63(14):1345-54.

575. **Liu J, Sui X, Blair SN, Lavie CJ.** In reply—is coffee harmful? If looking for longevity, say yes to the coffee no, to the sugar. *Mayo Clin Proc*, 2014; 89(4):576-77.
576. **Mavros Y, Kay S, Simpson KA, Baker MK, Wang Y, Zhao RR, Meiklejohn J, Climstein M, O’Sullivan AJ, de Vos N, Baune BT, Blair SN, Simar D, Rooney K, Singh NA, Singh MAF.** Reductions in C-reactive protein in older adults with type 2 diabetes are related to improvements in body composition following a randomized controlled trial of resistance training. *J Cachexia Sarcopenia Muscle*, 2014; DOI 10.1007/s13539-014-0134-1
577. **Cuenca-Garcia M, Artero EG, Sui X, Lee DC, Hebert JR, Blair SN.** Dietary indices, cardiovascular risk factors and mortality in middle-aged adults: findings from the Aerobics Center Longitudinal Study. *Ann Epidemiol*, 2014;24(4):297-303.
578. **Stanford FC, Durkin MW, Stallworth JR, Powell CK, Poston MB, Blair SN.** Factors that influence physicians’ and medical students’ confidence in counseling patients about physical activity. *J Prim Prev*, 2014;35(3):193-201.
579. **Davis JC, Verhagen E, Bryan S, Liu-Ambrose T, Borland J, Buchner D, Hendriks MRC, Weiler R, Morrow JR Jr, van Mechelen W, Blair SN, Pratt M, Windt J, al-Tunaiji H, Macri E, Khan KM.** Consensus statement from the first Economics of Physical Activity (EPIC) conference. *Br J Sports Med*, 2014;48:947-51.
580. **Shook RP, Hand GA, Paluch AE, Wang X, Moran R, Hebert JR, Lavie CJ, Blair SN.** Moderate cardiorespiratory fitness is positively associated with resting metabolic rate in young adults. *Mayo Clin Proc*, 2014. In press.
581. **Shook RP, Hand GA, Wang X, Moran R, Hebert JR, Swift DL, Lavie CJ, Blair SN.** Low fitness partially explains resting metabolic rate differences between African American and white women. *Am J Med*, 2014;127(5):436-42.
582. **Jaggers JR, Prasad VK, Dudgeon WD, Blair SN, Sui X, Burgess S, Hand GA.** Associations between physical activity and sedentary time on components of metabolic syndrome among adults with HIV, *AIDS Care: Psychological and socio-medical aspects of AIDS/HIV*. 2014;26 (11):1387-92. DOI: 10.1080/09540121.2014.920075.
583. **Artero EG, Jackson AS, Sui X, Lee DC, O’Connor DP, Lavie CJ, Church TS, Blair SN.** Longitudinal algorithms to estimate cardiorespiratory fitness: associations with nonfatal cardiovascular disease and disease-specific mortality. *J Am Coll Cardiol*, 2014;63(21):2289-96.
584. **Hand GA, Blair SN.** Energy flux and its role in obesity and metabolic disease. *US Endocrinology*, 2014;10(1):59-64.
585. **Shook RP, Blair SN, Duperly J, Hand GA, Matsudo SM, Slavin JL.** What is causing the worldwide rise in body weight? *US Endocrinology*, 2014; 10(1):44-52.
586. **Sandler RD, Sui X, Church TS, Fritz SL, Beattie PF, Blair SN.** Are flexibility and muscle-strengthening activities associated with a higher risk of developing low back pain? *J Sci Med Sport*, 2014;7:361-5.
587. **Drenowatz C, Shook RP, Hand GA, Hébert JR, Blair SN.** The independent association between diet quality and body composition. *Sci Rep*, 2014; 4:4928.
588. **Lee DC, Pate RR, Lavie CJ, Sui X, Church TS, Blair SN.** Leisure-time running reduces all-cause and cardiovascular mortality risk. *J Am Coll Cardiol*, 2014;64(5):472-81.
589. **Loprinzi P, Smit E, Lee H, Crespo C, Andersen R, Blair SN.** The “Fit but Fat” paradigm addressed using accelerometer-determined physical activity data. *North Am J Med Sci*, 2014;6(7):295-301.

590. **Lavie CJ, Schutter AD, Archer E, McAuley PA, Blair SN.** Obesity and prognosis in chronic diseases: impact of cardiorespiratory fitness in the obesity paradox. *Curr Sports Med Rep*, 2014;13(4):240-5.
591. **Zhang P, Sui X, Hand GA, Hébert JR, SN Blair.** Association of changes in fitness and body composition with cancer mortality in men. *Med Sci Sports Exerc*, 2014;46(7):1366-74.
592. **Sénéchal M, McGavock JM, Church TS, Lee DC, Earnest CP, Sui X, Blair SN.** Cut points of muscle strength associated with metabolic syndrome in men. *Med Sci Sports Exerc*, 2014;46(8):1475-81.
593. **Pahor M, Guralnik JM, Ambrosius WT, Blair SN, Bonds DE, Church TS, Espeland MA, Fielding RA, Gill TM, Groessl EJ, King AC, Kritchevsky SB, Manini TM, McDermott MM, Miller ME, Newman AB, Rejeski J, Sink KM, Williamson JD.** Effect of structured physical activity on prevention of major mobility disability in older adults: the LIFE study randomized clinical trial. *JAMA*, 2014;311(23):2387-96.
594. **Hardee JP, Porter RR, Sui X, Archer E, Lee IM, Lavie CJ, Blair SN.** The effect of resistance exercise on all-cause mortality in cancer survivors. *Mayo Clin Proc*, 2014;89(8):1108-15.
595. **Kokkinos P, Faselis TrC, Myers J, Sui X, Zhang J, Blair SN.** Age-specific exercise capacity threshold for mortality risk assessment in male veterans. *Circulation*, 2014;130:653-658.
596. **Lavie CJ, Church TS, Blair SN.** Letter to the editor re: BMI and mortality among adults with incident type 2 diabetes. *N Engl J Med*, 2014;370(4):1361-1364.
597. **Hardee J, Sui X, Blair SN, Lavie CJ.** In reply: Resistance training in cancer survivors. *Mayo Clin. Proc*, 2014;89(10):1465-6.
598. **Gander J, Sui X, Hazlett LJ, Cai B, Hebert JR, Blair SN.** Factors related to coronary heart disease risk among men: validation of the Framingham Risk Score. *Prev Chronic Dis*, 2014;11:140045. DOI: <http://dx.doi.org/10.5888/pcd11.140045>.
599. **Kennedy AB, Blair SN.** Motivating people to exercise. *Am J Lifestyle Med*, 2014;8(5):324-329. DOI: <http://ajl.sagepub.com/content/8/5/324>.
600. **Rippe JM, Dysinger WS, Rust R, Frank A, Blair SN, Parkinson M.** The Treat the Cause Movement. *Am J Lifestyle Med*, 2014;8(5):291. DOI: <http://ajl.sagepub.com/content/8/5/291>.
601. **Xu G, Sui X, Liu S, Liu J, Liu J, Li Y, Huang S, Wang Z, SN Blair.** Effects of Insufficient Physical Activity on Morality and Life Expectancy in Jiangxi Province of China. 2007-2010. *PLoS ONE*, 2014;9(10):e109826. DOI:10.1371/journal.pone.0109826.
602. **Kulinski J, Khera A, Ayers CR, Sandeep DR, Lemos JA, Blair SN, Berry JD.** Association between Cardiorespiratory Fitness and Accelerometer-Derived Physical Activity and Sedentary Time in the General Population. *Mayo Clin Proc*. 2014;89(8):1063-1071.
603. **Blair SN, Powell KE.** The Evolution of the Physical Activity Field. *JOPERD*, 85:7,9-12, DOI: 10.1080/7303084.2014.937174.
604. **Prasad VK, Hand GA, Sui X, Shrestha D, Lee D, Lavie CJ, Jagers JR, Blair SN.** Association of Exercise Heart Rate Response and Incidence of Hypertension in Men. *Mayo Clin Proc*. 2014;89(8):1101-1107.
605. **Shook RP, Hand GA, Wang X, Paluch AE, Moran R, Hebert JR, Swift DL, Lavie CJ, Blair N.** Low Fitness Partially Explains Resting Metabolic Rate Differences Between African American and White Women. *Am J Med*, 2014;127:436-422.

606. **Puett R, Teas J, Espana-Romero V, Artero EG, Lee DC, Baruth M, Sui X, Montresor-Lopez J, Blair SN.** Physical Activity: Does Environment Make a Difference for Tension, Stress, Emotional Outlook, and Perceptions of Health Status? *J Phys Act and Health*. 2014;11:150-3-11.
607. **Drenowatz C, Sui X, Fritz S, Lavie CJ, Beattie PF, Church TS, Blair SN.** The association between resistance exercise and cardiovascular disease risk in woman. *J Sci Med Sport*. 2015;18(6):632-6
608. **Hill JO, Peters JC, SN Blair.** Reducing Obesity Will Require Involvement of All Sectors of Society. *Obesity*, 2015;23(2):255.
609. **Ross R, Blair SN, Lannoy L, Després JP, Lavie CJ.** Changing the Endpoints for Determining Effective Obesity Management. *Prog Cardiovasc Dis*. 2015; 57(4):330-336.
610. **Shook RP, Hand GA, Drenowatz C, Hebert JR, Paluch AE, Blundell JE, Hill JO, Katzmarzyk PT, Church TS, Blair SN.** Low levels of physical activity are associated with dysregulation of energy intake and fat mass gain over 1 year. *Am J Clin Nutr*.2015;102:1332-8.
611. **Shook, RP, Hand GA, Paluch AE, Wang X, Moran R, Hebert JR, Jakicic JM, Blair SN.** High respiratory quotient is associated with increases in body weight and fat mass in young adults. *Eur J Clin Nutr*.2015.
612. **Greer AE, Sui X, Maslow AL, Kjerulf B, Blair SN.** The effects of sedentary behavior on metabolic syndrome independent of physical activity and cardiorespiratory fitness. *J Phys Act Health*. 2015;12:68-73.
613. **Drenowatz C, Hand GA, Shook RP, Jakicic JM, Hebert JR, Burgess S, Blair SN.** The association between different types of exercise and energy expenditure in young nonoverweight and overweight adults. *Appl Physiol Nutr Metab*. 2015;40:211-217.
614. **Pandey A, Ayers C, Blair SN, Swift DL, Earnest CP, Kitzman DW, Khera A, Church TS, Berry JD.** Cardiac determinants of heterogeneity in fitness change in response to moderate intensity aerobic exercise training. *JACC*, 65:1057-63.
615. **Abdelmawgoud A, Brown CJ, Sui X, Fonarow GC, Kokkinos PF, Bittner V, Aronow WS, Eheirbek RE, Fletcher RD, Blair SN, Ahmed A.** Relationship of physical activity and healthy eating with mortality and incident heart failure among community-dwelling older adults with normal body mass index. *ECS Heart Failure*, 2015.
616. **Park YMM, Sui X, Liu J, Zhou H, Kokkinos PF, Lavie CJ, Hardin JW, Blair SN.** The effect of cardiorespiratory fitness on age-related lipids and lipoproteins. *J Am Coll Cardiol*. 2015;65(19):2091-100.
617. **Dishman RK, Sui X, Church TS, Kline CE, Youngstedt SD, Blair SN.** Decline in cardiorespiratory fitness and odds of incident sleep complaints. *Med. Sci. Sports Exerc*.2015;47(5):960-966.
618. **Adams SA, Wirth MD, Khan S, Murphy EA, Heiney SP, Davis LC, Davis B, Drayton RF, Hurley TG, Blair SN, Hebert JR.** The association of c-reactive protein and physical activity among a church-based population of african americans. *Am J Prev Med*. 2015.
619. **Kraus WE, Bittner V, Appel L, Blair SN, Church T, Despres JP, Franklin BA, Miller TD, Pate RR, Taylor-Piliae RE, Vafiadis DK, Whitsel L;** on behalf of the American Heart Association Physical Activity Committee of the Council on Lifestyle and Metabolic Health, Council on Clinical Cardiology, Council on Hypertension, and Council on Cardiovascular and Stroke Nursing. The National Physical Activity Plan: A Call to Action from the American Heart Association. *Circulation* 2015;131.



620. **Clennin MN, Payne JPW, Rienzi EG, Lavie CJ, Blair SN, Pate RR, Sui X.** Association between cardiorespiratory fitness and health-related quality of life among patients at risk for cardiovascular disease in Uruguay. *PLoS One*. 2015; 10(4):1-14.
621. **Blair SN, Hand GA, Hill JO.** Energy balance: a crucial issue for exercise and sports medicine. *B J Sports Med*. 2015;49(15):970-971.
622. **Becofsky KM, Sui X, Lee D, Wilcox S, Zhang J, Blair SN.** A prospective study of fitness, fatness, and depressive symptoms. *Am J Epidemiol*. 2015; 181(5):311-320.
623. **Huang X, Sui X, Ruiz JR, Hirth V, Ortega FB, Blair SN, Carrero JJ.** Parental history of premature cardiovascular disease, estimated GFR, and rate of estimated GFR decline: results from the Aerobics Center Longitudinal Study. *Am J Kidney Dis*. 2015;65(5):692-700.
624. **Wirth MD, Blake, CE, Hebert JR, Sui X, Blair SN.** Metabolic syndrome and discrepancy between actual and self-identified good weight: Aerobics Center Longitudinal Study. *Body Image*. 2015;13:28-32.
625. **Falck RS, Shook RP, Hand GA, Lavie CJ, Blair SN.** Extremes of weight gain and weight loss with detailed assessments of energy balance: illustrative case studies and clinical recommendations. *Postgraduate Medicine*. 2015; 127(3):282-88.
626. **Li H, Sui X, Huang S, Lavie CJ, Wang Z, Blair SN.** Secular change in cardiorespiratory fitness and body composition of women: The Aerobics Center Longitudinal Study. *Mayo Clin Proc*. 2015;90(1):43-52.
627. **Wirth MD, Jaggars JR, Dudgeon WD, Hebert JR, Youngstedt SD, Blair SN, Hand GA.** Association of markers of inflammation with sleep and physical activity among people living with HIV or AIDS. *AIDS Behav*. 2015; 19:1098-1107.
628. **Lavie CJ, Arena R, Swift DL, Johannsen NM, Sui X, Lee DC, Earnest CP, Church TS, O'Keefe JH, Milani RV, Blair SN.** Exercise and the cardiovascular system: clinical science and cardiovascular outcomes. *Circ Res*. 2015;117:207-19.
629. **Blair SN.** Physical inactivity and obesity is not a myth: Dr. Steven Blair comments on Dr. Aseem Malhotra's editorial. *Br J Sports Med*. 2015; 49(15):968-69.
630. **Senechal M, Johannsen NM, Swift DL, Earnest CP, Lavie CJ, Blair SN, Church TS.** Association between changes in muscle quality with exercise training and changes in cardiorespiratory fitness measures in individuals with type 2 diabetes mellitus: results from the HART-D study. *PLoS One*. 2015; 10(8):1-15.
631. **Pandey A, Swift DL, McGuire DK, Ayers CR, Neeland IJ, Blair SN, Johannsen N, Earnest CP, Berry JD, Church TS.** Metabolic effects of exercise training among fitness-nonresponsive patients with type 2 Diabetes: the HART-D study. *Diabetes Care*. 2015;38:1494-1501.
632. **Gander JC, Sui X, Hebert JR, Hazlett LJ, Cai B, Lavie CJ, Blair SN.** Association of cardiorespiratory fitness with coronary heart disease in asymptomatic men. *Mayo Clin Proc*, 2015;90(10):1372-9.
633. **Lavie CJ, Lee DC, Sui X, Arena R, O'Keefe JH, Church TS, Milani RV, Blair SN.** Effects of running on chronic diseases and cardiovascular and all-cause mortality. *Mayo Clin Proc*, 2015;90(11):1541-52.
634. **Bouchard C, Blair SN, Katzmarzyk PT.** Less sitting, more physical activity, or higher fitness? *Mayo Clin Proc*, 2015;90(11):1533-40.

635. **Simpson KA, Mavros Y, Kay S, Meiklejohn J, de Vos N, Wang Y, Guo Q, Zhao R, Climstein M, Baune BT, Blair SN, O'Sullivan AJ, Simar D, Singh N, Singh MA.** Graded resistance exercise and type 2 diabetes in older adults: The Great2Do study: methods and baseline cohort characteristics of a randomized control trial. *Trials*. 2015;16(1):512.
636. **Dwyer T, Pezic A, Sun C, Cochrane J, Venn A, Srikanth V, Jones G, Shook R, Sui X, Ortaglia A, Blair S, Ponsonby AL.** Objectively measured daily steps and subsequent long term all-cause mortality: The TASPED prospective cohort study. *PLoS One*. 2015;4:10 (11).
637. **Wijndaele K, Westgate K, Stephens SK, Blair SN, Bull FC, Chastin SF, Dunstan DW, Ekelund U, Esliger DW, Freedson PS, Granat MH, Matthews CE, Owen N, Rowlands AV, Sherar LB, Tremblay MS, Troiano RP, Brage S, Healy GN.** Utilization and harmonization of adult accelerometry data: review and expert consensus. *Med Sci Sports Exerc*. 2015;47(10):2129-39. doi: 10.1249/MSS.0000000000000661.
638. **Drenowatz C, Hand GA, Sagner M, Shook RP, Burgess S, Blair SN.** The prospective association between different types of exercise and body composition. *Med Sci Sports Exerc*. 2015;47(12):2535-41.
639. **Sarzynski MA, Burton J, Rankinen T, Blair SN, Church TS, Despres JP, Hagberg JM, Landers-Ramos R, Leon AS, Mikus CR, Rao DC, Seip RL, Skinner JS, Slentz CA, Thompson PD, Wilund KR, Kraus WE, Bouchard C.** The effects of exercise on the lipoprotein subclass profile: a meta-analysis of 10 interventions. *Artherosclerosis*. 2015; 243(2):364-72.
640. **Jakicic JM, Sox H, Blair SN, Bensink M, Johnson WG, King AC, Lee IM, Nahum-Shani I, Sallis JF, Sallis RE, Craft L, Whitehead JR, Ainsworth BE.** Comparative effectiveness research: a roadmap for physical activity and lifestyle. *Med Sci Sports Exerc*. 2015;47(8):1747-54
641. **Kawakami R, Sawada SS, Lee IM, Matsushita M, Gando Y, Okamoto T, Tsukamoto K, Higuchi M, Miyachi M, Blair SN.** Dynopenic obesity and prevalence of type 2 diabetes in middle-aged Japanese men. *J Epidemiol*. 2015; 25(10):656-62.
642. **Yoshimura E, Sawada SS, Lee IM, Gando Y, Kamada M, Matsushita M, Kawakami R, Ando R, Okamoto T, Tsukamoto K, Miyachi M, Blair SN.** Body mass index and kidney stones: a cohort study of Japanese men. *J Epidemiol*. 2015 Nov 28.
643. **Yamamoto N, Shimada M, Nakagawa N, Sawada, SS, Nishimuta M, Kimura Y, Ohashi M, Asai H, Miyazaki H, Lee IM, Blair SN, Yoshitake, Y.** Tracking of pedometer-determined physical activity in healthy elderly japanese people. *J Phys Act Health*. 2015;12(10):1421-9.
644. **Grotta A, Bottai M, Adami HO, Adams SA, Akre O, Blair SN, Mariosa D, Nyren O, Ye W, Stattin P, Bellocco R, Trolle Lagerros Y.** Physical activity and body mass index as predictors of prostate cancer risk. *World J Urol*. 2015; 33(10):1495-502.
645. **Wirth MD, Hebert JR, Hand GA, Youngstedt SD, Hurley TG, Shook RP, Paluch AE, Sui X, James SL, Blair SN.** Association between actigraphic sleep metrics and body composition. *Ann Epidemiol*. 2015;25(10):773-8.
646. **Stoutenberg M, Stasi S, Stamatakis E, Danek D, Dufour T, Trilk JL, Blair SN.** Physical activity training in US medical schools: preparing future physicians to engage in primary prevention. *Phys Sportsmed*. 2015;43(4):388-94.

647. **Drenowatz C, Jakicic JM, Blair SN, Hand GA.** Differences in correlates of energy balance in normal weight, overweight, and obese adults. *Obes Res Clin Pract.* 2015;9(6):592-602.
648. **Turi BC, Codogna JS, Fernandes RA, Lavie CJ, K Lavie CJ, Blair SN, Monteiro, HL.** Accumulation of domain-specific physical inactivity and presence of hypertension in Brazilian public healthcare system. *Phys Act Health.* Feb 24. 2015.
649. **Jaggers JR, Hand GA, Dudgeon WD, Burgess S, Phillips KD, Durstine JL, Blair SN.** Aerobic and resistance training improves mood state among adults living with HIV. *Int J Sports Med.* 2015;36(2):175-81.
650. **Prasad VK, Drenowatz C, Hand GA, Lavie CJ, Sui X, Demello M, Blair SN.** Relation of body's lean mass, fat mass and body mass index with submaximal systolic blood pressure in young adult men. *Am J Cardiol.* 2016; 117(3):394-8.
651. **Bekofsky KM, Shook RP, Sui X, Wilcox S, Lavie CJ, Blair SN.** Influence of the source of social support and size of social network on all-cause mortality. *Mayo Clin Proc.* 2015;90(7):895-902.
652. **Ernstsen L, Rangul V, Nauman J, Nes BM, Dalen H, Krokstad S, Lavie CJ, Blair, SN, Wisloff U.** Protective effect of regular physical activity on depression after myocardial infarction: the HUNT study. *Am J Med.* 2016; 129(1):82-88. e1.
653. **Diaz KM, Howard VJ, Hutto B, Colabianchi N, Vena JE, Blair SN, Hooker SP.** Patterns of sedentary behavior in US middle-age and older adults: the REGARDS study. *Med Sci Sports Exerc.* 2016;48(3):430-8.
654. **Wirth MD, Hébert JR, Shivappa N, Hand GA, Hurley TG, Drenowatz C, McMahan D, Shook RP, Blair SN.** Anti-inflammatory dietary inflammatory index scores are associated with healthier scores on other dietary indices. *Nutr Res.* 2016;36(3):214-9.
655. **Whitaker KM, Wilcox S, Liu J, Blair SN, Pate RR.** Pregnant women's perceptions of weight gain, physical activity, and nutrition using theory of planned behavior constructs. *J Behav Med.* 2016;39:41-54.
656. **Whitaker KM, Wilcox S, Liu J, Blair SN, Pate RR.** Patient and provider perceptions of weight gain, physical activity, and nutrition counseling during pregnancy: a qualitative study. *Women's Health Issues.* 2016;26(1);116-222.
657. **Shook RP, Gribben NC, Hand GA, Paluch AE, Welk GJ, Jakicic JM, Hutto B, Burgess S, Blair SN.** Subjective estimation of physical activity using the international physical activity questionnaire varies by physical fitness. *J Phys Act Health.* 2016;13(1):79-86.
658. **Hooker SP, Hutto B, Blair SN, Colabianchi N, Vena, JE, Rhodes D, Howard VJ.** Accelerometer measured sedentary behavior and physical activity in white and black adults: the REGARDS study. *J Sci Med Sport.* 2016;19(4): 336-41.
659. **Ortega FB, Sui X, Lavie CJ, Blair SN.** Body mass index, the most widely used but also widely criticized index: would a criterion standard measure of total body fat be a better predictor of cardiovascular disease mortality? *Mayo Clinic Proc.* 2016 March 2. pii: s0025-6196 (16) 00042-2.
660. **Lee DC, Lavie CJ, Sui X, Blair SN.** Running and mortality: is more actually worse? (letter to the editor) *Mayo Clinic Proc.* 2016;91(4):434-41.
661. **Whitaker KM, Wilcox S, Liu J, Blair SN, Pate RR.** African American and white women's perceptions of weight gain, physical activity, and nutrition during pregnancy. *Midwifery.* 2016;34:211-20.

662. **Drenowatz, C, Gribben N, Wirth MD, Hand GA, Shook RP, Burgess S, Blair SN.** The association of physical activity during weekdays and weekend with body composition in young adults. *AIMS Public Health [Special Issue: Advances in sedentary behavior research and translation]*. 2016;3(2):375-388.
663. **Coultas DB, Jackson BE, Russo R, Peoples J, Sloan J, Singh KP, Ashmore J, Blair SN, Uhm M, Bae S.** A lifestyle physical activity intervention for patients with chronic obstructive pulmonary disease. A randomized controlled trial. *Ann Am Thorac Soc*. 2016;13(5):617-26.
664. **Ortega FB, Lavie CJ, Blair SN.** Obesity and cardiovascular disease. *Circ Res*. 2016;118:1752-70.
665. **Ricketts TA, Sui X, Lavie CJ, Blair SN, Ross R.** Addition of cardiorespiratory fitness within an obesity risk classification model identifies men at increased risk of all-cause mortality. *Am J Med*. 2016;129(5):536.e13-20.
666. **Sloan RA, Benjamin AH, Susumu SS, Lee I, Sui X, Lee D, Ridouane Y, Muller-Reimenschneider F, Blair SN.** A fit-fat index for predicting incident diabetes in apparently healthy men: a prospective cohort study. *PLoS One*. 2016;11(6). doi: 10.1371/journal.pone.0157703.
667. **Jimenez-Pavon D, Artero EG, Lee D, Espana-Romero V, Sui X, Pate RR...Blair SN.** Cardiorespiratory fitness and the risk of sudden cardiac death in men and women in the united states: a prospective evaluation from the eeroberics center longitudinal study. *Mayo Clinic Proc*. 2016;91(7):849-857.
668. **Lucini D, Zanuso S, Blair SN, Pagani M.** A simple healthy lifestyle index as a proxy of wellness: a proof of concept. *Acta Diabetol*. 2015;52(1):81-9.
669. **Hand GA, Shook R, Hill J, Giacobbi P, Blair, SN.** Energy flux: staying in energy balance at a high level is necessary to prevent weight gain for most people. *Ex Rev of Endo & Met*. 2015;10:6:599-605.
670. **Yan Y, Drenowatz C, Hand GA, Shook RP, Hurley TG, Hebert J, Blair SN.** Is nutrient intake associated with physical activity levels in healthy young adults? *Public Health Nutr*. 2016;19(11):1983-9.
671. **Sogabe N, Sawada SS, Lee IM, Kawakami R, Ishitawa-Takata K, Nakata Y, Mitomi M, Noguchi J, Tsukamoto K, Miyachi M, Blair SN.** Weight change after 20 years of age and the incidence of dyslipidemia: a cohort study of japanese male workers. *J Public Health*. 2016;38(2):77-83.
672. **Changqing L, Blair, SN, Kaiyu X.** The promotion and practice of physical activity in the united states. *Chin J Sports Med*. 2016;35(10).
673. **Archer E, Thomas DM, McDonald SM, Pavela G, Lavie CJ, Hill JO, Blair SN.** The validity of US nutritional surveillance: USDA's loss-adjusted food availability data series 1971-2010. *Curr Probl Cardiol*. 2016;41(11-12):268-292.
674. **Zhu W, Wadley VG, Howard VJ, Hutto B, Blair SN, Hooker SP.** Objectively measured physical activity and cognitive function in older adults. *Med Sci Sports Exerc*. 2017;49(1):47-53
675. **Lee DC, Shook RP, Drenowatz C, Blair SN.** Physical activity and sarcopenic obesity: definition, assessment, prevalence and mechanism. *Fut Sci OA*. 2016; 2(3):FSO127.
676. **Turi BC, Codogno JS, Fernandes RA, Sui X, Lavie CJ, Blair SN, Monteiro HL.** Association of different physical activity domains on all-cause mortality in adults participating in primary care in the brazilian national health system: 4-year follow-up. *J Phys Act Health*. 2016 Oct 24: 1-22.
677. **Nauman J, Nes BM, Lavie CJ, Jackson AS, Sui X, Coombes JS, Blair SN, Wisloff U.** Prediction of cardiovascular mortality by estimated

- cardiorespiratory fitness independent of traditional risk factors: the HUNT study. *Mayo Clin Proc.* 2017;92(2):218-227.
678. **Brazendale K, Drenowatz C, Falk RS, Randel AB, Hoffmeyer JD, Hand GA, Burgess S, Blair SN.** Depressive symptoms are positively associated with time spent sedentary in healthy young US adults. *Progress in Preventative Medicine.* 2017;2(2):pe0004. doi: 10.1097/pp9.
679. **Drenowatz C, Hill JO, Soriano-Maldonado A, Blair SN.** The association of change in physical activity and body weight in the regulation of total energy expenditure. *Eur J Clin Nutr.* 2017;71(3):377-382.
680. **Sui X, Sarzynski MA, Lee D, Lavie CJ, Zhang J, Kokkinos PF, Payne J, Blair SN.** Longitudinal patterns of cardiorespiratory fitness predict the development of hypertension among men and women. *Am J Med.* 2017;130(4):469-479.
681. **Layne AS, Hsu FC, Blair SN, Chen SH, Dungan J, Fielding RA, Glynn NW, Hajduk AM, Manini TM, Marsh AP, Pahor M, Pellegrini CA, Buford TW.** Predictors of change in physical function in older adults in response to long-term structured physical activity: the LIFE Study. *Arch Phys Med Rehabil.* 2017;98(1):11-24 e3.
682. **Ross R, Blair SN, Arena R, Church TS, Despres JP, Franklin BA, Haskell WL, Kaminsky LA, Levine BD, Lavie CJ, Myers J, Sallis R, Sawada SS, Sui X, Wisloff U.** Importance of assessing cardiorespiratory fitness in clinical practice: a case for fitness as a vital sign: a scientific statement from the American Heart Association. *Circulation.* 2016;134(24).
683. **Johannsen NM, Swift DL, Lavie CJ, Earnest CP, Blair SN, Church TS.** Combined aerobic and resistance training effects on glucose homeostasis, fitness, and other major health indices: a review of current guidelines. *Sports Med.* 2016;46(12):1809-18.
684. **Lavie CJ, Arena R, Blair CN.** A call to increase physical activity across the globe in the 21<sup>st</sup> century. *Future Cardiol.* 2016;12(6):605-607.
685. **Falck RS, Drenowatz C, Blundell JE, Shook RP, Best JR, Hand GA, Blair SN.** Physical activity, eating traits and weight in young adulthood: a cross-sectional and longitudinal study. *Ob Sci & Prac.* 2016. doi: 10.1002/osp4.88.
686. **Yan Y, Sui X, Yao B, Lavie CJ, Blair SN.** Is there a dose-response relationship between tea consumption and all-cause-CVD, and cancer mortality? *J Am Coll Nutr.* 2017;36(4):281-86.
687. **Gander JC, Sui X, Hebert JR, Lavie CJ, Hazlett LJ, Cai B, Blair SN.** Addition of estimated cardiorespiratory fitness to the clinical assessment of 10-year coronary heart disease risk in asymptomatic men. *Prev Med Rep.* 2017;7:30-37.
688. **Kritchevsky SB, Lovato L, Handing EP, Blair SN...** Exercise's effect on mobility disability in older adults with and without obesity: The LIFE Study randomized clinical trial. *Obesity.* 2017;25(7): 1199-1205. doi: 10.1002/oby.21860
689. **Sui X, Ott J Jr, Becofsky K, Lavie CJ, Ernstsens I, Zhang J, Blair SN.** Cardiorespiratory fitness and all-cause mortality in men with emotional distress. *Mayo Clin Proc.* 2017;96(2):918-924.
690. **Moore JB, Beets MW, Brazendale K, Blair SN, Pate RR, Anderson LB, Grontved A, Hallal PC, Kordas K, Reilly JJ, Sardinha LB.** Associations of vigorous-intensity physical activity with biomarkers in youth. *Med Sci Sports Exerc.* 2017;49(7):1366-1374.

691. **Wirth MD, Shivappa N, Davis L, Hurley TG, Ortaglia A, Drayton R, Blair SN, Hebert JR.** Construct validation of the dietary inflammatory index among African Americans. *J Nutr Health Aging.* 2017;21(5):487-491.
692. **Bakker EA, Lee DC, Sui XI, Artero EG, Ruiz JR, Eijsvogels TMH, Lavie CJ, Blair SN.** Association of resistance exercise, independent of and combined with aerobic exercise, with the incidence of metabolic syndrome. *Mayo Clin Proc.* 2017 June 12. pii: S0025-6196 (17) 30167-2.
693. **Katzmarzyk PT, Lee IM, CK Martin, Blair SN.** Epidemiology of physical activity and exercise in the United States. *Prog Cradiovasc Dis.* 2017 Jan 12. Pii: S0033-0620 (17) 30015-4.
694. **Drenowatz C, Evensen LH, Ernsten L, Blundell JE, Hand GA, Shook RP, Hebert JR, Burgess S, Blair SN.** Cross-sectional and longitudinal associations between different exercise types and food cravings in free-living healthy young adults. *Appetite.* 2017;118:82-89.
695. **Diaz KM, Howard VJ, Hutto B, Colabianchi N, Vena JE, Safford MM, Blair SN, Hooker SP.** Patterns of sedentary behavior and mortality in U.S. middle-aged and older adults: a national cohort study. *Ann Intern Med.* 2017 Sept 12. Doi: 10.7326/M17-0212.
696. **Espeland MA, Lipska K, Miller ME, Rushing J, Cohen RA, Verghese J, McDermott MM, King AC, Strotmeyer ES, Blair SN, Pahor M, Reid K, Demons J, Kritchevsky SB.** Effects of physical activity intervention on physical and cognitive function in older, sedentary adults with and without diabetes. *J of Ger and Bio Sci.* 2017;72:861-866.
697. **Lavie CJ, Arena R, Blair SN.** A call to increase physical activity across the globe in the 21<sup>st</sup> century. *Future Cardiol.* 2016;12(6):605-607.
698. **Jaggers JR, Snead JM, Felipe Lobelo RL, Hand GA, Dudgeon WD, Prasad VK, Burgess S, Blair SN.** Results of a nine-month home-based physical activity intervention for people living with HIV. *Intl J of Clin Trials.* 2016;3(3):106-119.
699. **Cavallini MF, Kolen AM, Sui X, Spriet LL, King B, Kraft E, Heischmidt K, Blair SN.** Introducing myhouse activity and mywork activity: a paradigm shift towards lifestyle physical activity supported by evidence from a focus group study. *J of Phys Activity Research.* 2017;6(1):61-67.
700. **Drenowatz C, Prasad VK, Hand GA, Shook RP, Blair SN.** Effects of moderate and vigorous physical activity on fitness and body composition. *J of Behav Med.* 2016;39(4):624-632.
701. **Harber MP, Kaminsky LA, Arena R, Blair SN, Franklin BA, Myers J, Ross R.** Impact of cardiorespiratory fitness on all-cause and disease-specific mortality: advances since 2009. *Progress in Cardiov Dis.* 2017;60:11-20.
702. **Trivedi MH, Greer TL, Rethorst CD, Carmody T, Grannemann BD, Blair SN, ...** Randomized controlled trial comparing exercise to health education for stimulant use disorder: results from the CTN-0037 stimulant reduction intervention using dosed exercise (STRIDE) study. *J Clin Psychiatry.* 2017; 78(8):1075-1082.
703. **Drenowatz C, Cai B, Hand GA, Katzmarzyk PT, Shook RP, Blair SN.** Prospective association between body composition, physical activity and energy intake in young adults. *Eur J Clin Nutr.* 2016;70(4):482-7.
704. **Prasad VK, Drenowatz C, Hand GA, Lavie CJ, Sui X, Demello M, Blair SN.** Cardiorespiratory fitness, body fatness, and submaximal systolic blood pressure among young adult women. *J Womens Health* 2016;25(9):897-903.
705. **Bornstein DB, Pate RR, Beets MW, Saunders RP, Blair SN.** Organizational member involvement in physical activity coalitions across the united states:

- development and testing of a novel survey instrument for assessing coalition functioning. *Health Educ Behav.* 2015;42(3):313-20.
706. **Santanasto AJ, Glynn NW, Locato LC, Blair SN, Fielding RA...**Effect of physical activity versus health education on physical function, grip strength and mobility. *J Am Geriatr Soc.* 2017;65(7):1427-33.
707. **Turi BC, Codogno JS, Fernandes RA, Sui X, Lavie CJ, Blair SN, Monteiro HL.** Association of different physical activity domains on all-cause mortality in adults participating in primary care in the brazilian national health system: 4-year follow-up. *J Phys Act Health.* 2017;14(1):45-51.
708. **Kennedy AB, Lavie CJ, Blair SN.** Fitness or fatness, which is more important? *JAMA* 2018;319(3):231-2.
709. **Falck RS, Best JR, Drenowatz C, Hang GA, Shook RP, Lavie CJ, Blair SN.** Psychosocial determinants of weight loss among young adults with overweight and obesity: How does drive for thinness affect weight loss? *J Cardiop Rehab and Prev.* 2018;38:104-110.
710. **Shook RP, Hand GA, O'Connor DP, Thomas DM, Hurley TG, Herbert JR, Drenowatz C, Welk GJ, Carriquiry AL, Blair SN.** Energy intake derived from an energy balance equation, validated activity monitors, and dual x-ray absorptiometry can provide acceptable caloric intake data among young adults. *J of Nutr.* 2018 March; doi: <https://doi.org/10.1093/jn/nxx029>.
711. **Chen H, Rejeski WJ, Gill TM, Guralnik J, Newman A, Blair SN, Conroy D, Liu C, Manini TM, Pahor M, Ambrosius WT, Miller ME.** A comparison of self-report indices of major mobility disability to failure on the 400-m walk test: the LIFE Study. *J Gerontol A Biol Sci Med Sci.* 2018;73(4):513-518.
712. **McMahon DM, Burch JB, Wirth MD, Youngstedt SD, Hardin JW, Hurley TG, Blair SN, Hnd GA, Shook RP, Drenowatz C, Burgess S, Hebert JR.** Persistence of social jetlag and sleep disruption in healthy young adults. *Chronobiol Int.* 2017 Dec 12: 1-17.
713. **Bakker EA, Lee DC, Sui X, Eijvogels TMH, Ortega FB, Lee IM, Lavie CJ, Blair SN.** Association of resistance exercise with the incidence of hypercholesterolemia in men. *Mayo Clin Proc.* 2018 Feb 7. pii: S0025-6196 (17) 30877-7. doi: 10.1016/j. mayocp. 2017. 11.024.
714. **Paluch AE, Shook RP, Hand GA, O'Connor DP, Wilcox S, Drenowatz C, Burgess S, Blair SN.** The influence of life events and psychological stress on objectively measured physical activity: a 12-month longitudinal study. *J Phys Act Health.* 2018;15(5):374-382.
715. **Kawakami R, Sawada SS, Lee IM, Gando Y, Momma H, Terada S, Kinugawa C, Okamoto T, Tsukamoto K, Higuchi M, Miyachi M, Blair SN.** Long-term impact of cardiorespiratory fitness on type 2 diabetes incidence: a cohort study of Japanese men. *J Epidemiol* 2018;28(5):266-273.
716. **Hashimoto Y, Matsudaira K, Sawada SS, Gando Y, Kawakami R, Kinugawa C, Okamoto T, Tsukamoto K, Miyachi M, Naito H, Blair SN.** Objectively measured physical activity and low back pain in Japanese Men. *J Phys Act Health.* 2018;15:417-422.
717. **Coultas DB, Jackson BE, Russo R, Peoples J, Singh KP, Sloan J, Uhm M, Ashmore JA, Blair SN, Bae S.** Home-based physical activity coaching, physical activity, and health care utilization in chronic obstructive pulmonary disease. chronic obstructive pulmonary disease self-management activation research trial secondary outcomes. *Ann Am Thorac Soc.* 2018;15(4):470-478.
718. **Kuk JL, Rotondi M, Sui X, Blair SN, Ardern CI.** Individuals with obesity but no other metabolic risk factors are not at significantly elevated all-cause

- mortality risk in men and women. *Clin Obes*. 2018 July 12. Doi: 10.1111/cob.12263.
719. **Ortega FB, Cadenas-Sanchez C, Migueles JH, Labayen I, Ruiz JR, Sui X, Blair SN, Martinez-Vizcanio V, Lavie CJ.** Role of physical activity and fitness in the characterization and prognosis of the metabolically healthy obesity phenotype: a systematic review and meta-analysis. *Prog Cardiovasc Dis*. 2018;61:190-205.
720. **DeMello MM, Pinto BM, Dunsiger SI, Shook RP, VBurgess S, Hand GA, Blair SN.** Reciprocal relationship between sedentary behavior and mood in young adults over one-year duration. *Mental Health and Physical Activity*. 2018;14:157-162.
721. **Ellingson LD, Meyer JD, Shook RP, Dixon PM, Hand GA, Wirth MD, Paluch AE, Burgess S, Herbert JR, Blair SN.** Changes in sedentary time are associated with changes in mental wellbeing over 1 year in young adults. *Preventive Medicine Reports*. 2018;11:274-281.
722. **Ortego FB, Cadenas-Sanchez C, Lee DC, Ruiz JR, Blair SN, Sui X.** Fitness and fatness as health markers through the lifespan: an overview of current knowledge. *Progress In Preventive Medicine*. AN: 01960908-201804000-00001. April 2018.
723. **de Lannoy L, Sui X, Lavie CJ, Blair SN, Ross R.** Change in submaximal cardiorespiratory fitness and all-cause mortality. *Mayo Clin Proc*. 2018;93(2):184-190.
724. **Meier NF, Lee DC, Sui X, Blair SN.** Physical activity, cardiorespiratory fitness, and incident glaucoma. *Med Sci Sports Exerc*. 2018;50(11):2253-2258.
725. **Gaesser GA, Blair SN.** The health risks of obesity have been exaggerated. *Med Sci Sports Exerc*. 2019;51(1):218-221.
726. **Ozemek C, Laddu DR, Lavie CJ, Kaminsky LA, Ross R, Arena R, Blair SN.** An update on the role of cardiorespiratory fitness, structured exercise and lifestyle physical activity in preventing cardiovascular disease and helath risk. *Prog Cardiovasc Dis*. 2018;51(5-6):484-490.
727. **Carlsen T, Salvesen O, Sui X, Lavie CJ, Blair SN, Wisloff U, Ernstsens L.** Long-term changes in depressive symptoms and estimated cardiorespiratory fitness and risk of all-cause mortality: the nord-trondelag health study. *Mayco Clin Proc*. 2018;93(8):1054-1064.

### **Books and Book Chapters**

728. **Blair SN.** The effect of stimulus and movement complexity upon reaction time and movement time. In Kenyon GL, Grogg TM (Eds.). *Contemporary Psychology of Sport*. Chicago, Athletic Institute, 1970.
729. **Blair SN.** Fluid replacement during football practice. In Burke EJ (Ed.). *Toward an Understanding of Human Performance*. Ithaca, Movement Publications, 1977.
730. **Pate RR, Blair SN.** Exercise and the prevention of atherosclerosis: Pediatric implications. In Strong WB (Ed.). *Atherosclerosis: Its Pediatric Aspects*. New York. Grune and Stratton, 1978.



731. **Blair SN.** A total health fitness lifestyle. In Cundiff D (Ed.). *Implementation of Aerobic Programs*. Washington, AAHPER, 1979
732. **Blair SN, Pate RR, McClenaghan BA.** Current approaches to physical fitness education. In Kratochwill TR (ed.). *Advances in School Psychology, Vol. II*. Hillsdale, N.J. Lawrence Erlbaum, 1982.
733. **Goodyear NN, Blair SN.** An economical approach to verifying keypunch data. *Proceedings of the Eighth Annual SAS Users Group*. Cary, N.C. SAS Institute, 1983, pp. 396-401.
734. **Ludwig DA, Blair SN.** Obtaining part and bipartial canonical correlation estimates from PROC CANCORR: a biomedical application. In *proceedings of the Eighth Annual SAS Users Group*. Cary, N.C. SAS Institute, 1983, pp. 708-710.
735. **Jackson KL, Salisbury ZT, Kronenfeld JJ, Davis KE, Blair SN.** Management and evaluation of a large-scale health promotion project in the public sector. *Priorities in Health Statistics, National Center for Health Statistics*, DHHS publication no. (PHS) 81-1214, 1983.
736. **Blair SN.** How to assess exercise habits and physical fitness. In Matarazzo JD, Miller NE, Weiss SM, Herd JA, Weiss SM (eds.). *Behavioral Health: A Handbook of Health Enhancement and Disease Prevention*. John Wiley & Sons. 1984, pp 424-47.
737. **Blair SN.** Seven-day physical activity recall. In Gunn WJ et al (eds.). *A Handbook to Evaluate Physical Fitness Programs*. Centers for Disease Control, Center for Health Promotion and Education, Atlanta, 1983.
738. **Weber DG, Kohl HW, Blair SN.** An automated system for assessing physical fitness in school children. In *Health Statistics Make a Difference*. National Center for Health Statistics, Hyattsville, MD. DHHS pub. no. (PHS) 86-1214, 1985. pp. 145-148.
739. **Blair SN, Kohl HW, Powell KE.** Physical activity, physical fitness, exercise, and the public's health. In Safrit MJ, Eckert HM (eds.). *The Cutting Edge in Physical Education and Exercise Science Research*. Human Kinetics Publishers, Champaign, IL, 1987, pp. 53-69.
740. **Cooper KH, Blair SN.** Exercise and physical conditioning. *Encyclopedia Britannica (Macropaedia)*, 1987; 28-32.
741. **Blair SN.** Exercise within a healthy lifestyle. In Dishman RK (ed.). *Exercise Adherence: Its Impact on Public Health*. Human Kinetics Books, Champaign, IL, 1988, pp. 75-89.
742. **Blair SN, Mitchell BS.** Cost effectiveness of worksite health promotion programs. In, Oldridge NB, Foster C, and Schmidt DH (eds.). *Clinical Exercise Programs: Theory and Practice*. Mouvement Publications, Ithaca NY, 1988, pp. 283-297.
743. **McBride P, Blair SN.** Pharmacologic and nonpharmacologic interventions for dyslipidemias. In Hall LK and Meyer GC (eds.). *Cardiac Rehabilitation: Exercise Testing and Prescription*. Life Enhancement Publications, Champaign, IL, 1988, pp.345-371.
744. **Simons-Morton BG, Parcel GS, O'Hara NM, Blair SN, Pate RR.** Health-related physical fitness in childhood: status and recommendations. *Ann Rev Public Health*, 1988; 9:403-425.
745. **Blair SN, Painter P, Pate RR, Smith LK, Taylor SB (eds.).** *Resource Manual for Guidelines for Exercise Testing and Prescription*. Lea & Febiger, Philadelphia, 1988.
746. **Mitchell BS, Blair SN.** Evaluation of preventive and rehabilitative exercise programs. In Blair SN et al (eds.). *Resource Manual for Guidelines for*

- Exercise Testing and Prescription*. Lea & Febiger, Philadelphia, 1988, pp. 414-420.
747. **Blair SN**. Exercise, health, and longevity. In Lamb DR and Murray R (eds.). *Perspectives in Exercise Science and Sports Medicine Volume I: Prolonged Exercise*. Benchmark Press, Indianapolis, 1988, pp. 443-484.
748. **Clark DG, Blair SN**. Physical activity and prevention of obesity in childhood. In Krasnegor NA, Grave GD, and Kretchmer N (eds.). *Childhood Obesity: A Biobehavioral Perspective*. Telford Press, Caldwell, NJ, 1988, pp. 121-142.
749. **King AC, Haskell WL, Houston-Miller N, Blair SN (eds.)**. Promotion of Physical Activity in the Community: *A Manual for Community Health Professionals*. The Henry J. Kaiser Family Foundation, Menlo Park, 1988.
750. **Blair SN, Brill, PA, Kohl HW**. Physical activity patterns in older individuals. In Spirduso WW and Eckert HM (eds.). *Physical Activity and Aging*. Human Kinetics, Champaign, 1989, pp. 120-139.
751. **Gibbons LW, Blair SN**. Healthy adults. In Franklin BA, Gordon SG, and Timmis GC (eds.). *Exercise in Modern Medicine*. Williams and Wilkins, Baltimore, 1989, pp. 22-32.
752. **Blair SN, Clark DG, Cureton KJ, Powell KE**. Exercise and fitness in childhood: implications for a lifetime of health. In Gisolfi CV and Lamb DR (eds.). *Perspectives in Exercise Science and Sports Medicine Volume 2: Youth, Exercise, and Sport*. Benchmark Press, Indianapolis, 1989, pp. 401-430.
753. **Blair SN, Kohl HW, Barlow CE**. Physical activity, physical fitness and blood pressure. In Kvist M (ed.). *Paavo Nurmi Congress Book*. Finnish Society of Sports Medicine, Turku, Finland, 1989, pp. 118-120.
754. **Blair SN, Kohl HW**. Measurement and evaluation of health behaviors in relationship to physical fitness and physical activity patterns. In *National Center for Health Statistics. Assessing Physical Fitness and Physical Activity in Population-Based Surveys*. TF Drury, ed. DHHS Pub No. (PHS) 89-1253. Public Health Service. Washington, U.S. Government Printing Office, 1989, pp. 527-545.
755. **Blair SN, Kohl HW, Brill PA**. Behavioral adaptation to physical activity. In Bouchard C, Shephard RJ, Stephens T, Sutton JR, McPherson BD (eds.). *Exercise, Fitness, and Health: A Consensus of Current Knowledge*. Human Kinetics, Champaign, 1990, pp. 385-398.
756. **Blair SN, Gordon NF, Villegas J**. Exercise in the primary prevention of ischemic heart disease. In Torg JS, Welsh RP, Shephard RJ (eds.). *Current Therapy in Sports Medicine -2*. B.C. Decker, Toronto, 1990, pp. 79-85.
757. **Blair SN, Kohl HW, Barlow CE**. Physical fitness and mortality: Implications for health. In: Morozov VI, Osipova HE (eds.). *Leningrad Research Institute of Physical Culture*, Leningrad, USSR, 1990, pp. 59-67.
758. **Blair SN, Kohl HW, Barlow CE**. Low levels of physical activity and physical fitness as risks for hypertension and all-cause mortality. In: Broeckaert, L (ed.). *Sportmedische Tijdingen, 9e Limburgs Congres Voor Sportgeneeskunde*, The Netherlands, 1991, pp. 371-379.
759. **Blair SN**. *Living with Exercise*. Dallas: American Health Publishing Company, 1991.
760. **Blair SN, Kohl HW**. What are the benefits of occupational exercise promotion programs? In: Oja, P, Telama, R (eds.) *Sport for All*. Amsterdam, Elsevier Science Publishers, 1991; 225-232.
761. **Lloyd PJ, Blair SN, Mitchell BS**. Evaluation of preventive and rehabilitative exercise programs. In: Durstine JL et al, (eds). *ACSM's Resource Manual for*

- Guidelines for Exercise Testing and Prescription, Second Edition.* Philadelphia, Lea & Febiger, 1993, pp. 551-561.
762. **Blair SN, Kohl HW, Barlow CE.** Cardiovascular fitness and cardiovascular disease. In Fletcher GF (eds.), *Cardiovascular Response to Exercise.* Futura Publishing, Mount Kisco NY, 1994; pp. 303-324.
763. **Blair SN, Brill PA, Barlow CE.** Physical activity and disease prevention. In Quinney HA, Gauvin L, & Wall AET (eds.), *Toward Active Living. Proceedings of the International Conference on Physical Activity, Fitness, and Health.* Human Kinetics, Champaign, IL, 1994, pp. 25-31.
764. **Blair SN.** Physical activity, fitness, and coronary heart disease. In Boucard C, Shephard RJ, & Stephens T (eds.), *Physical Activity, Fitness, and Health.* International Proceedings and Consensus Statement. Human Kinetics, Champaign, IL, 1994, pp. 579-590.
765. **Blair SN.** Physical activity interventions with children and youth. In Filer LJ, Jr., Lauer RM, & Luepker RV (eds.), *Prevention of Atherosclerosis and Hypertension Beginning in Youth.* Lea & Febiger, Philadelphia, 1994, pp. 273-280.
766. **Blair SN.** Physical activity, fitness, and health. In Kotsonis FN & Mackey MA (eds.), *Nutrition in the '90s (Vol 2).* Marcel Dekker, New York, 1994, pp. 61-79.
767. **Blair SN, Meredith MD.** The exercise-health relationship: Does it apply to children and youth? In Pate RR & Hohn RC (eds.), *Health and Fitness Through Physical Education.* Human Kinetics, Champaign, 1994, pp.11-20.
768. **Kriska AM, Blair SN, Pereira MA.** The potential role of physical activity in the prevention of non-insulin-dependent diabetes mellitus: The epidemiological evidence. In Holloszy JO (ed.), *Exercise and Sport Sciences Reviews.* Williams & Wilkins, Baltimore, 1994; pp. 121-143.
769. **Blair SN.** Noneconomic benefits of health promotion. In R. Kaman (ed), *Worksite Health Promotion Economics: Consensus and Analysis.* Human Kinetics, Champaign, 1995, pp. 33-54.
770. **Paffenbarger RS Jr, Blair SN.** Exercise in the primary prevention of coronary artery disease. In ML Pollock & DH Schmidt (eds.), *Heart Disease and Rehabilitation,* 3rd Edition. Human Kinetics, Champaign, 1994, pp.169-176.
771. **Blair SN, Wells CL, Weathers RD, Paffenbarger RS, Jr.** Chronic disease: The physical activity dose-response controversy. In Dishman RK (ed.), *Advances in Exercise Adherence.* Human Kinetics, Champaign, 1994, pp. 31-54.
772. **Blair SN, Tremain BF.** Exercise and preventive medicine. In JS Torg & RJ Shephard (eds.), *Current Therapy in Sports Medicine.* Mosby, St.Louis, 1995; pp.620-626.
773. **Blair SN.** Youth fitness: Directions for future research. In Cheung LWY, & Richmond JB (eds.), *Child Health, Nutrition, and Physical Activity.* Human Kinetics, Champaign, IL, 1995; pp.147-152.
774. **Blair SN.** Measurement of physical activity. In KD Brownell & CG Fairburn (eds.), *Eating Disorders and Obesity: A Comprehensive Handbook.* Guilford Publications, New York, 1995; pp.111-116.
775. **Blair SN, Connelly JC.** How much physical activity should we do? The case for moderate amounts and intensities of physical activity. In Killoran AJ, Fentem P, & Caspersen C (eds.), *Moving On, International Perspectives on Promoting Physical Activity.* Health Education Authority (Lon), 1994; pp.18-34.

776. **Blair SN.** Actividad Física, Condición Física Y Salud. In: Luna PV, Clemente MA, eds. *Actas Congreso Científico Olímpico - 1992: Biomecánica y Cineantropometría Deporte y Documentación*. Santa Rosa de Lima, Málaga: 1995:171-179.
777. **Blair SN, Brownell KD, Hager DL, Marlatt GA, O'Neil PM, Rhodes SK, St. Jeor S, Wolfe BL.** Exercise and physical activity. In: Wolfe BL, ed. *The lifestyle counselor's guide for weight control*. Dallas, TX: American Health Publishing Company, 1996; 262-319.
778. **Galper DI, Blair SN.** Physical activity intervention studies and socioeconomic status, in *Report of the Conference on Socioeconomic Status and Cardiovascular Health and Disease*, November 6-7, 1995. U.S. Department of Health and Human Services; 1996:167-172.
779. **Ettinger WH, Mitchell BS, Blair SN.** *Fitness after 50*. St. Louis, MO: Beverly Crampton Publications; 1996.
780. **Dunn AL, Blair SN.** Exercise prescription, in Morgan WP (ed): *Physical activity & mental health*. Washington, D.C. Taylor & Francis, 1997; 49-62.
781. **Blair SN.** Effects of physical activity on cardiovascular disease mortality independent of risk factors. In: Leon AS, ed. *Physical activity and cardiovascular health: A national consensus*. Champaign, IL: Human Kinetics, 1997; 127-136.
782. **Garcia ME, Blair SN.** Activity questionnaires in obesity assessment. St. Jeor ST, (ed.). *Obesity assessment: Tools, methods, interpretations (a reference case: The RENO Diet-Heart Study)*. New York, NY: Chapman & Hall, 1997; 163-172.
783. **Blair SN, Lee I-M.** Weight loss and risk of mortality. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of obesity*. New York, NY: Marcel Dekker, Inc. 1998; 805-818.
784. **Brodney S, Blair SN.** Trends in physical activity and obesity and related risks. *Progress in Obesity Research: 8*, Guy-Grand B, Ailhaud G, eds. London, England: John Libbey & Company Ltd., 1999; 449-451.
785. **Brodney S, Blair SN, Lee CD.** Is it possible to be overweight or obese and fit and healthy? *Physical Activity and Obesity*, Cotkin SJ, ed. Human Kinetics, 2000; 347-363.
786. **Wilkinson, WJ, Kampert, JB, Blair, SN, Baumgartner, N, Constable, SH.** Physical fitness & health: A comparative review of the USAF fitness program. Brooks AFB, TX: Force Enhancement Department, USAF School of Aerospace Medicine, 2000. (Publication no. SAM-FE-BR-TP-2000-0001).
787. **Blair SN (Section Editor), Garrett, Jr. WE, Lester GE, McGowan J, Kirkendall DT.** *General health issues in Women's Health in Sports and Exercise*. American Academy of Orthopaedic Surgeons Symposium, Rosemont, IL, 2001, pp. 385-427.
788. **Blair SN, Dunn AL, Marcus BH, Carpenter RA, Jaret P.** *Active Living Every Day -20 weeks to lifelong vitality*. Champaign, IL: Human Kinetics; 2001.
789. **Almeida MJ, Blair SN.** Energy assessment: physical activity, in Berdanier CD(ed): *Handbook of Nutrition and Food*, 2001; 737-755.
790. **Blair SN, Holder S.** Exercise in the management of obesity, in Fairburn CG, Brownell KD (eds): *Eating Disorders and Obesity Second Edition*, 2002; 518-523.
791. **Blair SN, Leermakers E.** Exercise and weight management, in Wadden TA, Stunkard AJ (eds). *Handbook of Obesity Treatment*, 2002; 283-300.

792. **Wilkinson WJ, Blair SN.** Exercise, in Eckel RH, ed: *Obesity Mechanisms and Clinical Management*, Philadelphia, PA: Lippincott Williams & Wilkins; 2003:476-502.
793. **Blair SN.** Can obese individuals be fit and how does it affect their health? Chapter 8 in Medeiros-Neto G, Halpern A, Bouchard C, eds: *Progress in Obesity Research: 9*. Esher, Surrey, KT10 9QY, United Kingdom: John Libbey Eurotext Limited; 2003:40-43.
794. **Blair SN.** Part A. Overview. Physical Activity and Health in Foster GD, Nonas CA (eds): *Physical Activity Managing Obesity: A clinical guide*. American Dietetic Association; 2004; 119-149.
795. **Wilkinson WJ, Blair SN.** Physical activity, obesity, and health outcomes (Chapter 42). *Handbook of Obesity Etiology and Pathophysiology 2<sup>nd</sup> Edition*, 2004; 983-1004.
796. **Chambliss H.O., Blair SN.** Improving the fitness landscape in Brownell KD, Puhl RM, Schwartz MB, Rudd L., eds: *Weight Bias Nature, Consequences, and Remedies*, 2005; 248-264
797. **Ettinger WH, Wright BS, Blair SN.** *Fitness after 50: Add Years to Your Life and Life to Your Years*. Human Kinetics, 2006.
798. **Bouchard C, Blair SN, and Haskell WL.** *Physical Activity and Health*. Human Kinetics, 2007.
799. **Blair SN.** Physical Fitness and Risk of Obesity. **Bouchard C, Katzmarzyk PT, Eds. Human Kinetics.** *Physical Activity and Obesity*, 2<sup>nd</sup> edition, 2010:121-5.
800. **Blair SN, Dunn AL, Marcus BH, Carpenter RA, Jaret P.** *Active Living Every Day, 2<sup>nd</sup> ed*. Champaign, IL: Human Kinetics; 2011.
801. **Powell KE, Paluch AE, Blair SN.** Physical Activity for Health: What Kind? How Much? How Intense? On Top of What? *Annu Rev Public Health*, 2011; 32:349–65.
802. **Ortega FB, Lee DC, Blair SN.** Exercise and Disease Prevention. In: Micheli LJ, ed. *Encyclopedia of Sports Medicine*. Thousand Oaks, CA: SAGE Publications, 2011:447-50. ISBN: 9781412961158.
803. **Ashmore JA, Frierson G, Blair SN.** The role of physical activity in weight loss and weight loss maintenance. Akabas SR, Lederman SA, Moore BJ, eds. *Textbook of obesity*. Ames, IA: Wiley Blackwell 2012; 344-353.
804. **Brukner P, Bahr R, Blair SN, Cook J, Crossley K, McConnell J, McCrory P, Noakes T, Khan K, eds.** Clinical sports medicine. 4th edn. North Ryde: McGraw Hill 2012.
805. **Paluch AE, Berryman JW, Powell KE, Vuori I, Tipton CM, Blair SN.** History of physical activity contributions to public health. Chapter 1 in *Physical Activity and Public Health Practice*. Taylor & Francis Group. CRC Press, 2012.
806. **McAuley PA, Blair SN.** Obesity, an inactive lifestyle, and low fitness: the most unhealthy combination. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Epidemiology, Etiology, and Physiopathology*. Boca Raton, FL: Taylor & Francis Group, LLC. 2013; 669-80.
807. **Archer E, Artero EG, Blair SN.** Sedentary behavior and cardiovascular disease. Chapter 9 in *Sedentary Behavior and Health: Concepts, Assessment & Intervention*. Champaign, IL: 2017; 113-124, 372-377.

Papers from the Multiple Risk Factor Intervention Trial (MRFIT) Research Group (SN Blair listed as contributor and Co-Principal Investigator):

1. Multiple Risk Factor Intervention Trial, Proceedings of the Nutrition Behavioral Research Conference, NHLI, NIH, DHEW Publication No. (NIH) 76-978, p.11, 1975.
2. Smoking Cessation Activities in the Multiple Risk Factor Intervention Trial: A Preliminary Report, Proceedings of the Third World Conference on Smoking and Health, June 2-5, 1975, New York, New York.
3. Public Annual Report, Multiple Risk Factor Intervention Trial, June 30, 1974 to July 1, 1975. U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health, DHEW Publications No. (NIH) 76-1000, August, 1975.
4. The Multiple Risk Factor Intervention Trial (MRFIT): A National Study of Primary Prevention of Coronary Heart Disease. *JAMA* 235:825-827, 1976.
5. Public Annual Report, Multiple Risk Factor Intervention Trial, June 30, 1975 to July 1, 1976, U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health, DHEW Publication No. (NIH) 77-1211, August, 1976.
6. Statistical Design Considerations in the NHLI Multiple Risk Factor Intervention Trial (MRFIT). *J Chron Dis* 30:261-275, 1977.
7. Multiple Risk Factor Intervention Trial. Conference on Mild Hypertension. *Ann NY Acad Sci* 304:293-308, 1978.
8. Smoking Cessation Activities in the MRFIT: A Preliminary Report. In J Steinfeld et al (eds.). *Smoking & Health: II Health Consequences, Education Cessation Activities and Social Action*, U.S. Government Printing Office, Washington, DC, 1976.
9. HDL-Cholesterol levels in the Multiple Risk Factor Intervention Trial (MRFIT). *Lipids* 14:119-125, 1979.
10. The MRFIT behavior pattern study - I. *J Chron Dis* 32:293-305, 1979.
11. Primary prevention of heart attacks: The Multiple Risk Factor Intervention Trial. *Am J Epidemiol* 112:185-199, 1980.